■ Sealed Air

MATERIAL SAFETY DATA SHEET

QUICKRT-B Page 1 of 5 Issued 5/2013

Protective Packaging 10 Old Sherman Turnpike Danbury, CT 06810 203-791-3500 Fax: 203-791-3618

EMERGENCY NUMBERS:

Sealed Air Corporation (US): (203) 791-3500 For emergency and general information

8:30am-5:00pm, (Eastern Time), Monday-Friday

CHEMTREC: (800) 424-9300 For Chemical Emergency - spill, leak, fire, exposure or accident

24 hours

SECTION 1 - IDENTIFICATION

Product Name:

INSTAPAK QUICK® RT COMPONENT "B"

Chemical Name:

Polvol

Product Description:

Polyether Polyol Resin Mixture

Manufacturer:

Sealed Air Corporation (US) 10 Old Sherman Turnpike

Danbury, CT 06810

SECTION 2 – HAZARD(S) IDENTIFICATION

EMERGENCY OVERVIEW

<u>Health Hazards</u>: Irritating to eyes and skin. Inhalation may result in irritation.

Physical Hazards: No immediate hazard.

Medical Conditions Aggravated by Exposure: None known.

Appearance: Liquid can be a straw to amber color and have a clear to cloudy appearance. A slight amine odor

may be present.

Note: Read the entire MSDS for a more thorough evaluation of the hazard information on this product.

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components

CAS No.

Wt. %

OSHA-PEL

ACGIH-TLV

Amine Catalyst

Proprietary

≈ 5

Not Established

Not Established

This product is classified as hazardous, under OSHA Hazard Communication Standard (29 CFR 1910.1200).

SECTION 4 - FIRST AID MEASURES

Eye Contact: Flush with copious amounts of water for at least 15 minutes, holding lids open with fingers.

Skin Contact: Wash area thoroughly with soap and water. Launder contaminated clothing before reuse.

<u>Inhalation</u>: Remove patient from further exposure and obtain medical attention. Administer oxygen if necessary.

<u>Ingestion</u>: Drink water to dilute and obtain medical attention.

Note to Physicians: Symptomatic and supportive care as indicated.

SECTION 5 - FIRE FIGHTING MEASURES

Flash Point: Product as supplied does not have a flash point. [Pensky-Martens Closed Cup]

<u>Flammable limits (lower):</u> Not applicable. Flammable limits (upper): Not applicable.

Extinguishing Media: Carbon dioxide (CO₂), chemical foam, dry chemical, water spray.

<u>Fire Fighting Procedures:</u> Firefighters should wear NFPA compliant protective equipment including a self-contained breathing apparatus, helmet, hood, boots and gloves. Avoid contact with product. Decontaminate equipment and protective clothing prior to reuse.

Fire and Explosion Hazards: Pouches containing chemical may burst under intense heat or pressure.

NFPA Hazard Code:

Health	2
Flammability	1
Reactivity	0
Special Hazard	None

0=Minimal

1=Slight

2=Moderate

3=High

4=Extreme

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Clear the area surrounding the spilled material and prevent further leakage, spillage or entry into drains. Eye and skin protection should be worn during spill cleanup and ventilation maintained. Contain and cover spill with loose absorbent (earth, sand, sawdust or other absorbent material) or absorbent pillows, pads or socks. Collect absorbed material in open containers or plastic bags. Dispose of spilled material according to federal, state and local regulations.

SECTION 7 - HANDLING AND STORAGE

Storage Temperature: Min. 35°F (2°C) Max. 110°F (43°C)

Average Shelf Life: 12 months (when stored in original, unopened, sealed containers).

Special Sensitivity: None.

Precautions to be Taken in Handling and Storage: To prevent possible leakage from pouches, do not store heavy

items on top of this product.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:

OSHA-PEL:

Not Established

ACGIH-TLV:

Not Established

HMIS Hazard Code:

Health	2
Flammability	0
Reactivity	0
PPE	В

B (Personal Protective Equipment) (B= safety glasses and gloves)

0=Minimal

1=Slight

2=Moderate

3=High

4=Severe

Protective Packaging 10 Old Sherman Turnpike Danbury, CT 06810 203-791-3500 Fax: 203-791-3618 QUICKRT-B Page 3 of 5 Issued 5/2013

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION (continued)

<u>Respiratory Protection</u>: The use of respiratory protection should not be needed under normal use and handling conditions. If protection is chosen, an air purifying respirator, equipped with organic vapor cartridges, is appropriate.

Eye Protection: Safety glasses with side shields or goggles.

Protective Clothing: Chemical resistant butyl rubber, nitrile rubber, neoprene, or other suitable protective gloves.

<u>Ventilation</u>: Good general ventilation. For guidance on engineering controls refer to the ACGIH publication "Industrial Ventilation."

Other: Eyewash station and safety shower should be available. Refer to the "Instapak Quick® RT and Instapak Quick Tuff® RT User's Guide" for additional information.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Boiling Point: >201°F (94°C)

Odor: Slight amine Specific Gravity: 1.055 at 25°C

Vapor Density (Air = 1):> 1Bulk Density:8.5 lbs/galMolecular Weight:Not applicable% Volatile by Volume:Nil

Melting Point: <-3°F (<-20°C) Solubility in Water: Soluble

SECTION 10 - STABILITY AND REACTIVITY

Stability: Stable.

Polymerization: Will not occur.

Conditions to Avoid: None.

Incompatible Materials: Contact with isocyanates, unless mixed at the proper ratio, should not occur.

Hazardous Decomposition Products: By fire or extreme heat, oxides of carbon and nitrogen.

SECTION 11 - TOXICOLOGICAL INFORMATION

Toxicity Data: LD₅₀ Oral: Not Established

LD₅₀ Dermal: Not Established

LC₅₀ Inhalation: Not Established

<u>Primary Route(s) of Exposure:</u> Skin contact from liquid. Inhalation. However, overexposure is not expected under normal conditions.



Protective Packaging 10 Old Sherman Turnpike Danbury, CT 06810 203-791-3500 Fax: 203-791-3618 QUICKRT-B Page 4 of 5 Issued 5/2013

SECTION 11 - TOXICOLOGICAL INFORMATION (continued)

Inhalation: Vapors may be irritating if hot.

Skin Contact: Repeated contact may be irritating.

Eye Contact: Can cause eye irritation. Permanent corneal injury is unlikely.

Ingestion: Ingestion is unlikely. Large quantities could cause irritation of mouth and stomach.

Chronic Effects: No applicable data.

<u>Carcinogenicity:</u> The ingredients of this product (>0.1%) are not classified as carcinogenic by ACGIH or IARC, not regulated as carcinogens by OSHA, and not listed as carcinogens by NTP.

Mutagenicity: No applicable data.

Reproductive Effects: No applicable data.

Teratogenicity and Fetotoxicity: No applicable data.

SECTION 12 - ECOLOGICAL INFORMATION

No applicable data for this section.

SECTION 13 - DISPOSAL CONSIDERATIONS

Incinerate or dispose of in accordance with existing federal, state and local environmental control regulations. This material is not a hazardous waste under RCRA 40 CFR 261 when discarded in its purchased form. Chemical waste, regardless of quantity, should never be poured into drains, sewers or waterways.

SECTION 14 - TRANSPORT INFORMATION

DOT: Not regulated.

IMO: Not regulated.

IATA/ICAO Class: Not regulated.

Reportable Quantity (RQ): Not applicable.

SECTION 15 - REGULATORY INFORMATION

TSCA Status: All ingredients are listed or are not required to be listed.

<u>CERCLA Status</u>: Discarded product is not a hazardous waste under RCRA, 40 CFR 261, when disposed of in its purchased form.

SARA 302 Extremely Hazardous Substances: None.

SARA 311/312 Hazard Categories: Immediate (acute) Health Hazard.

SARA 313 Listed Ingredient(s): None.

SECTION 16 - OTHER INFORMATION

Other Regulations/Legislation which apply to this product: Substances used to manufacture this product do not require listing under Massachusetts, New Jersey or Pennsylvania Right-to-Know regulations.

To the best of our knowledge, this product does not contain any of the listed chemicals which the state of California has found to cause cancer, birth defects or other reproductive harm.

Section(s) Revised: Section 1 and 2 headings revised. Section 8 revised.

Printed using vegetable based inks.

M-66

Issued 5/2013