

Physics 42200 Waves & Oscillations

Lecture 14 – French, Chapter 6

Spring 2016 Semester

Matthew Jones

Vibrations of Continuous Systems



- Equations of motion for masses in the middle:

$$m \ddot{x}_i + 2kx_i - k(x_{i-1} + x_{i+1}) = 0$$

$$\ddot{x}_i + 2(\omega_0)^2 x_i - (\omega_0)^2 (x_{i-1} + x_{i+1}) = 0$$

- Proposed solution:

$$x_i(t) = A_i \cos \omega t$$

$$\frac{A_{i-1} + A_{i+1}}{A_i} = \frac{-\omega^2 + 2(\omega_0)^2}{(\omega_0)^2}$$

- We solved this to determine A_i and ω_j ...

Vibrations of Continuous Systems

- Amplitude of mass n for normal mode k :

$$A_{n,k} = C \sin\left(\frac{nk\pi}{N+1}\right)$$

- Frequency of normal mode k :

$$\omega_k = 2\omega_0 \sin\left(\frac{k\pi}{2(N+1)}\right)$$

- Solution for normal modes:


$$q_{n,k}(t) = A_{n,k} \cos \omega_k t$$

- General solution:

$$x_n(t) = \sum_{k=1}^N a_k \sin\left(\frac{nk\pi}{N+1}\right) \cos(\omega_k t - \theta_k)$$

Another Example

- Discrete masses on an elastic string with tension T :



- Consider transverse displacements:




- Vertical force on one mass:

$$F_n = T \sin \theta_2 - T \sin \theta_1 = T(\theta_2 - \theta_1)$$

$$= \frac{T}{\ell} [(y_{n+1} - y_n) - (y_n - y_{n-1})]$$

Another Example



- Equation of motion for mass n :

$$m \ddot{y}_n = F_n = \frac{T}{\ell} [(y_{n+1} - y_n) - (y_n - y_{n-1})]$$

$$\ddot{y}_n + 2(\omega_0)^2 y_n - (\omega_0)^2 (y_{n+1} + y_{n-1}) = 0$$

$$(\omega_0)^2 = \frac{T}{m\ell}$$

- Normal modes:

$$y_{n,k}(t) = A_{n,k} \cos(\omega_k t - \theta_k)$$

Example



- Solutions are of the form

$$x_n(t) = \sum_{k=1}^N a_k \sin\left(\frac{nk\pi}{N+1}\right) \cos(\omega_k t - \theta_k)$$

- The constants a_k and θ_k must be chosen to satisfy the initial conditions.
- Consider, for example, an initial state where all masses are in their equilibrium position except for the mass at x_1 which is initially displaced by a distance A ...

Example



- Consider, for example, an initial state where all masses are in their equilibrium position except for the mass at x_1 which is initially displaced by a distance A ...

$$\begin{aligned}
 x_1(0) &= \sum_{k=1}^N a_k \sin\left(\frac{k\pi}{N+1}\right) \cos \theta_k = A \\
 x_2(0) &= \sum_{k=1}^N a_k \sin\left(\frac{2k\pi}{N+1}\right) \cos \theta_k = 0 \\
 &\vdots \\
 x_N(0) &= \sum_{k=1}^N a_k \sin\left(\frac{Nk\pi}{N+1}\right) \cos \theta_k = 0 \\
 \dot{x}_n(0) &= 0
 \end{aligned}$$

Example

- We have $2N$ equations
 - initial positions of N masses
 - initial velocities of N masses
- We have $2N$ unknowns: a_k and θ_k
- How do we solve this linear system of equations?
- Properties of the normal modes:
 - Eigenvalues: $\omega_k = 2\omega_0 \sin\left(\frac{k\pi}{2(N+1)}\right)$
 - Eigenvectors: $A_{n,k} = \sin\left(\frac{nk\pi}{N+1}\right)$
- Eigenvectors are orthogonal:

$$\sum_{k=1}^N A_{n,k} A_{m,k} = 0 \text{ when } n \neq m$$

Discrete Sine Transform

- The eigenvectors are orthogonal so it must be true that

$$\sum_{k=1}^N \sin\left(\frac{nk\pi}{N+1}\right) \sin\left(\frac{mk\pi}{N+1}\right) = 0$$

when $n \neq m$.

This term sums to zero...

- When $n = m$ we just have

$$\sum_{k=1}^N \sin^2\left(\frac{nk\pi}{N+1}\right) = \sum_{k=1}^N \frac{1}{2} \left(1 + \cos\left(\frac{2nk\pi}{N+1}\right)\right) = \frac{N}{2}$$

Discrete Sine Transform

- We can summarize this in a useful form:

$$\sum_{k=1}^N \sin\left(\frac{nk\pi}{N+1}\right) \sin\left(\frac{mk\pi}{N+1}\right) = \frac{N}{2} \delta_{nm}$$

- The symbol δ_{nm} is called the Kronecker Delta:

$$\delta_{nm} = \begin{cases} 0 & \text{when } n \neq m \\ 1 & \text{when } n = m \end{cases}$$

- How will this help us solve for the constants of integration, given the initial conditions?

Example

- General solution:

$$x_n(t) = \sum_{k=1}^N a_k \sin\left(\frac{nk\pi}{N+1}\right) \cos(\omega_k t - \theta_k)$$

- At time $t = 0$,

$$x_n(0) = \sum_{k=1}^N a_k \sin\left(\frac{nk\pi}{N+1}\right) \cos(\theta_k)$$

- Consider the expression:

$$\begin{aligned} \sum_{n=1}^N x_n(0) \sin\left(\frac{nk'\pi}{N+1}\right) &= \sum_{n,k=1}^N a_k \cos \theta_k \sin\left(\frac{nk'\pi}{N+1}\right) \sin\left(\frac{nk\pi}{N+1}\right) \\ &= \frac{N}{2} \sum_{k=1}^N a_k \cos \theta_k \delta_{k'k} = \frac{N}{2} a_{k'} \cos \theta_{k'} \end{aligned}$$

Example

- Likewise, consider the time derivatives:

$$\dot{x}_n(t) = - \sum_{k=1}^N a_k \omega_k \sin\left(\frac{nk\pi}{N+1}\right) \sin(\omega_k t - \theta_k)$$

$$\dot{x}_n(0) = \sum_{k=1}^N \underbrace{a_k \omega_k \sin \theta_k}_{\text{constants}} \sin\left(\frac{nk\pi}{N+1}\right)$$

$$\sum_{n=1}^N \dot{x}_n(0) \sin\left(\frac{nk'\pi}{N+1}\right) = \frac{N}{2} a_{k'} \omega_{k'} \sin \theta_{k'}$$

- If the initial velocities were all zero, then
 $\theta_k = 0$ for $k = 1, \dots, N$

Example

- Now we know that θ_k are all zero...

$$\sum_{n=1}^N x_n(0) \sin\left(\frac{nk'\pi}{N+1}\right) = \frac{N}{2} a_{k'}$$

$$a_k = \frac{2}{N} \sum_{n=1}^N x_n(0) \sin\left(\frac{nk\pi}{N+1}\right)$$

- In this example, $x_1(0) = A, x_{n \neq 1}(0) = 0$
- Therefore,

$$a_k = \frac{2A}{N} \sin\left(\frac{k\pi}{N+1}\right)$$

And we're done!

A slightly different example...


- Instead of the mass at one end being initially displaced, suppose it was the mass in the middle. In this case,

$$a_k = \frac{2A}{N} \sin\left(\frac{(N/2)k\pi}{N+1}\right)$$


$$\omega_k = 2\omega_0 \sin\left(\frac{k\pi}{2(N+1)}\right)$$

$$x_n(t) = \sum_{k=1}^N a_k \sin\left(\frac{nk\pi}{N+1}\right) \cos(\omega_k t)$$

Example with N=20



Example with N=50



Review

- We calculated the eigenvalues for a system with N identical masses

$$\omega_k = 2\omega_0 \sin\left(\frac{k\pi}{2(N+1)}\right)$$

- We found the normal modes of vibration (eigenvectors):

$$A_{n,k} = \sin\left(\frac{nk\pi}{N+1}\right)$$

- The general form of the solution is

$$x_n(t) = \sum_{k=1}^N a_k \sin\left(\frac{nk\pi}{N+1}\right) \cos(\omega_k t - \theta_k)$$

Review

- We determined the constants of integration from the initial conditions:

$$a_k \cos \theta_k = \frac{2}{N} \sum_{n=1}^N x_n(0) \sin\left(\frac{nk\pi}{N+1}\right)$$



$$a_k \sin \theta_k = \frac{2}{N\omega_k} \sum_{n=1}^N \dot{x}_n(0) \sin\left(\frac{nk\pi}{N+1}\right)$$

- Put these back into the general form of the solution:


$$x_n(t) = \sum_{k=1}^N a_k \sin\left(\frac{nk\pi}{N+1}\right) \cos(\omega_k t - \theta_k)$$

And we're done...

Masses on a String



First normal mode



Second normal mode

Continuous Systems

- What happens when the number of masses goes to infinity, while the linear mass density remains constant?

$$m \ddot{y}_n = \frac{T}{\ell} [(y_{n+1} - y_n) - (y_n - y_{n-1})]$$

$$\frac{m}{\ell} \rightarrow \mu$$

$$\frac{y_{n+1} - y_n}{\ell} \rightarrow \left(\frac{\partial y}{\partial x} \right)_{x+\Delta x} \quad \frac{(y_n - y_{n-1})}{\ell} \rightarrow \left(\frac{\partial y}{\partial x} \right)_x$$

$$\mu \ell \frac{\partial^2 y}{\partial t^2} = T \left[\left(\frac{\partial y}{\partial x} \right)_{x+\Delta x} - \left(\frac{\partial y}{\partial x} \right)_x \right]$$

Continuous Systems

$$\mu \frac{\partial^2 y}{\partial t^2} = T \frac{\left(\frac{\partial y}{\partial x} \right)_{x+\Delta x} - \left(\frac{\partial y}{\partial x} \right)_x}{\ell}$$

$$\mu \frac{\partial^2 y}{\partial t^2} = T \frac{\partial^2 y}{\partial x^2}$$

$$\frac{\partial^2 y}{\partial x^2} = \frac{\mu}{T} \frac{\partial^2 y}{\partial t^2}$$

The Wave Equation: $\frac{\partial^2 y}{\partial x^2} = \frac{1}{v^2} \frac{\partial^2 y}{\partial t^2} \quad v = \sqrt{T/\mu}$

Solutions

- When we had N masses, the solutions were

$$y_{n,k}(t) = A_{n,k} \cos(\omega_k t - \delta_k)$$
 - n labels the mass along the string
 - With a continuous system, n is replaced by x .
- Proposed solution to the wave equation for the continuous string:

$$y(x, t) = f(x) \cos \omega t$$

- Derivatives:

$$\frac{\partial^2 y}{\partial t^2} = -\omega^2 f(x) \cos \omega t$$

$$\frac{\partial^2 y}{\partial x^2} = \frac{\partial^2 f}{\partial x^2} \cos \omega t$$

Solutions

- Substitute into the wave equation:

$$\frac{\partial^2 y}{\partial x^2} = \frac{1}{v^2} \frac{\partial^2 y}{\partial t^2}$$

$$\frac{\partial^2 f}{\partial x^2} = -\frac{\omega^2}{v^2} f(x)$$

$$\frac{\partial^2 f}{\partial x^2} + \frac{\omega^2}{v^2} f(x) = 0$$

- This is the same differential equation as for the harmonic oscillator.
- Solutions are $f(x) = A \sin(\omega x/v) + B \cos(\omega x/v)$

Solutions

$$f(x) = A \sin(\omega x/v) + B \cos(\omega x/v)$$

- Boundary conditions at the ends of the string:

$$f(0) = f(L) = 0$$

$$f(x) = A \sin(\omega x/v) \text{ where } \omega L/v = n\pi$$

- Solutions can be written:

$$f_n(x) = A_n \sin\left(\frac{n\pi x}{L}\right)$$

- Complete solution describing the motion of the whole string:

$$y_n(x, t) = A_n \sin\left(\frac{n\pi x}{L}\right) \cos \omega_n t$$

Properties of the Solutions

$$y_n(x, t) = A_n \sin\left(\frac{n\pi x}{L}\right) \cos \omega_n t$$


	mode	wavelength	frequency
	first	$2L$	$\frac{v}{2L}$
	second	L	$\frac{v}{L}$
	third	$\frac{2L}{3}$	$\frac{3v}{2L}$
	fourth	$\frac{L}{2}$	$\frac{2v}{L}$

$$\lambda_n = \frac{2L}{n}$$

$$\omega_n = \frac{n\pi v}{L}$$

$$f_n = \frac{nv}{2L}$$

Forced Oscillations



- One end of the string is fixed, the other end is forced with the function $Y(t) = B \cos \omega t$.

$$y(0, t) = B \cos \omega t$$

$$y(L, t) = 0$$
- The wave equation still holds so we expect solutions to be of the form

$$y(x, t) = f(x) \cos \omega t$$

Forced Oscillations

- This time we can't constrain $f(x)$ to be zero at both ends.
- Now, let $f(x) = A \sin(kx + \alpha)$
 - The constant k is just ω/v .
 - We need to solve for A and α
- Boundary condition at $x = L$:

$$\sin\left(\frac{\omega L}{v} + \alpha\right) = 0 \Rightarrow \frac{\omega L}{v} + \alpha = p\pi$$

$$\alpha_p = p\pi - \frac{\omega L}{v}$$
- Condition at $x = 0$:

$$B = A_p \sin \alpha_p$$


Forced Oscillations

- Amplitude of oscillations:

$$A_p = \frac{B}{\sin(p\pi - \omega L/v)}$$

- What does this mean?
 - The driving force can excite many normal modes of oscillation
 - When $\omega = p\pi v/L$, the amplitude gets very large

Forced Oscillations



$$L = 5 \text{ m}$$

$$v = 10 \text{ m/s}$$
