



MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name: Activated Alumina D-201 3x6

Product Use: Alumina

 UOP LLC
 UOP M.S. S.r.l.

 25 E. Algonquin Road
 Viale Milanofiori

 Des Plaines, IL 60017-5017
 Strada 1 - Palazzo E1

 USA
 20090 Assago Mi, Italy

 Tel: +1-847-391-3189
 Tel: +39-02-892241

Emergency Assistance - 24 hour Emergency Telephone Numbers:

USA (UOP LLC): + 1-847-391-2123 USA (CHEMTREC): + 1-800-424-9300 Canada (CANUTEC): + 1-613-996-6666 Outside USA (CHEMTREC): + 1-703-527-3887

2. HAZARDS IDENTIFICATION

Emergency Overview:

Repeated or prolonged exposure may irritate eyes, skin and respiratory system. The product gets hot as it first adsorbs water.

Form: Spheres Color: White

Potential Health Effects:

Primary Routes of Exposure: Contact with skin and eyes. Exposure may also occur via inhalation or ingestion if product dust is generated.

Eye Contact: Dust and /or product may cause eye discomfort and/or irritation seen as tearing and reddening.

Skin Contact: Repeated or prolonged exposure may cause skin irritation.

Ingestion: The product is considered to have a low order of oral toxicity.

Inhalation: Exposure to dust particles generated from this material may cause irritation of the respiratory tract. Irritation may be accompanied by coughing and chest discomfort.

Chronic Effects: Prolonged or repeated inhalation of dust generated from this material may cause lung injury.

Activated Alumina D-201 3x6 F86232

Revision Number: 3 June 2008

Carcinogenicity Classification:

International Agency for Research on Cancer (IARC):

Neither the product nor the components are classified.

U.S. National Toxicology Program (NTP):

Neither the product nor the components are classified.

U.S. Occupational Safety and Health Administration (OSHA):

Neither the product nor the components are classified or regulated.

American Conference of Governmental Industrial Hygienists (ACGIH):

Aluminum oxide - Not Classifiable as a Human Carcinogen (A4).

3. COMPOSITION/INFORMATION ON INGREDIENTS							
INGREDIENT	% WEIGHT	ACGIH TLV-TWA	OSHA PEL-	<u>UNITS</u>			
& CAS NO. Aluminum oxide (non-fibrous) 1344-28-1	<95	1(R)	TWA 15(TD) 5(R)	mg/m³			
Water 7732-18-5	<10	N.E.	N.E.	N.A.			
N.E None Established	RD - Respirable Dust R - Respirable Fracti F - Respirable Fibers	on I - Ir	Fume IS nhalable Fu Total Dust SC				

4. FIRST AID MEASURES

Eye contact: Flush immediately with plenty of water for at least 15 minutes. If eye irritation persists, consult a physician.

Skin contact: Wash off with soap and plenty of water. If skin irritation persists, call a physician.

After inhalation: Remove the victim into fresh air. If symptoms persist, call a physician.

After ingestion: Drink at least 2 glasses of water. Obtain medical attention. Never give anything by mouth to an unconscious person.

Notes to physician: The used product can retain material of a hazardous nature. Identify that material and treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable extinguishing media: Non-combustible. Use extinguishing media for surrounding fire.

Unsuitable extinguishing media: N.A.

Fire and explosion hazards: The product itself does not burn. The used product can retain material of a hazardous nature. Identify that material and inform the fire fighters.

Special protective equipment: In the case of respirable dust and/or fumes, use self-contained breathing apparatus and dust impervious protective suit.

Flash Point: N.A.

6. ACCIDENTAL RELEASE MEASURES

Personal protection: See Section 8.

Environmental precautions: No special environmental precautions required.

Clean-up: Sweep, shovel or vacuum spilled product into appropriate containers (do not use a vacuum if material has contacted a hydrocarbon material). Pick-up and arrange disposal without creating dust. Never use spilled product. Spilled product should be disposed of in accordance with all applicable government regulations.

7. HANDLING AND STORAGE

Handling: Handle and open container with care. Avoid formation of dust particles. Avoid contact with skin and eyes. Provide an electrical ground connection during loading and transfer operations to avoid static discharge in an explosive atmosphere and to prevent persons handling the product from receiving static shocks.

Storage: Store in original container. Keep in a dry place.

Activated Alumina D-201 3x6 Revision Number: 3

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering measures: Where natural ventilation is inadequate, especially in confined areas, use mechanical ventilation, other engineering controls or respiratory protection to prevent inhalation of product dust.

Personal protection equipment: Handle in accordance with good industrial hygiene and safety practice.

Eye protection: Safety glasses or goggles.

Hand protection: Protective gloves.

Skin and body protection: Work uniform and gloves to prevent prolonged contact.

Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment. Air-purifying respirator with NIOSH classification N-95 filter or P-95 (or equivalent) if oil/liquid aerosols are present (42 CFR 84).

9. PHYSICAL AND CHEMICAL PROPERTIES

These data do not represent technical or sales specifications.

Form: Spheres Color: White

Odor: None **pH:** 9 - 11 (AS)

Boiling point/range: N.A. Melting point/range: N.A.

Flash point: N.A. Autoignition temperature: N.A.

Bulk density: 40 - 60 lbs/ft³ Explosion limits: N.A.

Vapor pressure: N.A. Relative density/Specific Gravity: 3.0

Vapor density: N.A. Viscosity: N.A.

Water solubility: N.D. Solubility: N.D.

<u>Abbreviations:</u> AS - Aqueous slurry

N.D. - Not DeterminedN.A. - Not Applicable

10. STABILITY

Stability: Stable.

Hazardous decomposition products: No decomposition if used as directed. Hydrocarbons and other materials that contact the product during normal use can be retained on the product. It is reasonable to expect that decomposition products will come from these retained materials of use. If the product is subject to extreme temperatures or chemical conditions, decomposition may occur and the product will include the oxides shown in Section 2.

Conditions/Materials to avoid: Reacts violently with chlorine trifluoride, producing flames. May cause ethylene oxide to polymerize violently, releasing heat.

Activated Alumina D-201 3x6 Revision Number: 3

11. TOXICOLOGICAL INFORMATION

Acute toxicity:

LD50/oral/rat: No data available.

LD50/dermal/rabbit: No data available. **LC50/inhalation/rat:** No data available.

Chronic toxicity: Classification of Ingredients

EC Carcinogenic: Carcinogenicity (ACGIH):
Not listed. A4 (Aluminum oxide)

EC Mutagenic: IARC classification:

Not listed. Not listed.

EC Toxic for Reproduction:

Not listed.

Routes of exposure: Exposure may occur via inhalation, contact with skin and eyes.

Irritation:

Skin (rabbit): No data available.

Eye (rabbit): No data available.

Additional product information:

Avoid repeated exposure.

Additional component information:

No data available.

12. ECOLOGICAL INFORMATION

Mobility:Biodegradation:No data available.No data available.

Bioaccumulation:No data available.

Aquatic toxicity:
No data available.

No data available.

Further Information:
No information available.

13. DISPOSAL CONSIDERATIONS

Provisions relating to waste: EPA - Resource Conservation and Recovery Act (RCRA) Hazardous and Solid Waste Management Regulations.

Disposal information: This product (in its fresh unused state) is not listed by generic name or trademark name in the U.S. EPA's RCRA regulations and does not possess any of the four identifying characteristics of hazardous waste (ignitability, corrosivity, reactivity or toxicity). Materials of a hazardous nature that contact the product during normal use may be retained on this product. The user of the product must identify the hazards associated with the retained material in order to assess the waste disposal options.

14. TRANSPORT INFORMATION

<u>UN-No.:</u> N.A.	<u>Proper shipping name:</u> Not applicable.			<u>Packing group:</u> N.A.
Transport Mode	<u>Class</u>	Additional Information		<u>Remarks</u>
U.S. DOT:	Not regulated.	Reportable Quantity:	N.A.	N.A.
		Marine Pollutant DOT:	No	
ADR/RID:	Not regulated.	Danger Code:	N.A.	N.A.
IMDG:	Not regulated.	Marine pollutant:	No	N.A.
		EmS:	N.A.	
IATA:	Not regulated.	Instr. Passenger:	N.A.	N.A.
		Instr. Cargo:	N.A.	

Activated Alumina D-201 3x6 Revision Number: 3

Activated Alumina D-201 3x6 F86232

15. REGULATORY INFORMATION

United States

Toxic Substances Control Act (TSCA): All the ingredients of this mixture are registered on the TSCA Chemical Substance Inventory.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) Reportable Quantity:

The following component(s) of this product is/are subject to release reporting under 40 CFR 302 when release exceeds the Reportable Quantity (RQ):

-- None --

SARA Title III (Superfund Amendments and Reauthorization Act of 1986): Section 302 (Extremely Hazardous Substances):

The following component(s) of this product is/are subject to the emergency planning provisions of 40 CFR 355 when there are amounts equal to or greater than the Threshold Planning Quantity (TPQ):

-- None --

Section 313 (Toxic Chemicals):

The following component(s) have been specified as Toxic Chemicals under SARA Section 313 and may be subject to the Toxic Release Inventory (TRI) reporting requirements under 40 CFR 372:

-- None --

The following components are listed in U.S. State Regulations:

State Reg Reference: State Reg Reference:

California - Proposition 65: None.

Massachusetts Right-To-Know: Aluminum oxide

New Jersey Right-To-Know: Aluminum oxide

Pennsylvania Right-To-Know: Aluminum oxide

Note: Other U.S. State Regulations may exist, check your local sources if available or contact the UOP Product Stewardship Manager (see Section 16).

Canada

Canadian Hazardous Products Act:

This product is not classified as a controlled product under regulations pursuant to the Federal Hazardous Product Act (e.g. WHMIS).

Canadian Environmental Protection Act: All the ingredients of this mixture are notified to CEPA and on the DSL (Domestic Substances List).

European Union (EU)

European Inventory of Existing Commercial Chemical Substances: All components of this product are included in EINECS/ELINCS.

Council of European Communities Directive on Classification, Packaging and Labelling of Dangerous Substances/Preparation (67/548/EEC & 1999/45/EC, as amended):

No Dangerous Goods Label Required.

Additional Governmental Inventories

Australia - Inventory of Chemical Substances (AICS): All the ingredients of this mixture appear on the AICS.

China: All the ingredients of this mixture appear on the China Inventory.

Japan - Existing and New Chemical Substances (ENCS): All the ingredients of this mixture appear on the ENCS.

Korea - Existing and Evaluated Chemical Substances (ECL): All the ingredients of this mixture appear on the ECL.

Philippines - Inventory of Chemicals and Chemical Substances (PICCS): All the ingredients of this mixture appear on the PICCS.

16. OTHER INFORMATION

Summary of changes: Section 3 **Supersedes:** June 2006

Prepared by: UOP Health, Safety & Environmental Department

HMIS™ - Hazardous Material Identification System:

HMIS™ Ratings: 0-minimal hazard, 1- slight hazard, 2- moderate hazard, 3- serious hazard, 4- severe hazard.

HEALTH: 1
FLAMMABILITY: 0
REACTIVITY: 1

For additional information concerning this product, contact the following:

For health, safety and environmental information, please contact:

Product Stewardship Manager Product Safety Steward Europe Adsorbent Sales
UOP LLC UOP N.V. UOP - Molsiv Dept.
25 E. Algonquin Road Noorderlaan 147 13105 Northwest Freeway

Des Plaines, IL 60017-5017 B-2030 Antwerpen Suite 600

USA Belgium Houston, TX 77040 USA

Tel: +1-847-391-3189 Tel: +32-3-5409-971 Tel: +1-713-744-2811 Fax: +1-847-391-2953 Fax: +32-3-5417-806 Fax: +1-713-744-2808

PRODUCT EMERGENCIES

For technical or purchasing

information, please contact:

If you have a product-related emergency, resulting in an incident such as a spill or release of product or human exposure and need assistance from UOP, please contact the following number:

24-Hour EMERGENCY NUMBER (UOP LLC): + 1 - 847 - 391 - 2123

The data and recommendations presented in this data sheet concerning the use of our product and the materials contained therein are believed to be accurate and are based on information which is considered reliable as of the date hereof. However, the customer should determine the suitability of such materials for his purpose before adopting them on a commercial scale. Since the use of our products by others is beyond our control, no guarantee, express or implied, is made and no responsibility assumed for the use of this material or the results to be obtained therefrom. Information on this form is furnished for the purpose of compliance with Government Health and Safety Regulations and shall not be used for any other purposes. Moreover, the recommendations contained in this data sheet are not to be construed as a license to operate under, or a recommendation to infringe, any existing patents, nor should they be confused with state, municipal or insurance requirements, or with national safety codes.