



MATERIAL SAFETY DATA SHEET

Philube® MW Grease

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Synonyms:	Lubricant with Lithium additive, Non-Lead EP Grease
Formula:	Mixture
Chemical Family:	Mixture
CAS Number:	Mixture
SAP Code:	1013022; 1013023; 1013024; 1014398
Product Code:	94160
MSDS Number:	US028780
NFPA Ratings:	Health 0, Flammability 1 , Reactivity 0
HMIS Ratings:	Flammability 1, Reactivity 0, Health 0
Intended Use(s):	General Purpose grease for automotive, industrial and agricultural use

The intended use of this product is indicated above, if any additional use is known please contact us at the Technical Information number listed below.

Manufactured By:
Phillips 66 Company
A Division of Phillips Petroleum Company
Bartlesville, Oklahoma 74004

Phone Numbers
Emergency: (918) 661-8118
Technical Information: (800) 766-0050
For Additional MSDSs: (918) 661-5974

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Specification and CAS #	Weight % In Product	ACGIH TLV (TWA)	ACGIH Short Term Exposure Limit	ACGIH Ceiling Limits	ACGIH Skin Designation	OSHA Final PEL (TWA)	OSHA - Final PELs - Ceiling Limits	OSHA - Final PELs - Skin Notation
Petroleum based lubricants 64742-54-7 or	~43	NE	NE	NE	NE	NE	NE	NE
Solvent-Dewaxed Heavy Paraffinic Petroleum Distillates 64742-65-0	~43	NE	NE	NE	NE	NE	NE	NE
Severely Hydrotreated Naphthenic Oil 64742-52-5	~24	NE	NE	NE	NE	NE	NE	NE
Residual oils (petroleum), hydrotreated 64742-57-0 or	~18	NE	NE	NE	NE	NE	NE	NE
Residual oils 64742-62-7	~18	NE	NE	NE	NE	NE	NE	NE
Additives	~ 8	NE	NE	NE	NE	NE	NE	NE
Lithium Compound	~ 6	NE	NE	NE	NE	NE	NE	NE
Molybdenum disulfide 1317-33-5	~ 1	10 mg/m3	NE	NE	NE	15 mg/m3 (total dust)	NE	NE

See Section 8 for additional Exposure Limits.

3. HAZARDS IDENTIFICATION

Emergency Overview

Non-Hazardous. Pressure Injection.

Potential Acute Health Effects

Eye Contact: May cause mild irritation.

Skin Contact: May cause mild irritation with prolonged or repeated contact.

Inhalation: No acute effects expected due to low vapor pressure.

Ingestion: Slightly toxic (LD50 > 5 gm/kg).

Subchronic and Chronic Effects:

Prolonged and repeated exposure to oil mist poses a risk of pulmonary disease such as lung inflammation. This condition usually causes no symptoms.

Lithium's use as a drug has provided valuable toxicity information. The information provided refers to ingestion or injection of lithium. Excess lithium intake can produce adverse kidney gastrointestinal tract and central nervous system effects. Dermatitis following absorption of lithium has also been reported.

Aggravated Medical Conditions: No Known Applicable Information

4. FIRST AID MEASURES

Eye Contact: Flush eyes with running water. If irritation or adverse symptoms develop, seek medical attention.

Skin Contact: Wash skin with soap and water. If irritation or adverse symptoms develop, seek medical attention.

Inhalation: Remove from exposure. If illness or adverse symptoms develop, seek medical attention.

Ingestion: If illness or adverse symptoms develop, seek medical attention.

Notes To Physician: For injection injuries, immediate medical treatment is required. Physicians may call the emergency number (918) 661-8118.

5. FIRE FIGHTING MEASURES

Flash Point:	356F (180C)
FP Method:	COC, ASTM D92
Ignition Temperature:	Unknown
Flammable Limits (% by Volume in Air)	
Lower Explosive Limit -	Not Applicable
Upper Explosive Limit -	Not Applicable

Fire Extinguishing Media: Carbon Dioxide, Dry Chemicals, Foam For small localized fires, sand or earth may be used.

Fire Fighting Procedures: Evacuate area and fight fire from a safe distance. Use NIOSH approved self-contained breathing apparatus and other protective equipment and/or garments described in Section 8 if conditions warrant. Use water spray to cool nearby containers and structures exposed to fire.

Fire and explosion hazards: Oxides of carbon, nitrogen, boron, zinc, sulfur and lithium may be released when burned.

6. ACCIDENTAL RELEASE MEASURES

Sweep or gather up material and place in proper container for disposal or recovery.

7. HANDLING AND STORAGE

Avoid contact with eyes, skin or clothing. Avoid breathing vapors, mist, fume or dust. Wash thoroughly after handling. Use with adequate ventilation. Wear protective equipment and/or garments described in Section 8 if exposure conditions warrant. Launder contaminated clothing before reuse. Store in closed container. Store in well-ventilated area.

If pressure injected under the skin, can cause gangrene if not treated.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection: Wear safety glasses.

Respiratory Protection: For concentrations exceeding an applicable exposure limit, use NIOSH approved air purifying respirator equipped with P95 filters, for particulate with time weighted average exposure limit not less than 0.5 mg/M3.

Skin Protection: Use gloves resistant to the material(s) contained in this product.

Ventilation: Use adequate ventilation to control concentrations below applicable exposure limits.

Other Personal Protection: Personal protection information shown in Section 8 is based upon general information as to normal uses and conditions. Where special or unusual uses or conditions exist, it is suggested that the expert assistance of an industrial hygienist or other qualified professional be sought.

Exposure Limits: OSHA PEL and ACGIH TLV for oil mists is 5 mg/m3

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid
Appearance:	Black or very dark grey
Odor:	Mild, Petroleum odor
Odor Threshold (ppm):	Unknown
Boiling Point:	>500F (>260C)
Melting/Freeze Point:	Not Established
Vapor Pressure:	<0.1 mm Hg @ 20C (68F)
Vapor Density (Air=1):	>1
Specific Gravity @ 20 C (Water=1):	0.87-0.93 @ 60/60F (16/16C)
Percent Volatile by Volume:	Negligible
Evaporation Rate (Butyl Acetate=1):	<0.1
Water Solubility:	Slight
Viscosity:	70-85 cSt @ 210F (99C) (Base Oil)

10. STABILITY AND REACTIVITY

Stability:	Stable
Hazardous Polymerization:	Will Not Occur
Incompatibility (Materials to Avoid):	Oxygen and strong oxidizing agents.
Hazardous Decomposition Products:	Oxides of carbon, nitrogen, boron, zinc, sulfur and lithium may be released when burned.

11. TOXICOLOGICAL INFORMATION

Other Health Effects:

These products may contain petroleum base oils which may be refined by various processes including severe solvent extraction, severe hydrocracking or severe hydrotreating. None of the oils require a cancer warning under the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Pressurized injection of product under the skin can lead to seriously inflamed tissue. If left untreated injury can become gangrenous.

Continuous skin contact with used motor oils has caused skin cancer in laboratory animals. Avoid prolonged skin contact with used motor oil.

12. ECOLOGICAL INFORMATION

No data at this time.

13. DISPOSAL CONSIDERATIONS

Disposal should be made in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT Shipping Description:	Not Regulated
IMDG Shipping Description:	Not Regulated
ICAO/IATA Proper Shipping Name:	Not Regulated

15. REGULATORY INFORMATION

EPA SARA 311/312 (Title III Hazard Categories)

Acute Health:	No
Chronic Health:	No
Fire Hazard:	No
Pressure Hazard:	No
Reactivity Hazard:	No

Petroleum based lubricants ~43 64742-54-7
Regulated Substance on TSCA Inventory: Listed
Canada - Domestic Substances List: Listed

Solvent-Dewaxed Heavy Paraffinic Petroleum Distillates ~43 64742-65-0

Regulated Substance on TSCA Inventory: Listed
Canada - Domestic Substances List: Listed

Severely Hydrotreated Naphthenic Oil ~24 64742-52-5
Regulated Substance on TSCA Inventory: Listed
Canada - Domestic Substances List: Listed

Residual oils (petroleum), hydrotreated ~18 64742-57-0
Regulated Substance on TSCA Inventory: Listed
Canada - Domestic Substances List: Listed

Residual oils ~18 64742-62-7
Regulated Substance on TSCA Inventory: Listed
Canada - Domestic Substances List: Listed

Additives ~ 8
Regulated Substance on TSCA Inventory: Listed

Lithium Compound ~ 6
Regulated Substance on TSCA Inventory: Listed

Molybdenum disulfide ~ 1 1317-33-5
Regulated Substance on TSCA Inventory: Listed
New Jersey Right-to-Know List: Listed
Massachusetts Right To Know List: Listed
Canada - Domestic Substances List: Listed

16. OTHER INFORMATION

Revision Summary:

This Material Safety Data Sheet (MSDS) has been revised to conform with the American National Standards Institute (ANSI) 16 Section Format.

Preparer: Health, Environment and Safety Department
Date Prepared: 05/18/2001
Supersedes: 04/30/1998

Phillips Petroleum Company (references to Phillips Petroleum Company or Phillips includes its divisions, affiliates and subsidiaries) believes that the information contained herein (including data and statements) is accurate as of the date hereof. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE AS CONCERNS THE INFORMATION HEREIN PROVIDED. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use of the product and information referred to herein are beyond the control of Phillips, Phillips expressly disclaim any and all liability as to any results obtained or arising from any use of the product or such information. No statement made herein shall be construed as a permission or recommendation for the use of any product in a manner that might infringe existing patents.