MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Interior/Exterior Semi-Gloss Latex Basic White

Product Code Identification Number: 163M100

MSDS Number:

GENERAL USE: Protective Coating

PRODUCT DESCRIPTION: Vinyl acrylic latex coating, slight ammonia odor

ALL COAT

39.4 C

127 C

Yes

5000

MANUFACTURER'S NAME		DATE PREF	PARED:	June 13,	2004		l 5	
Ace Hardware Paint Division		SUPERSEDES: New Page 1 of 4						014
ADDRESS (NUMBER, STREET, P.O. BOX)		TELEPHON	E NUMBI	ER FOR IN	IFORMA ⁻	ΓΙΟΝ		
21901 South Central Avenue		(800) 311-	8324					
(CITY, STATE AND ZIP CODE)	COUNTRY	EMERGENCY TELEPHONE NUMBER						
Matteson, IL 60443-2800	USA	Infotrac (800) 535-5053 Outside USA (352) 323-3500						
DISTRIBUTOR'S NAME								
Ace Hardware Corporation								
ADDRESS (NUMBER, STREET, P.O. BOX)		TELEPHON	E NUMBI	ER FOR IN	FORMAT	TION		
2200 Kensington Court		(800) 311-8324						
(CITY, STATE AND ZIP CODE)	COUNTRY	EMERGENCY TELEPHONE NUMBER						
Oak Brook, IL 60523-2100	USA	Infotrac (800) 535-5053 Outside USA (352) 323-3500						
SECTIO	N 2 - HAZARD	OUS INGI	REDIE	NTS				
		%	OSH	A PEL	ACGII	H TWA	SARA	RQ
HAZARDOUS COMPONENTS	CAS#	(by weight)	PPM	MG/M3	PPM	MG/M3	TITLE III	LBS
Silica, crystalline, quartz (a,b)	14808-60-7	3 - 7		0.1		0.05		

0.5 - 1.5

(a) Indicates substance appears on National Toxicology Program (NTP) list of carcinogens, International Agency for Research on Cancer (IARC) list of carcinogens or is regulated by the Occupational Safety and Health Administration (OSHA) as a possible carcinogen.

107-21-1

- (b) California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986, chemicals known to the state to cause cancer or reproductive toxicity. A person in the course of doing business must warn others who may consume, come into contact with, or otherwise be exposed to this chemical.
- (d) Indicates that the Resource Conservation and Recovery Act (RCRA) has determined the waste for this chemical is listed as hazardous and must be handled according to regulations in 40 CFR 260-281.
- (f) A "C" in the OSHA PEL or ACGIH TWA column indicates ceiling limits, the concentration that should not be exceeded during any part of the working exposure.

SECTION 3 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Ethylene glycol (c,d,e,f)

WARNING! Harmful if swallowed, harmful if inhaled or absorbed through the skin. May cause allergic skin reaction. May cause irritation to skin, eyes, and respiratory tract. Hazard symbols for this product - Not classified. Risk Phrases - Not classified

POTENTIAL HEALTH EFFECTS

INHALATION: High concentrations in the form of vapors or mists are irritating to the respiratory tract; may cause headache, dizziness, nausea and vomiting.

SKIN: Brief contact may cause slight irritation; prolonged contact may cause moderate irritation or dermatitis.

EYES: High vapor concentration or contact may cause irritation and discomfort.

INGESTION: May cause abdominal discomfort or pain, nausea, vomiting, dizziness, or possible convulsions or coma; large doses may be fatal.

CARCINOGENICITY

NTP?

No IARC MONOGRAPHS?

No OSHA REGULATED?

No Crystalline silica inhaled in the form of quartz is classified by IARC as "Group 1, carcinogenic to humans", by NTP as "known to be human carcinogen" and ACGIH as "A2-suspected human carcinogen".

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Interior/Exterior Semi-Gloss Latex Basic White

June 13, 2004

SECTION 4 - FIRST AID MEASURES

INHALATION: Remove affected person to fresh air; if symptoms persist seek medical attention.

SKIN: Remove contaminated clothing; wash affected area with soap and water; launder contaminated clothing before reuse; if irritation persists, seek medical attention.

EYES: Remove contact lenses. Flush eyes with clear running water for 15 minutes while holding eyelids open; if irritation persists, seek medical attention.

INGESTION: Give two glasses of water for dilution; Induce vomiting by sticking fingers down throat; never give anything by mouth to an unconscious person; seek medical attention.

SECTION 5 - FIRE FIGHTING MEASURES

FLASH POINT (METHOD USED)

FLAMMABLE LIMITS

LEL: Not applicable

UEL: Not applicable

Page 2 of 4

AUTOIGNITION TEMPERATURE: Not determined NFPA CLASS: Non

GENERAL HAZARDS: Product is not considered flammable or combustible. Products of combustion include compounds of carbon, hydrogen and oxygen, including carbon monoxide.

EXTINGUISHING MEDIA

Non-flammable

Carbon dioxide, water, water fog, dry chemical, chemical foam.

FIRE FIGHTING PROCEDURES

Keep containers cool with water spray to prevent container rupture due to steam buildup; floor will become slippery if material is released.

UNUSUAL FIRE AND EXPLOSION HAZARDS

None

HAZARDOUS COMBUSTION PRODUCTS

Smoke, fumes, oxides of carbon.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Small spills - wash to sanitary sewer with plenty of water. Large spills - soak up with approved absorbent, shovel product into approved container for disposal. Wash area with plenty of water.

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed when not in use; protect containers from abuse; protect from extreme temperatures.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS

The use of local exhaust ventilation is recommended. No other special controls are indicated.

PERSONAL PROTECTION:

RESPIRATORY PROTECTION (SPECIFY TYPE): None required while threshold limits are kept below maximum allowable concentrations; if TWA exceeds limits, NIOSH approved respirator must be worn. Refer to 29 CFR 1910.134 or European Standard EN 149 for complete regulations.

PROTECTIVE GLOVES: Neoprene, butyl or nitrile rubber gloves with cuffs.

EYE PROTECTION: Protective eyeglasses or chemical safety goggles. Refer to 29 CFR 1910.133 or European Standard EN166.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Safety eyewash station nearby.

WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.

MATERIAL SAFETY DATA SHEET								
PRODUCT NAME: Interior/Exterior Semi-Gloss Latex Basic White June 13, 2004								
SECTION 9-PHY	SICAL AND	CHEMIC	AL PROPERTIES					
VAPOR PRESSURE (MM Hg)		VAPOR DENSITY (AIR = 1)						
17 mm Hg @ 20 ° C		>1						
SPECIFIC GRAVITY (WATER = 1)	EVAPORATION RATE (WATER = 1)							
1.163	<1							
SOLUBILITY IN WATER	FREEZING POINT							
Dispersible	Not determined							
рН		APPEARAN	EARANCE AND ODOR					
8.5 - 9.0		White viscous liquid, slight ammonia odor						
BOILING POINT		PHYSICAL STATE						
214° F (102° C)		Liquid						
VISCOSITY (KREBS)								
100 - 105								
SECTION 1	0 - STABILIT							
STABILITY UNSTABLE:		CONDITIONS TO AVOID: Extreme temperatures, keep from freezing.						
STABLE:								
INCOMPATIBILITY (MATERIALS TO AVOID): Strong								
HAZARDOUS DECOMPOSITION OR BYPRODUCTS		Will not occur	if handled and stored properly.	In case of a fire, oxides				
of carbon, hydrocarbons, fumes, and smoke may be p HAZARDOUS POLYMERIZATION MAY OCCUR:	roducea.	CONDITIONS TO AVOID: None						
HAZARDOUS POLYMERIZATION MAY OCCUR: WILL NOT OCCUR:	VVV	COMBINIONO TO AVOID. NOITE						
			(
SECTION 11-	- TUXICULU	GICAL IN	<u>, </u>					
Hazardous Ingredients	CAS#	EINECS#	LD50 of Ingredient (Specify Species and Route)	LC50 of Ingredient (Specify Species)				
Silica, crystalline, quartz (a,b)	14808-60-7	238-878-4	Not established	Not established				
Ethylene glycol (c,d,e,f)	107-21-1	203-473-3	4700 mg / kg Oral - rat	10876 mg / kg Inhalation - rat				
			Oldi - Idi	Hilldiation - rat				
			[
SECTION 12	2 - ECOLOG	ICAL INFO	ORMATION					

No data are available on the adverse effects of this material on the environment. Neither COD nor BOD data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. None of the ingredients in this mixture are classified as a Marine Pollutant.

SECTION 13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Dispose of in accordance with Local, State, and Federal Regulations. Product is classified as non hazardous, however, non-hazardous materials may become hazardous waste upon contact with other products. Refer to "40 CFR Protection of Environment Parts 260 - 299" for complete waste disposal regulations. Consult your local, state, or Federal Environmental Protection Agency before disposing of any chemicals.

SECTION 14 - TRANSPORT INFORMATION

PROPER SHIPPING NAME: Not Regulated

DOT HAZARD CLASS / Pack Group: Not regulated

REFERENCE: Not Applicable

UN / NA IDENTIFICATION NUMBER: None

LABEL: None Required

HAZARD SYMBOLS: None

IATA HAZARD CLASS / Pack Group: Not regulated IMDG HAZARD CLASS: Not regulated

RID/ADR Dangerous Goods Code: Not regulated

UN TDG Class / Pack Group: Not regulated

Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, EC, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Interior/Exterior Semi-Gloss Latex Basic White

June 13, 2004

SECTION 15 - REGULATORY INFORMATION

TSCA (Toxic Substance Control Act)

All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume Exemption has been granted in accordance with 40 CFR 723.50.

SARA TITLE III (Superfund Amendments and Reauthorization Act)

311/312 Hazard Categories

None

313 Reportable Ingredients:

(a) Indicates a toxic chemical subject to annual reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

CERCLA (Comprehensive Response Compensation and Liability Act)

(c) The Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) has notification requirements for releases or spills to the environment of the Reportable Quantity (RQ for this mixture > 24,000 lbs) or greater amounts, according to 40 CFR 302.

CPR (Canadian Controlled Products Regulations)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

IDL (Canadian Ingredient Disclosure List)

Components of this product identified by CAS number and listed on the Canadian Ingredient Disclosure List are shown in Section 2.

DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List)

Components of this product identified by CAS number are listed on the DSL or NDSL and may or may not be listed in Section 2 of this document. Only ingredients classified as "hazardous" are listed in Section 2 unless otherwise indicated.

EINECS (European Inventory of Existing Commercial Chemical Substances)

Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances.

EC Risk Phrases

Not classified

EC Safety Phrases

S2 Keep out of the reach of children. S24/25 Avoid contact with skin and eyes

SECTION 16 - OTHER INFORMATION

Specific toxicity tests have not been conducted on this product. Our hazard evaluation is based on Information from similar products, the ingredients, technical literature, and/or professional experience.

HMIS HAZARD RATINGS

HEALTH

0 = INSIGNIFICANT

3 = HIGH

FLAMMABILITY

0 1 = SLIGHT

1

В

4 = EXTREME

PHYSICAL HAZARD

2 = MODERATE 0

PERSONAL PROTECTIVE EQUIPMENT

Safety Glasses, Gloves

REVISION SUMMARY:

This MSDS has been revised in the following sections:

No revisions available

MSDS Prepared by:

Comprehensive Data Base, Inc.

P.O. Box 5604

Lakeland, FL 33807 USA

(863) 644 - 3298 www.compdatabase.com

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if easonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1

Page 4 of 4