### SAFETY DATA SHEET

Date: 30 August 2012

**WARNING** 

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier EPO-TEK 353ND Part A
GHS Product Identifier EPO-TEK 353ND Part A

Chemical Name Not applicable

Trade name EPO-TEK 353ND Part A

CAS No. Mixture
EINECS No. Mixture
REACH Registration No. Not available

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use(s)

1.1

1.4

1.3 Details of the supplier of the safety data sheet

Company Identification Epoxy Technology, Inc.

Address 14 Fortune Drive, Billerica MA 01821 USA

Telephone (978) 667–3805
E-Mail (competent person) techserv@epotek.com

Emergency telephone number – Chemtel Inc. Emergency Phone No. (800) 255-3924 , (813) 248-0585

### **SECTION 2: HAZARDS IDENTIFICATION**

2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No. 1272/2008 (CLP) - Acute toxicity 5, Skin irritation 2, Eye Damage 3, Skin Sensitizer 1 (3.1/5,

3.2/2, 3.3/2, 3.4/1

Hazard Symbol

2.1.2 Directive 67/548/EEC & Directive 1999/45/EC - HARMFUL, IRRITANT

2.2 Label elements

Hazard

2.2.1 Label elements According to Regulation (EC) No. 1272/2008 (CLP)

GHS Product Identifier (EU)

pictogram(s)

Hazard H303: May be harmful if swallowed.

statement(s) H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H411: Toxic to aquatic life with long lasting effects.

EUH205: Contains epoxy constituents. See information supplied by the manufacturer.

Precautionary statement(s) P202: Do not handle until all safety precautions have been read and understood. P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 + P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

Signal word(s)

contact lenses, if present and easy to do. Continue rinsing.

P308 + P313: If exposed or concerned: Get medical advice/attention.

P501: Dispose of contents/container to: Send to a licensed recycler, reclaimer or incinerator.

2.2.2 Label elements According to Directive 67/548/EEC & Directive 1999/45/EC

Risk Phrases R22: Harmful if swallowed.

R36/38: Irritating to eyes and skin.

R43: May cause sensitization by skin contact.

R51: Toxic to aquatic organisms.

Safety Phrases S2: Keep out of the reach of children.

S23: Do not breathe fumes/vapour.

S24/25: Avoid contact with skin and eyes.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

S36/39: Wear suitable protective clothing and eye/face protection.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label

where possible).

Page: 1/9 Expiration Date: 30 August 2014

Date: 30 August 2012

2.3 Other hazards GHS Classification (USA): Hazardous under OSHA Hazard Communication Standard - Sensitizer (Skin), Irritant (Eyes, Skin)

HMIS: Health-2, Flammability-1, Reactivity - 0



WHMIS Classification (Canada): Hazardous under WHMIS Class D2B - Material Causing Other Toxic Effects (Sensitizer, Irritation)



**Additional Information** 2.4 None

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### EC Classification No. 1272/2008/EC

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard pictogram(s) and Hazard statement	
Epoxy Phenol Novolac	>75%	28064-14-4	None	NA		3.1/5, 3.2/2, 3.4/1, 3.3/2, 4.1/2, H303, H315,H317, H319, H411, EUH205

### EC Classification No. 67/548/EEC

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard pictogram(s) and Risk (R) Phras(es)		
Epoxy Phenol Novolac	>75%	28064-14-4	None	NA	Xn, Xi; R22, 36/38, 43, 51		

#### 3.3 **Additional Information**

- For full text of H phrases see section 16. For full text of R phrases see section 16. Non-Hazardous ingredients are not listed and make up the balance of the product.

### **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures

Remove patient from exposure. Keep patient at rest and give oxygen if breathing Inhalation difficult. If symptoms develop, obtain medical attention.

Remove contaminated clothing immediately and drench affected skin with plenty of Skin Contact

water. If irritation (redness, rash, blistering) develops, get medical attention.

Irrigate with eyewash solution or clean water, holding the eyelids apart, for at least

15 minutes. Obtain immediate medical attention.

Ingestion may cause irritation of the gastrointestinal tract. If swallowed, seek Ingestion medical advice immediately and show this container or label. Do not induce vomiting. Make victim drink plenty of water. Get immediate medical attention.

Most important 4.2 Acute: Causes serious eye irritation. Causes skin irritation. Allergic contact symptoms and dermatitis. Ingestion may cause irritation of the gastrointestinal tract. effects, both acute

Delayed and chronic effects: Allergic eczema.

4.3 Indication of the Treat symptomatically.

immediate medical attention and special treatment needed

and delayed

Eye Contact

Page: 2/9 Expiration Date: 30 August 2014

Date: 30 August 2012

### **SECTION 5: FIRE-FIGHTING MEASURES**

Combustible but not readily ignited. Acrid smoke. Flash Point > 93.3°C / 200°F.

5.1 **Extinguishing media** 

> Suitable Extinguishing Extinguish preferably with dry chemical, foam or waterspray.

Media

Unsuitable Extinguishing

Media

5.3

7.1

5.2 Special hazards arising

from the substance or mixture

Advice for fire-fighters

None known.

A self contained breathing apparatus and suitable protective clothing should

be worn in fire conditions.

Extinguish preferably with dry chemical, foam or waterspray.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, Ensure full personal protection (including respiratory protection) during protective equipment and removal of spillages.

emergency procedures 6.2 **Environmental precautions** 

Ventilation recommended.

6.3 Methods and material for

containment and cleaning up Transfer to a lidded container for disposal or recovery.

6.4 Reference to other sections See Also Section 7, 8, 13.

6.5 **Additional Information** None

### **SECTION 7: HANDLING AND STORAGE**

Precautions for safe Avoid ingestion. Use only in well-ventilated areas. Avoid inhalation of high handling

concentrations of vapours. Keep away from oxidizing agents. Keep away from fire,

Protect from sunlight. Store in a well-ventilated place. Do not use or store near

heat or open flame. Do not store and transport with oxidizers etc.

sparks and heated surfaces - no smoking.

7.2 Conditions for safe

storage, including

any

incompatibilities Storage Temperature Ambient. Storage Life Not available Incompatible Oxidizing agents

materials

7.3 Specific end use(s) Consult the supplier.

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1 **Control parameters**

### 8.1.1 Occupational Exposure Limits

SUBSTANCE.	CAS No.	LTEL 8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:
Engly Phonal Noveles	28064-14-4	NE	NE NE		NE	PEL (OSHA)
Epoxy Phenol Novolac		NE	NE	NE	NE	TLV (ACGIH)



Page: 3/9 Expiration Date: 30 August 2014

### Date: 30 August 2012

### 8.1.2 Biological limit value

Limit value type (country of origin)	SUBSTANCE.	CAS No.	Biological limit value	Note:	
USA	None	None	None	None	

### 8.1.3 PNECs and DNELs

DNEL	Oral	Inhalation	Dermal
Industry - Long Term – Local effects	NA	NA	NA
Industry - Long Term - Systemic effects	NA	NA	NA
Industry - Short term - Local effects	NA	NA	NA
Industry - Short term - Systemic effects	NA	NA	NA
Professional - Long Term - Local effects	NA	NA	NA
Professional - Long Term – Systemic effects	NA	NA	NA
Professional - Short term - Local effects	NA	NA	NA
Professional - Short term - Systemic effects	NA	NA	NA
Consumer - Long Term - Local effects	NA	NA	NA
Consumer - Long Term - Systemic effects	NA	NA	NA
Consumer - Short term - Local effects	NA	NA	NA
Consumer - Short term - Systemic effects	NA	NA	NA

	PNEC
Aquatic Compartment	Not available
Terrestrial Compartment	Not available
Atmospheric Compartment	Not available

### 8.2.2 Personal protection equipment

	Respirators	Wear suitable respiratory protective equipment if exposure to levels above the occupational exposure limit is likely.
	Eye Protection	Safety glasses.
	Gloves	Wear protective gloves.
温	Body protection	Wear suitable protective clothing and gloves.
	Engineering Controls	Use adequate ventilation and/or engineering controls in high temperature processing to prevent exposure to vapors.
	Other	Remove contaminated, saturated clothing immediately. Contaminated clothing should be thoroughly cleaned.

EPOXY.

Page: 4/9 Expiration Date: 30 August 2014

Date: 30 August 2012

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1 Information on basic physical and chemical properties

Clear Liquid Clear Liquid Appearance Colour Mild / Slight Odor Threshold (ppm) Not available Odor Melting Point (°C) / Not available Boiling point/boiling range (°C): Not available Freezing Point (°C) Flash Point (°C) > 200°F / 93°C Not available Explosive limit ranges Auto Ignition Not available Decomposition Temperature (°C) Not available Temperature (°C) Explosive properties Not available Not available Oxidizing properties Flammability (solid, Not available pH (Value) Not available gas) < Butyl Acetate Vapor Pressure (mm Hg) Not available Evaporation rate Vapor Density (Air=1) Not available Density (g/ml) Not available Solubility (Water) Not available Practically insoluble. Solubility (Other) Partition Coefficient (n-Not available Not available Viscosity (mPa.s) Octanol/water)

**9.2** Other information Volatile Organic Chemical (VOC) Content – Not available.

### **SECTION 10: STABILITY AND REACTIVITY**

**10.1 Reactivity** Slight

**10.2** Chemical stability Stable under normal conditions.

**10.3** Possibility of hazardous reactions Can react violently if in contact with - Oxidizing agents.

**10.4 Conditions to avoid** Avoid contact with heat and ignition sources.

**10.5** Incompatible materials Bleaching products and comparable oxidizers,

10.6 Hazardous Decomposition

Product(s)

Carbon monoxide, Carbon dioxide,

### **SECTION 11: TOXICOLOGICAL INFORMATION**

SUBSTANCE.	CAS No.	LD <sub>50</sub> (Oral, Rat)	LC <sub>50</sub> (Inhalation, Rat)	LD50 (Dermal, Rat)
Epoxy Phenol Novolac	28064-14-4	Not established	Not established	Not established

### 11.1 Information on toxicological effects

### 11.1.2 Mixtures

Acute toxicity May be harmful if swallowed.

Irritation Causes skin and eye irritation. May cause

transient irritation.

Corrosivity Not to be expected.

Sensitisation May cause sensitization by skin contact.

Repeated dose toxicity
Carcinogenicity
No data.
Mutagenicity
No data.
Toxicity for reproduction
No data.

11.2 Other information None

\* TECHNOLOGY

Page: 5/9 Expiration Date: 30 August 2014

Date: 30 August 2012

### **SECTION 12: ECOLOGICAL INFORMATION**

**12.1 Toxicity** Harmful to aquatic life. Harmful to algae.

**12.2** Persistence and degradability Biodegradable. Not persistent.

**12.3** Bioaccumulative potential The product has low potential for bioaccumulation.

**12.4 Mobility in soil** The product has high mobility in soil.

12.5 Results of PBT and vPvB

assessment

No data.

**12.6 Other adverse effects** No data.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1** Waste treatment methods Disposal should be in accordance with local, state or national

legislation. Containers must not be punctured or destroyed by

burning, even when empty.

13.2 Additional Information None

### **SECTION 14: TRANSPORT INFORMATION**

Land transport (ADR/RID) (b)(c)(d) Land transport (Within USA) (c)(d)

UN number UN3082 UN number

Proper Shipping Name – Environmentally Proper Shipping Name - Not classified as dangerous

Hazardous Substance, Liquid, n.o.s. for transport.

Transport hazard class(es) 9 Transport hazard class(es) None **Packing Group** Ш Packing Group None Miscellaneous Hazard label(s) Hazard label(s) None Marine Pollutant **Environmental hazards** Environmental hazards None Special precautions for None Special precautions for None

user user

Sea transport (IMDG) (b)(c)

Air transport (ICAO/IATA) (c) (d)

UN number UN3082 UN number

Proper Shipping Name - Environmentally Proper Shipping Name - Not classified as dangerous

Hazardous Substance, Liquid, n.o.s. for transport.

Transport hazard class(es) 9 Transport hazard class(es) None Packing Group III Packing Group None Marine Pollutant Yes Environmental hazards None Special precautions for None Special precautions for None

user user

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code



Page: 6/9 Expiration Date: 30 August 2014

<sup>(</sup>b) - Full proper shipping name: Environmentally Hazardous Substance, Liquid, n.o.s. (Epoxy Phenol Novolac)

<sup>(</sup>c)- Consult with transport provider.

<sup>(</sup>d)- Check relevant regulations for Special Provisions.

Date: 30 August 2012

### **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1 EU regulations

Authorisations and/or restrictions

Consult the supplier.

on use

European Union (EINECS/ELINCS)

None

WGK number Not Applicable.

### 15.1.2 National regulations

### **USA**

TSCA (Toxic Substance Control Act)

All chemicals listed

SARA 311/312 - Hazard Categories Acute Health
SARA 302 - Extremely Hazardous Listed - None

Substances

SARA 313 - Toxic Chemicals Contains: None CERCLA (Comprehensive Listed - None

Environmental Response Compensation and Liability Act)

CAA (Clean Air Act 1990) Listed – None
CWA (Clean Water Act) Listed - None

State Right to Know Lists Listed – CAS#28064-14-4 NJ, PA.

Proposition 65 (California) Listed – None

Canada

WHMIS Classification Class D Division 2, Subdivision B, Material

Causing Other Toxic Effects (Sensitizer,

Irritation)

Canada (DSL/NDSL) Listed - DSL

Canada Ingredient Disclosure List

(CIDL)

Listed as required.

### 15.2 Chemical Safety Assessment

Irritant (Skin, Eye), (Skin Sensitizer, Irritation)

### 15.3 Label elements (EU)





Label as Harmful, Irritant under 1999/45/EC, 1907/2006/EC, and 1272/2008/EC. See Section 2 for full label requirements.



Page: 7/9 Expiration Date: 30 August 2014

Date: 30 August 2012

### **SECTION 16: OTHER INFORMATION**

### The following sections contain revisions or new statements: 1-16.

### **LEGEND**

ACGIH	American Conference of Governmental Industrial Hygienists	NA	not applicable, not available
AICS	Australian Inventory of Chemical Substances	NIOSH	National Institute for Occupational Safety and Health
ANSI	American National Standards Institute	ND	not determined
atm	atmosphere (pressure unit)	NFPA	National Fire Prevention Association
BOD	biological oxygen demand	NTP	National Toxicology Program
CAS	Chemical Abstracts Service	OC	open cup
CC	closed cup	OSHA	Occupational Safety and Health Administration
CDTA	Chemical Drug and Trafficking Act	Part	partition
COC	Cleveland Open Cup	PEL	permissible exposure limits
COD	chemical oxygen demand	ppb	parts per billion
coeff.	coefficient	PPE	personal protective equipment
CFR	Code of Federal Regulations	ppm	parts per million
CPR	cardio-pulmonary resuscitation	psi	pounds per square inch
DEA	Drug Enforcement Agency	RCRA	Resource Conservation and Recovery Act
DOT	Department of Transportation	RQ	Reportable quantity
DSCL	Dangerous Substances Classification and Labeling	RTK	Right to Know
EEC	European Economic Community	SARA	Superfund Amendments and Reauthorization Act
FDA	Food and Drug Administration	STEL	short-term exposure limit
HMIS	Hazardous Materials Information System	SUSDP	Standard for the Uniform Scheduling of Drugs and Poisons (Australia)
IARC	International Agency for Research on Cancer	TCC	Tagliabue Closed Cup
IDLH	immediate danger to life or health	TDG	Transportation of Dangerous Goods
kg	kilogram	TPQ	threshold planning quantity
L	liter	TQ	threshold quantity
LC50	median lethal concentration	TSCA	Toxic Substances Control Act
LD50	median lethal dose	TWA	time-weighted average
LEL	lower explosive limit	UEL	upper explosive limit
mg	milligram	WES	Workplace Exposure Standard (New Zealand)
mĹ	milliliter	WHMIS	Workplace Hazardous Material Information System

**References:** RTECS, CAS Registry, EINECS/ESIS, Casarett & Doull's Toxicology, Goldfranks's Toxicological Emergencies, Manufacturer Information

### **Risk Phrases and Safety Phrases**

R22: Harmful if swallowed.

R36/38: Irritating to eyes and skin.

R43: May cause sensitization by skin contact.

R51: Toxic to aquatic organisms.

S2: Keep out of the reach of children.

S23: Do not breathe fumes/vapour.

S24/25: Avoid contact with skin and eyes.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/39: Wear suitable protective clothing and eye/face protection.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).



Page: 8/9 Expiration Date: 30 August 2014

Date: 30 August 2012

### Hazard statement(s) and Precautionary statement(s)

H303: May be harmful if swallowed.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H411: Toxic to aquatic life with long lasting effects.

EUH205: Contains epoxy constituents. See information supplied by the manufacturer.

P202: Do not handle until all safety precautions have been read and understood.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 + P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P308 + P313: If exposed or concerned: Get medical advice/attention.

P501: Dispose of contents/container to: Send to a licensed recycler, reclaimer or incinerator.

Training advice: None

Additional Information: None

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.



Page: 9/9 Expiration Date: 30 August 2014

SAFETY DATA SHEET Revision: 11.02CLP Date: 30 August 2012

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

EPO-TEK 353ND Part B **Product identifier EPO-TEK 353ND Part B** GHS Product Identifier

Chemical Name Not applicable

Trade name EPO-TEK 353ND Part B

CAS No. Mixture EINECS No. Mixture REACH Registration No. Not available

Relevant identified uses of the substance or mixture and uses advised against 1.2

Identified use(s)

1.1

1.4

Uses advised against Users are recommended to seek further advice.

1.3 Details of the supplier of the safety data sheet

**Epoxy Technology, Inc.** Company Identification

14 Fortune Drive, Billerica MA 01821 USA Address

Telephone (978) 667-3805 E-Mail (competent person) techserv@epotek.com Emergency telephone number - Chemtel Inc.

Emergency Phone No. (800) 255-3924, (813) 248-0585

### **SECTION 2: HAZARDS IDENTIFICATION**

2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No. 1272/2008 (CLP) - Acute toxicity 4, Skin Corrosion 2, Eye Damage 1 (3.1/4, 3.2/2,

3.3/1, 3.8/3)

2.1.2 Directive 67/548/EEC & Directive 1999/45/EC - CORROSIVE, HARMFUL

2.2 Label elements

Hazard

2.2.1 Label elements According to Regulation (EC) No. 1272/2008 (CLP)

GHS Product Identifier (EU)

pictogram(s) Hazard H302: Harmful if swallowed.

statement(s) H314: Causes severe skin burns and eye damage.

> H318: Causes serious eye damage. H335: May cause respiratory irritation.

H361D: Suspected of damaging fertility or the unborn child.

Precautionary P280: Wear protective gloves/protective clothing/eye protection/face protection. P301 + P330 + P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. statement(s)

P301 + P310: IF SWALLOWED: Immediately call a POISON CENTER or

doctor/physician.

P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes.

Signal word(s)

**DANGER** 

Remove contact lenses, if present and easy to do. Continue rinsing.

P305: IF IN EYES: Get immediate medical attention.

P501: Dispose of contents/container to: Send to a licensed recycler, reclaimer or

incinerator.

2.2.2 Label elements According to Directive 67/548/EEC & Directive 1999/45/EC

> Risk Phrases R22: Harmful if swallowed.

Hazard Symbol

R34: Causes burns.

R41: Risk of serious damage to eyes.

R63: Possible risk of harm to the unborn child.

S2: Keep out of the reach of children. Safety Phrases

S26: In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S28: After contact with skin, wash immediately with plenty of soap and water.

\$36/39: Wear suitable protective clothing and eye/face protection.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the

label where possible).

S56: Dispose of this material and its container to hazardous or special waste collection

Page: 1/9 Expiration Date: 30 August 2014

## MATERIAL SAFETY DATA SHEET

**EPO-TEK 353ND Part B** 

point.

#### 2.3 Other hazards

GHS Classification (USA): Hazardous under OSHA Hazard Communication Standard - Corrosive (Eyes, Skin),

**Reproductive Harm** 

HMIS: Health-2, Flammability-1 Reactivity - 1

WHMIS Classification (Canada): Hazardous under WHMIS Class D2B - Material Causing Other Toxic Effects (Irritation), Class D2A - Material Causing Other Toxic Effects (Corrosive, Irritation, Reproductive Harm), Class E - Corrosive Material



Date: 30 August 2012

#### 2.4 **Additional Information** None

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### EC Classification No. 1272/2008/EC

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard pictogram(s) and Hazard statement(s)		
Imidazole Blend	50-80	Proprietary	Proprietary	NA		3.1/4, 3.2/2, 3.3/1, 3.8/3 H302, H315, H318, H335	
Imidazole	25-50	288-32-4	206-019-2	NA		3.1/4, 3.2/1B, 3.3/1,3.7/1B H302, H314, H361D	

### EC Classification No. 67/548/EEC

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard pictogram(s) ar	nd Risk (R) Phras(es)
Imidazole Blend	50-80	Proprietary	Proprietary	NA	×	Xi: R22, R37/ R38, R41
Imidazole	25-50	288-32-4	206-019-2	NA	×E	C, Xn: R22, R34, R63

#### 3.3 **Additional Information**

- For full text of H phrases see section 16. For full text of R phrases see section 16. Non-Hazardous ingredients are not listed and make up the balance of the product.

### **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures

Inhalation May cause irritation to the respiratory system. Remove patient from exposure.

Keep patient at rest and give oxygen if breathing is difficult. If symptoms develop,

obtain medical attention.

Skin Contact Causes burns. Remove contaminated clothing immediately and drench affected

skin with plenty of water, then wash with soap and water. If irritation (redness, rash,

blistering) develops, get medical attention.

**Eye Contact** May cause corneal injury. May cause corneal damage. Remove any contact

lenses. Irrigate with eyewash solution or clean water, holding the eyelids apart, for

at least 15 minutes. Obtain immediate medical attention.

Ingestion will cause irritation of the gastrointestinal tract. If swallowed, seek medical Ingestion

advice immediately and show this container or label. Do not induce vomiting. Make

victim drink plenty of water. Get immediate medical attention.

4.2 Most important Acute: Causes burns to skin and eyes. Causes serious eye irritation. Causes skin symptoms and

irritation. Ingestion will cause irritation of the gastrointestinal tract.



Page: 2/9 Expiration Date: 30 August 2014

## MATERIAL SAFETY DATA SHEET

EPO-TEK 353ND Part B

effects, both acute and delayed

Delayed and chronic effects: May cause corneal damage.

Indication of the 4.3 immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: FIRE-FIGHTING MEASURES**

Combustible but not readily ignited. Acrid smoke. Flash Point > 93.3°C / 200°F.

5.1 **Extinguishing media** 

> Suitable Extinguishing Extinguish preferably with dry chemical, foam or water spray.

Media

Unsuitable Extinguishing None known.

Media

5.3

5.2 Special hazards arising

from the substance or

Combustion causes toxic fumes. A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

Date: 30 August 2012

mixture Advice for fire-fighters

Extinguish preferably with dry chemical, foam or water spray. Launder

contaminated protective devices.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, Ensure full personal protection (including respiratory protection) during protective equipment and removal of spillages. Avoid breathing fumes. Evacuate if necessary. emergency procedures 6.2 **Environmental Precautions** Ventilation recommended. Avoid release to the environment. 6.3 Methods and material for containment and cleaning up Transfer to a lidded container for disposal or recovery. Consult an accredited waste disposal contractor or the local authority for advice. 6.4 Reference to other sections See Also Section 7, 8, 13. 6.5 **Additional Information** None

### **SECTION 7: HANDLING AND STORAGE**

Precautions for safe

7.1 handling Avoid ingestion. Use only in well-ventilated areas. Avoid inhalation of high

concentrations of vapors. Keep away from oxidizing agents. Keep away from fire,

sparks and heated surfaces - no smoking.

7.2 Conditions for safe

storage, including any incompatibilities

Protect from sunlight. Store in a well-ventilated place. Do not use or store near

heat or open flame. Do not store and transport with oxidizers etc.

Storage Temperature Ambient. Storage Life Not available

Incompatible Oxidizing agents, Can react violently if in contact with acids, alkalis, reducing

materials agents and heavy metals.

7.3 Specific end use(s) Consult the supplier.

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1 Control parameters

### 8.1.1 Occupational Exposure Limits

Page: 3/9 Expiration Date: 30 August 2014



## MATERIAL SAFETY DATA SHEET

Date: 30 August 2012

### **EPO-TEK 353ND Part B**

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:	
No occupational exposure limits for this product or listed components have been established.							

OELs are not available for non-listed components.

### 8.1.2 Biological limit value

Limit value type (country of origin)	SUBSTANCE.	CAS No.	Biological limit value	Note:
USA	None	None	None	None

### 8.1.3 PNECs and DNELs

DNEL	Oral	Inhalation	Dermal
Industry - Long Term – Local effects	NA	NA	NA
Industry - Long Term - Systemic effects	NA	NA	NA
Industry - Short term - Local effects	NA	NA	NA
Industry - Short term - Systemic effects	NA	NA	NA
Professional - Long Term - Local effects	NA	NA	NA
Professional - Long Term – Systemic effects	NA	NA	NA
Professional - Short term - Local effects	NA	NA	NA
Professional - Short term - Systemic effects	NA	NA	NA
Consumer - Long Term - Local effects	NA	NA	NA
Consumer - Long Term - Systemic effects	NA	NA	NA
Consumer - Short term - Local effects	NA	NA	NA
Consumer - Short term - Systemic effects	NA	NA	NA

	PNEC
Aquatic Compartment	Not available
Terrestrial Compartment	Not available
Atmospheric Compartment	Not available

### 8.2.2 Personal protection equipment

Respirators	Wear suitable respiratory protective equipment if exposure to levels above the occupational exposure limit is likely.
Eye Protection	Safety glasses.
Gloves	Wear protective gloves.
Body protection	Wear suitable protective clothing and gloves.
Engineering Controls	Use adequate ventilation and/or engineering controls in high temperature processing to prevent exposure to vapors.



Page: 4/9 Expiration Date: 30 August 2014

## MATERIAL SAFETY DATA SHEET

### EPO-TEK 353ND Part B

Other Remove contaminated, saturated clothing immediately. Contaminated clothing should be thoroughly cleaned.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1 Information on basic physical and chemical properties

Appearance Liquid Amber Color Odor Mild / Slight Odor Threshold (ppm) Not available Melting Point (°C) / Not available Boiling point/boiling range (°C): Not available Freezing Point (°C) Flash Point (°C) > 200°F / 93°C Explosive limit ranges Not available Auto Ignition Not available Decomposition Temperature (°C) Not available Temperature (°C) Explosive properties Not available Oxidizing properties Not available Flammability (solid,

gas) Not available pH (Value) > 10

Evaporation rate < Butyl Acetate Vapor Pressure (mm Hg) Not available Vapor Density (Air=1) > 1 Density (g/ml) 1.02

Solubility (Water) Partially soluble. Solubility (Other) Not available Partition Coefficient (n-Octanol/water) Not available Viscosity (mPa.s) Not available

**9.2** Other information Volatile Organic Chemical (VOC) Content – Not available.

### **SECTION 10: STABILITY AND REACTIVITY**

**10.1 Reactivity** Slight

**10.2 Chemical stability** Stable under normal conditions.

**10.3** Possibility of hazardous reactions Can react violently if in contact with - Oxidizing agents. Can

react violently if in contact with acids, alkalis, and reducing

Date: 30 August 2012

agents.

**10.4** Conditions to avoid Heat and direct sunlight. Avoid contact with heat and ignition

sources.

**10.5** Incompatible materials Bleaching products and comparable oxidizers. Can react

violently if in contact with acids, alkalis, and reducing agents.

**10.6** Hazardous Decomposition Carbon monoxide, Carbon dioxide, Nitrogen oxides,

**Product(s)** Hydrogen cyanide. Thermal decomposition will evolve toxic,

irritant and flammable vapors.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

SUBSTANCE.	CAS No.	LD <sub>50</sub> (Oral, Rat)	LC <sub>50</sub> (Inhalation, Rat)	LD50 (Dermal, Rat)
Imidazole Blend	Proprietary	Not established	Not established	Not established
Imidazole	288-32-4	220 ma/ka	Not established	Not established

### 11.1 Information on toxicological effects

### 11.1.2 Mixtures

Acute toxicity Harmful if swallowed. Ingestion may cause irritation of the


gastrointestinal tract.

Irritation May cause burns to skin and eyes.

Corrosivity May cause burns to skin and eyes.

Repeated dose toxicity Expected to be similar to single exposures.

Carcinogenicity No data.





### MATERIAL SAFETY DATA SHEET Date: 30 August 2012

EPO-TEK 353ND Part B

Mutagenicity No data.

Toxicity for reproduction Suspected of damaging fertility or the unborn child.

11.2 Other information None

### **SECTION 12: ECOLOGICAL INFORMATION**

**12.1 Toxicity** Harmful to aquatic life. Harmful to algae.

**12.2** Persistence and degradability Moderately/partially biodegradable.

**12.3** Bioaccumulative potential Moderately/partially biodegradable.

**12.4 Mobility in soil** The product has moderate mobility in soil.

12.5 Results of PBT and vPvB

assessment

12.6 Other adverse effects

No data.

No data.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1 Waste treatment methods Disposal should be in accordance with local, state or national

legislation. Containers must not be punctured or destroyed by

burning, even when empty.

13.2 Additional Information None

### **SECTION 14: TRANSPORT INFORMATION**

Land transport (ADR/RID) (c)(d)  Land transport (Within USA) (c)	c)(d)
--	-------

UN number 3267 UN number 3267

Proper Shipping Name

Corrosive Liquid, basic, organic, organic, n.o.s. (Imidazole)

Proper Shipping Name

Corrosive Liquid, basic, organic, n.o.s. (Imidazole)

organic, n.o.s. (Imidazole)

Transport hazard class(es)

organic, n.o.s. (Imidazole)

Transport hazard class(es)

7 Transport hazard class(es)

Packing Group III Packing Group III

Hazard label(s)CORROSIVEHazard label(s)CORROSIVEEnvironmental hazardsNoneEnvironmental hazardsNoneSpecial precautions for userNoneSpecial precautions for userNone

Sea transport (IMDG) (c)(d)
UN number
Air transport (ICAO/IATA) (c) (d)
UN number
3267
UN number
3267

Corrosive Liquid, basic, Corrosive Liquid, basic, Corrosive Liquid, basic, Organic,

Proper Shipping Name organic, n.o.s. (Imidazole) Proper Shipping Name organic, n.o.s. (Imidazole)

Transport hazard class(es) 8 Transport hazard class(es) 8 Packing Group Ш Packing Group Ш Marine Pollutant None Environmental hazards None Special precautions for user None Special precautions for user None

(c)- Consult with transport provider.

(d)- Check relevant regulations for Special Provisions.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

### **SECTION 15: REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU regulations

Authorisations and/or restrictions on Consult the supplier.

use



Page: 6/9 Expiration Date: 30 August 2014

## MATERIAL SAFETY DATA SHEET

**EPO-TEK 353ND Part B** 

European Union (EINECS/ELINCS) All chemicals listed

German WGK number 2

### 15.1.2 National regulations

### **USA**

TSCA (Toxic Substance Control Act)

All chemicals listed.

SARA 311/312 - Hazard Categories Acute Health

SARA 302 - Extremely Hazardous Listed. - None

Substances

SARA 313 - Toxic Chemicals Listed. - None

CERCLA (Comprehensive

**Environmental Response** 

Compensation and Liability Act)

CAA (Clean Air Act 1990) Listed. – None

CWA (Clean Water Act) Listed. - None

State Right to Know Lists Listed as required.

Proposition 65 (California) - This product contains the following substance(s) known to the state of California to cause cancer and/or reproductive harm; Acrylonitrile (CAS # 107-13-1), <0.05%.

Listed. - None

### Canada

WHMIS Classification Class D, Division 2, Subdivision B, Material

Causing Other Toxic Effects (Irritation)
Class D Division 2, Subdivision A Material
Causing Other Toxic Effect (Corrosive, Irritation,

Reproductive Harm)
Class E. Corrosive Material

Canada (DSL/NDSL) Listed. - DSL

Canada Ingredient Disclosure List (CIDL) Listed as required.

Japan

Deleterious Substance Law Regulated

**15.2** Chemical Safety Assessment Harmful, Corrosive (Skin, Eye), Irritant

(Respiratory system), Reproductive Toxicity

### 15.3 Label elements (EU)









Date: 30 August 2012

Label as Corrosive, Harmful, Human Health under 1272/2008/EC and 1997/2006/EC, and Harmful, Corrosive under 1999/45/EC. See Section 2 for full label requirements.



Page: 7/9 Expiration Date: 30 August 2014

# MATERIAL SAFETY DATA SHEET EPO-TEK 353ND Part B

Date: 30 August 2012

### **SECTION 16: OTHER INFORMATION**

### The following sections contain revisions or new statements: 1-16.

### **LEGEND**

ACGIH	American Conference of Governmental Industrial Hygienists	NA	not applicable, not available
AICS	Australian Inventory of Chemical Substances	NIOSH	National Institute for Occupational Safety and Health
ANSI	American National Standards Institute	ND	not determined
atm	atmosphere (pressure unit)	NFPA	National Fire Prevention Association
BOD	biological oxygen demand	NTP	National Toxicology Program
CAS	Chemical Abstracts Service	OC	open cup
CC	closed cup	OSHA	Occupational Safety and Health Administration
CDTA	Chemical Drug and Trafficking Act	Part	partition
COC	Cleveland Open Cup	PEL	permissible exposure limits
COD	chemical oxygen demand	ppb	parts per billion
coeff.	coefficient	PPE	personal protective equipment
CFR	Code of Federal Regulations	ppm	parts per million
CPR	cardio-pulmonary resuscitation	psi	pounds per square inch
DEA	Drug Enforcement Agency	RCRA	Resource Conservation and Recovery Act
DOT	Department of Transportation	RQ	Reportable quantity
DSCL	Dangerous Substances Classification and Labeling	RTK	Right to Know
EEC	European Economic Community	SARA	Superfund Amendments and Reauthorization Act
FDA	Food and Drug Administration	STEL	short-term exposure limit
HMIS	Hazardous Materials Information System	SUSDP	Standard for the Uniform Scheduling of Drugs and Poisons (Australia)
IARC	International Agency for Research on Cancer	TCC	Tagliabue Closed Cup
IDLH	immediate danger to life or health	TDG	Transportation of Dangerous Goods
kg	kilogram	TPQ	threshold planning quantity
L	liter	TQ	threshold quantity
LC50	median lethal concentration	TSCA	Toxic Substances Control Act
LD50	median lethal dose	TWA	time-weighted average
LEL	lower explosive limit	UEL	upper explosive limit
mg	milligram	WES	Workplace Exposure Standard (New Zealand)
mL	milliliter	WHMIS	Workplace Hazardous Material Information System

**References:** RTECS, CAS Registry, EINECS/ESIS, Casarett & Doull's Toxicology, Goldfranks's Toxicological Emergencies, Manufacturer Information

### **Risk Phrases and Safety Phrases**

R22: Harmful if swallowed.

R34: Causes burns.

R37/38: Irritating to respiratory system and skin.

R41: Risk of serious damage to eyes.

R63: Possible risk of harm to the unborn child.

S2: Keep out of the reach of children.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28: After contact with skin, wash immediately with plenty of soap and water.

S36/39: Wear suitable protective clothing and eye/face protection.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S56: Dispose of this material and its container to hazardous or special waste collection point.

### Hazard statement(s) and Precautionary statement(s)

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H335: May cause respiratory irritation.

H361D: Suspected of damaging fertility or the unborn child.



Page: 8/9 Expiration Date: 30 August 2014

## MATERIAL SAFETY DATA SHEET

Date: 30 August 2012

**EPO-TEK 353ND Part B** 

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 + P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P301 + P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P305: IF IN EYES: Get immediate medical attention.

P501: Dispose of contents/container to: Send to a licensed recycler, reclaimer or incinerator.

Training advice: None

Additional Information: None

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.



Page: 9/9 Expiration Date: 30 August 2014