

## RYKON PREMIUM GREASE NO. 2 EP

MANUFACTURER: Amoco Oil Company 200 East Randolph Drive Chicago, Illinois 60601 EMERGENCY HEALTH INFORMATION: (800) 447-8735 EMERGENCY SPILL INFORMATION: (800) 424-9300 OTHER PRODUCT SAFETY INFORMATION: (312) 856-3907

그는 그에 그 작용되고 되는 소리에는 그냥 살이

Hydrofinished, solvent refined paraffinic petroleum oil. CAS #64742-54-7. IMPORTANT COMPONENTS:

Organic polyurea thickener.

WARNING STATEMENT: None required.

APPEARANCE AND ODOR: Smooth textured grease; green color.

\_ HEALTH HAZARD INFORMATION \_

EYE

EFFECT:

No significant irritation expected.

FIRST AID:

Flush eyes with plenty of water.

PROTECTION:

None required; however, use of safety glasses is good industrial practice.

SKIN

EFFECT:

No significant irritation expected.

FIRST AID:

None required.

PROTECTION:

None required.

INHALATION

EFFECT:

None expected under normal conditions of use.

FIRST AID:

None required.

PROTECTION:

None required for normal conditions of use.

INGESTION

EFFECT:

Expected to be relatively non-toxic.

FIRST AID:

If a large amount is swallowed, induce vomiting. Get medical attention.

\_\_ FIRE AND EXPLOSION INFORMATION \_

FLASHPOINT: Not applicable.

EXTINGUISHING MEDIA: Agents approved for Class B hazards (e.g., dry chemical, carbon

dioxide, halogenated agents, foam, steam) or water fog.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None.

## PAGE 02 OF 03

|  | REACTIVITY INFORMATION  |
|--|---|
| STABILITY: Stable.                         |   |
|  | CHEMICAL AND PHYSICAL PROPERTIES  |
| SOLUBILITY IN WATER: Neg                   | ligible, below 0.1%   |
| DROPPING POINT: 470°F                      | WORKED PENETRATION: 265-295 @ 77°F  |
| S <sub>2</sub>                             | TORAGE AND ENVIRONMENTAL PROTECTION   |
| STORAGE REQUIREMENTS: No                   | special requirements.   |
| SPILLS AND LEAKS: Contai                   | n and remove by mechanical means.   |
| local re                                   | must be in accordance with applicable federal, state, or gulations. Enclosed-controlled incineration is recommended irected otherwise by applicable ordinances. |
|  | TOXICOLOGICAL INFORMATION   |
| EYE: Maximum primary eye                   | irritation score 1.0/110.0 (rabbits).   |
| SKIN: Acute dermal LD50 score 0.4/8.0 (rab | greater than 2g/kg (rabbits). Primary dermal irritation bits).  |
| INGESTION: Acute oral LD                   | 050 greater than 10g/kg (rats).   |
| ·  | REGULATORY INFORMATION  |
| OSHA HAZARD COMMUNICATION                  | N STANDARD: Not hazardous per 29 CFR 1910.1200(d).  |
| DOT PROPER SHIPPING NAME                   | (BULK, LAND): Not regulated.  |
|  | ISSUE INFORMATION   |

BY:

Stephen A. Elbert Mgr., Product Safety & Toxicology

Stylet Shut

ISSUED: August 30, 1985 SUPERSEDES: January 02, 1985

This material safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in this data sheet which we received from sources outside our company. We believe that information to be correct but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as a permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either express or implied.