



READ RIGHT®
Material Safety Data Sheet

ADVANTUS®

12276 San Jose Blvd, Bldg. 618
Jacksonville, FL 32223

Read Right Alcohol-Free ScreenKleen
RR1291
RR1391
RR1491
RR461

NFPA/HMIS: Health 1
Flammability 0
Reactivity 0

MATERIAL SAFETY DATA SHEET U.S. DEPARTMENT OF LABOR
COMPLIES WITH USDL SAFETY AND HEALTH REGULATIONS 29CFR1910.1200

SECTION 1 COMPANY AND PRODUCT IDENTIFICATION

PRODUCT NAME: Alcohol-Free ScreenKleen
PRODUCT USE: Cleaner
EMERGENCIES: (904) 482-0091 M-F 8:30 AM – 5:00 PM
PREPARED BY: Advantus Corp.
12276 San Jose Blvd. Bldg 115
Jacksonville FL, 32223
REVISION DATE: January 1, 2012

SECTION 2 COMPOSITION/INFORMATION ON COMPONENTS

COMPONENTS CAS NUMBER % TLV

There are no components contained in this material that are considered hazardous under 29CFR1910.1200.

SECTION 3 HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Physical Appearance: Pale yellow liquid

IMMEDIATE HEALTH EFFECTS

Eyes: Overexposure may cause irritation to eyes.

Skin: Prolonged and repeated contact may cause irritation to skin.

Inhalation: Inhalation is not likely to cause harmful effects.

Ingestion: Single dose oral toxicity is low. Swallowing large amounts may be harmful.

PRIMARY ROUTES OF ENTRY: Eyes, skin contact/absorption, inhalation or ingestion.

SIGNS/SYMPTOMS OF OVEREXPOSURE: Gastrointestinal irritation (nausea, vomiting, diarrhea), and/or irritation to the skin, eyes, nose, throat, and respiratory tract.

TARGET ORGAN EFFECTS: Irritation of the skin and eyes. Irritation of lungs possible if mists/aerosols are inhaled repeatedly.

REPRODUCTIVE/DEVELOPMENTAL INFORMATION: No data available.

CARCINOGENIC INFORMATION: None of the ingredients of this material are listed as carcinogens by IARC, NTP, or OSHA.

LONG TERM EFFECTS: No data available.

SECTION 4 FIRST AID MEASURES

EYES: Flush eyes with water for at least 15 minutes. If irritation persists, consult a physician.

SKIN: If irritation occurs, flush skin with water for at least 15 minutes. If irritation persists, consult a physician

INHALATION: If symptoms of overexposure develop, remove to fresh air. If symptoms persist, consult a physician.

INGESTION: Give 8 to 16 ounces of water to dilute substance. Do not induce vomiting. Consult a physician or local Poison Control Center. Never give anything by mouth to an unconscious person.