Printing date 01/05/2012 Revised On 01/05/2012

1 Identification of the substance and manufacturer

Trade name: SPRAY GLO FLUORESCENT GREEN

Product code: 0000161620

Manufacturer/Supplier: Seymour of Sycamore 917 Crosby Avenue

Sycamore, IL 60178 Phone: 815-895-9101 www.seymourpaint.com

Emergency telephone

number: CHEMTEL 1-800-255-3924, 813-248-0585 *if located outside the U.S.*

2 Composition/information on ingredients

Chemical Description: This product is a mixture of the substances listed below with nonhazardous additions

	Jiioiiiioui B	The production a mixture of the cubotaneed noted below with hermazarded additione.	olow with horniazaraoao additiono.		
Γ	Dangerous components:				
Г	74-98-6	propane	18.83%		
Γ	64742-47-8	Mineral Spirits	13.86%		
Γ	106-97-8		11.06%		
		isobutyl acetate	8.18%		
	64742-94-5	Solvent naptha, heavy aromatic	4.81%		
	64742-89-8	VM&P Naphtha	3.53%		

3 Hazards identification

Hazard Information for people and the

environment: Extremely flammable liquid and vapor in a pressurized container. Keep away from heat, sparks, and

Has narcotizing effect.

Risk phrases: Extremely flammable.

Safety phrases: Keep out of the reach of children.

Keep away from sources of ignition - No smoking.

Do not empty into drains, dispose of this material and its container at hazardous or special waste

collection point

If swallowed, seek medical advice immediately and show this container or label.

Use only in well-ventilated areas.

Effects of chronic

NFPA ratings (0 - 4):

May cause permanent brain and nervous system damage. Repeated overexposure can also damage overexposure:

kidneys, lungs, liver, heart, and blood. Intentional misuse by deliberately inhaling the contents may be

harmful or fatal.

Health-

Fire-3 Reactivity-3 Health-

HMIS-ratings (0 - 4): Flammability-

Physical Hazard-

4 First aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.

Remove contaminated clothing. Wash exposed area with soap and water. After skin contact:

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Contact physician or poison control center.

5 Firefighting measures

Extinguishing agents: CO2, sand, extinguishing powder, or water spray. Fight larger fires with water spray or alcohol resistant

foam.

Special hazards: No further relevant information available.

Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and

emergency procedures Environmental

Wear protective equipment. Keep unprotected persons away. Do not allow product to reach sewage systems or ground water.

precautions: Methods and material for containment and cleaning

up: Ensure adequate ventilation.

Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 01/05/2012 Revised On 01/05/2012

Trade name: SPRAY GLO FLUORESCENT GREEN

(Contd. of page 1)

7 Handling and storage

Fire/explosion protection: Do not spray on a naked flame or any incandescent material. Do not smoke. Protect from electrostatic

discharges.

Observe pressurized container storage regulations. Consult with your local authorities. Storage requirements:

8 Exposure controls/personal protection

Components with I	limit values that red	uire monitorina :	at the workplace:

74-98-6 propane

PEL 1800 mg/m³, 1000 ppm REL 1800 mg/m³, 1000 ppm TLV Varies mg/m³, 1000 ppm

106-97-8 n-butane

REL 1900 mg/m³, 800 ppm TLV Varies mg/m³, 1000 ppm

110-19-0 isobutyl acetate

PEL 700 mg/m³, 150 ppm REL 700 mg/m³, 150 ppm TLV 713 mg/m³, 150 ppm

Hygienic protection:

Wash hands after use.

Breathing equipment:

A respirator is generally not necessary when using this product outdoors or in large open areas. In cases where short and/or long term overexposure exists, a charcoal filter respirator should be worn. If you

suspect overexposure conditions exist, please consult an authority on chemical hygeine.

Protective gloves. The glove material has to be impermeable and resistant to the substance. No glove

Hand protection:

recommendation can be given.

Eye protection: Tightly sealed goggles

9 Physical and chemical properties

Odor: Aromatic

pH-value: Not determined. **Boiling point:** -44°C (-47 °F) Flash point: -19°C (-2 °F) Flammability (solid, gaseous): Not applicable.

Auto igniting: Product is not self-igniting.

Danger of explosion: Stable at normal temperatures. Can may burst when exposed to temperatures exceeding 120

degrees fahrenheit.

In use, may form flammable/explosive vapour-air mixture.

Lower Explosion Limit: 0.5 Vol % **Upper Explosion Limit:** 10.9 Vol % Vapor Pressure: 40 PSI, 2750 hPa

Between 0.77 and 0.85 (Water equals 1.00) **Specific Gravity:**

VOC content: 551.2 g/l / 4.60 lb/gl

VOC content (less exempt solvents): 60.7 % Water: 13.3 % MIR Value: 0.91 Solids content: 25.7 %

Other information No further relevant information available.

10 Stability and reactivity

Conditions to avoid:

Do not allow the can to exceed 120 degrees Fahrenheit. Stable at normal temperatures.

Hazardous

decomposition: No dangerous decomposition products known.

11 Toxicological information

Skin effects: No irritant effect. Eve effects: No irritating effect.

Sensitization: No sensitizing effects known.

12 Ecological information

Aquatic toxicity: Hazardous for water, do not empty into drains.

Other information: This product does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbons (HCFC's),

perfluorocarbons (PFC's), or chlorinated solvents.

Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 01/05/2012 Revised On 01/05/2012

Trade name: SPRAY GLO FLUORESCENT GREEN

(Contd. of page 2)

13 Disposal considerations

DISPOSAL METHOD: Dispose of in accordance with local, state, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must be disposed of responsibly. Do not heat or cut empty containers with electric or gas torches.

Recommendation: Completely empty cans should be recycled.

14 Transport information

DOT

DOT AEROSOLS, flammable

DOT

Class 2.1

ADR

2 5F Gases 2.1 Class

Label **Environmental hazards:**

Marine pollutant: F-D,S-U EMS Number: **Packaging Group:**

15 Regulatory information

SARA Section 355 (extremely hazardous substances):

None of the ingredients in this product are listed

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA: All ingredients are listed.

CPSC: This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.

California Proposition 65 chemicals known to cause cancer:

100-41-4 ethyl benzene

EPA:

110-19-0 isobutyl acetate

D

Group 2A: The ingredient is probably carcinogenic to humans.
Group 2B: The ingredient is possibly carcinogenic to humans. There is limited evidence of carcinogenicity.
Group 3: The ingredient is unclassifiable as to its carcinogenicity to humans.

ACGIH:

110-19-0 isobutyl acetate

A4

NIOSH:

The following substances are regulated in the United States with reference to occupational exposure limits:

16 Other information

This product was manufactured in the U.S.A.

The information on this sheet is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Contact: Regulatory Affairs

Abbreviations and

IMDG: International Maritime Code for Dangerous Goods acronyms:

INDET. International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU) ISO: International Organization for Standardization EPA: Environmental Protection Agency IARC: International Agency for the Research of Ca

LARC: International Agency for the Research of Cancer NIOSH: National Institute for Occupational Safety and Health TSCA: Toxic Substances Control Act CPSC: Consumer Product Safety Commission