



Material Safety Data Sheet
Aluminum Other Than Powder

MSDS# 01005

Section 1 - Chemical Product and Company Identification

MSDS Name: Aluminum Other Than Powder
Catalog Numbers: A557-500
Synonyms: Noral aluminum; Aluminum wire
Company Identification: Fisher Scientific
One Reagent Lane
Fair Lawn, NJ 07410
For information in the US, call: 201-796-7100
Emergency Number US: 201-796-7100
CHEMTREC Phone Number, US: 800-424-9300

Section 2 - Composition, Information on Ingredients

CAS#: 7429-90-5
Chemical Name: ALUMINUM
%: 100
EINECS#: 231-072-3

Hazard Symbols: None listed
Risk Phrases: None listed

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Caution! Air sensitive. Moisture sensitive. The toxicological properties of this material have not been fully investigated. May cause eye and skin irritation. May cause respiratory and digestive tract irritation. Target Organs: No data found.

Potential Health Effects

Eye: May cause mechanical irritation.
Skin: May cause skin irritation.
Ingestion: May cause irritation of the digestive tract. The toxicological properties of this substance have not been fully investigated.
Inhalation: May cause respiratory tract irritation. The toxicological properties of this substance have not been fully investigated.
Chronic: No information found.

Section 4 - First Aid Measures

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.
Skin: Get medical aid. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.
Ingestion: Never give anything by mouth to an unconscious person. Get medical aid. Do NOT induce vomiting. If conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water.
Inhalation: Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.
Notes to Physician:

Section 5 - Fire Fighting Measures

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved

General Information: or equivalent), and full protective gear. Dusts at sufficient concentrations can form explosive mixtures with air. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Extinguishing Media: Do NOT use water directly on fire. Use dry chemical to fight fire. Use agent most appropriate to extinguish fire.

Autoignition Temperature: Not applicable.

Flash Point: Not applicable.

Explosion Limits: Lower: N/A

Explosion Limits: Upper: N/A

NFPA Rating: health: 0; flammability: 1; instability: 1;

Section 6 - Accidental Release Measures

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Clean up spills immediately, observing precautions in the Protective Equipment section. Avoid generating dusty conditions. Provide ventilation.

Section 7 - Handling and Storage

Handling: Wash thoroughly after handling. Minimize dust generation and accumulation. Avoid contact with eyes, skin, and clothing. Keep container tightly closed. Avoid ingestion and inhalation. Use with adequate ventilation.

Storage: Do not store near combustible materials. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from acids.

Section 8 - Exposure Controls, Personal Protection

Chemical Name	ACGIH	NIOSH	OSHA - Final PELs
ALUMINUM	1 mg/m3 (respirable fraction)	10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)

OSHA Vacated PELs: ALUMINUM: 15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)

Engineering Controls:

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low.

Exposure Limits

Personal Protective Equipment

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin: Wear appropriate gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to prevent skin exposure.

Respirators: Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Section 9 - Physical and Chemical Properties

Physical State: Solid

Color: silver

Odor: Odorless.

pH: Not available

Vapor Pressure: 1 mm Hg @ 1284 deg

Vapor Density: Not available

Evaporation Rate: Negligible.

Viscosity: Not available

Boiling Point: 2327 deg C (4,220.60°F)

Freezing/Melting Point: 660 deg C (1,220.00°F)

Decomposition Temperature: Not available

Solubility in water: Soluble in hot water

Specific Gravity/Density: 2.7020g/cm3

Molecular Formula: Al

Molecular Weight: 26.97

Section 10 - Stability and Reactivity

Chemical Stability: Stable under normal temperatures and pressures. Air sensitive. Moisture sensitive.

Conditions to Avoid: Incompatible materials, exposure to air, exposure to moist air or water.

Incompatibilities with Other Materials: Water, strong acids, bases, ammonium persulfate, bromates, carbon dioxide, chlorates, chlorine trifluoride, fluorine, iron oxide, lead oxide, nitrates, nitrites, nitro compounds, potassium chlorates, sodium carbonate, sodium hydroxide, sodium peroxide, sodium carbide, halogenated hydrocarbons, bromine, carbon disulfide, barium chlorate, calcium chlorate, magnesium chlorate, zinc chlorate, barium iodate, calcium bromate, calcium iodate, iodates, magnesium bromate, magnesium iodate, palladium, potassium iodate, sodium bromate, sulfur dichloride, zinc bromate, zinc iodate, potassium perchlorate, magnesium perchlorate.

Hazardous Decomposition Products: Aluminum oxide.

Hazardous Polymerization: Has not been reported.

Section 11 - Toxicological Information

RTECS#: CAS# 7429-90-5: BD0330000 BD1020000

LD50/LC50: RTECS: Not available.

Carcinogenicity: ALUMINUM - Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65.

Other: See actual entry in RTECS for complete information.

Section 12 - Ecological Information

Not available

Section 13 - Disposal Considerations

Dispose of in a manner consistent with federal, state, and local regulations.

Section 14 - Transport Information

US DOT

Shipping Name: Not regulated as a hazardous material

Hazard Class:

UN Number:

Packing Group:

Canada TDG

Shipping Name: Not available

Hazard Class:

UN Number:

Packing Group:

Section 15 - Regulatory Information

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols: Not available

Risk Phrases:

Safety Phrases:

S 24/25 Avoid contact with skin and eyes.

WGK (Water Danger/Protection)

CAS# 7429-90-5: 0

Canada

CAS# 7429-90-5 is listed on Canada's DSL List

Canadian WHMIS Classifications: Not controlled.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

CAS# 7429-90-5 is listed on Canada's Ingredient Disclosure List

US Federal

TSCA

CAS# 7429-90-5 is listed on the TSCA

Inventory.

Section 16 - Other Information

MSDS Creation Date: 9/02/1997

Revision #7 Date 7/20/2009

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages howsoever arising, even if the company has been advised of the possibility of such damages.
