## Material Safety Data Sheet According to OSHA and ANSI

Printing date 05/27/2011

Reviewed on 01/14/2010

(Contd. on page 2)

USA

## 1 Identification of the substance/mixture and of the company/undertaking Product identifier Product name: Barium chloride dihydrate Stock number: 12310 CAS Number: 10326-27-9 EINECS Number: 233-788-1 Index number: 056-004-00-8 Relevant identified uses of the substance or mixture and uses advised against. Sector of Use SU24 Scientific research and development Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar, A Johnson Matthey Company Johnson Matthey Catalog Company, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com Information Department: Health, Safety and Environmental Department Emergency telephone number: During normal hours the Health, Safety and Environmental Department at (800) 343-0660. After normal hours call Carechem 24 at (866) 928-0789. 2 Hazards identification Classification of the substance or mixture GHS06 Skull and crossbones H301 Toxic if swallowed. Toxic if inhaled. H331 Classification according to Directive 67/548/EEC or Directive 1999/45/EC \*\* T; Toxic R25: Toxic if swallowed. Xn; Harmful R20: Harmful by inhalation. \_ \_ \_ \_ \_ \_ \_ \_ Label elements Labelling according to EU guidelines: Code letter and hazard designation of product: T Toxic Risk phrases: 20 Harmful by inhalation. 25 Toxic if swallowed. Safety phrases: 45 In case of accident or if you feel unwell, seek medical advice immediately. Hazard description: WHMIS classification Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) HEALTH 2 Health (acute effects) = 2 Flammability = 0FIRE 0 Reactivity = 1REACTIVITY 1

### Material Safety Data Sheet According to OSHA and ANSI

Printing date 05/27/2011

Reviewed on 01/14/2010

Product name: Barium chloride dihydrate

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

#### 3 Composition/information on ingredients

Chemical characterization: Substances (CAS#) Description: Barium chloride dihydrate (CAS# 10326-27-9) Identification number(s): EINECS Number: 233-788-1 Index number: 056-004-00-8

#### 4 First aid measures

Description of first aid measures General information Immediately remove any clothing soiled by the product. In case of irregular breathing or respiratory arrest provide artificial respiration. After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Do not induce vomiting; immediately call for medical help. Seek immediate medical advice.

#### 5 Firefighting measures

Extinguishing media Suitable extinguishing agents Product is not flammable. Use fire fighting measures that suit the surrounding fire. Special hazards arising from the substance or mixture In case of fire, the following can be released: Barium oxide Hydrogen chloride (HCl) Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Environmental precautions:
Do not allow material to be released to the environment without proper governmental permits.
Methods and material for containment and cleaning up:
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

#### 7 Handling and storage

Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: The product is not flammable (Contd. on page 3)

(Contd. of page 1)

USA

# Material Safety Data Sheet

According to OSHA and ANSI

Printing date 05/27/2011

Reviewed on 01/14/2010

## Product name: Barium chloride dihydrate

(Contd. of page 2)

Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: Barium, and soluble compounds, as Ba mq/m3 ACGIH TLV 0.5; Not classified as a human carcinogen Austria MAK 0.5 Belgium TWA 0.5 Denmark TWA 0.5 Finland TWA 0.5 Germany MAK 0.5 (total dust) Hungary 0.5-STELIreland TWA 0.5 Korea TLV 0.5 Netherlands MAC-TGG 0.5 Norway TWA 0.5 Poland TWA 0.5; 1.5-STEL Sweden TWA 0.5 Switzerland MAK-W 0.5 United Kingdom LTEL 0.5 USA PEL 0.5 Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. Material of gloves The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Eye protection: Safety glasses Body protection: Protective work clothing.

## 9 Physical and chemical properties

Information on basic physical and chemi General Information		
Appearance:		
Form:	Crystalline	
Color:	White	
Odor:	Odorless	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	113°C (235 °F)	
Boiling point/Boiling range:	Not determined	
Sublimation temperature / start:	Not determined	
Flash point:	Not applicable	

USA

Printing date 05/27/2011

Reviewed on 01/14/2010

Product name: Barium chloride dihydrate

	(Contd. of pag	
Flammability (solid, gaseous)	Not determined.	
Ignition temperature:	Not determined	
Decomposition temperature:	Not determined	
Auto igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined	
Upper:	Not determined	
Vapor pressure:	Not applicable.	
Density at 20°C (68 °F):	3.097 g/cm³ (25.844 lbs/gal)	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Soluble	
Segregation coefficient (n-octonol/water):	Not determined.	
Viscosity:		
dynamic:	Not applicable.	
kinematic:	Not applicable.	
Other information	No further relevant information available.	

#### 10 Stability and reactivity

Reactivity Chemical stability Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions No dangerous reactions known Incompatible materials: Oxidizing agents Hazardous decomposition products: Barium oxide Hydrogen chloride (HCl)

#### 11 Toxicological information

Information on toxicological effects Acute toxicity: Primary irritant effect: on the skin: Irritant to skin and mucous membranes. on the eye: Irritating effect. Sensitization: No sensitizing effects known. Subacute to chronic toxicity: Barium compounds may cause severe gastroenteritis, including abdominal pain, vomiting and diarrhea, tremors, faintness, paralysis of the arms and legs, and slow or irregular heartbeat. Severe cases may produce collapse and death due to respiratory failure. Soluble barium compounds are more likely to cause these effects than insoluble compounds. Inhalation of fumes may cause sore throat, coughing, labored breathing, and irritation of the respiratory tract as well as the above symptoms. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. EPA-D: Not classifiable as to human carcinogenicity: inadequate human and animal evidence of carcinogenicity or no data are available. ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.

#### 12 Ecological information

Toxicity Acquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Behavior in environmental systems: Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available.

## Material Safety Data Sheet

According to OSHA and ANSI

Printing date 05/27/2011

Reviewed on 01/14/2010

(Contd. of page 4)

## Product name: Barium chloride dihydrate Additional ecological information: General notes: Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Do not allow material to be released to the environment without proper governmental permits. Results of PBT and vPvB assessment **PBT:** Not applicable. **vPvB:** Not applicable. Other adverse effects No further relevant information available. 13 Disposal considerations Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information DOT regulations: 4 TOXIC Hazard class: 6.1 Identification number: UN1564 Packing group: III Proper shipping name (technical name): BARIUM COMPOUND, N.O.S. (Barium chloride dihydrate) Label 6.1 Land transport ADR/RID (cross-border) ADR/RID class: 6.1 (T5) Toxic substances 60 Danger code (Kemler): UN-Number: 1564 Packaging group: III UN proper shipping name: 1564 BARIUM COMPOUND, N.O.S. (Barium chloride dihydrate) Maritime transport IMDG: IMDG Class: 6.1 UN Number: 1564 Label 6.1 Packaging group: III Marine pollutant: NOProper shipping name: BARIUM COMPOUND, N.O.S. (Barium chloride dihydrate) Air transport ICAO-TI and IATA-DGR: ICAO/IATA Class: 6.1 UN/ID Number: 1564 Label 6.1 Packaging group: III Proper shipping name: BARIUM COMPOUND, N.O.S. (Barium chloride dihydrate)

> (Contd. on page 6) USA

## Material Safety Data Sheet According to OSHA and ANSI

Printing date 05/27/2011

Reviewed on 01/14/2010

#### Product name: Barium chloride dihydrate

(Contd. of page 5) **UN "Model Regulation":** UN1564, BARIUM COMPOUND, N.O.S., 6.1, III **Special precautions for user** Warning: Toxic substances **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

#### 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Product related hazard informations:

Hazard symbols:

TTOXIC

Risk phrases:

20 Harmful by inhalation. 25 Toxic if swallowed.

#### Safety phrases:

45 In case of accident or if you feel unwell, seek medical advice immediately.

#### National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL).

#### Information about limitation of use:

For use only by technically qualified individuals. This product contains barium and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing MSDS: Health, Safety and Environmental Department. Contact: Zachariah C. Holt Global EHS Manager Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada)