# Safety Data Sheet According to OSHA and ANSI

Printing date 01/31/2013

Reviewed on 10/12/2012

### 1 Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name: Calcium granules

Stock number: 00875

CAS Number: 7440-70-2 EC number: 231-179-5 Index number: 020-001-00-X

#### Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar, A Johnson Matthey Company Johnson Matthey Catalog Company, Inc. 30 Bond Street Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department
Emergency telephone number:

During normal hours the Health, Safety and Environmental Department at (800) 343-0660. After normal hours call Carechem 24 at (866) 928-0789.

#### 2 Hazards identification

Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS02 Flame

Water-react. 2 H261 In contact with water releases flammable gas.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



F; Highly flammable

R15: Contact with water liberates extremely flammable gases.

Information concerning particular hazards for human and environment: Not applicable

Label elements

Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

Hazard pictograms



#### Signal word Danger

Hazard statements

H261 In contact with water releases flammable gas.

Precautionary statements

P231+P232 Handle under inert gas. Protect from moisture.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P233 Keep container tightly closed.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

P402+P404 Store in a dry place. Store in a closed container.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

# Hazard description:

WHMIS classification

B6 - Reactive flammable material



(Contd. of page 1)

# Safety Data Sheet According to OSHA and ANSI

Printing date 01/31/2013 Reviewed on 10/12/2012

Product name: Calcium granules

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH 1
FIRE 3
REACTIVITY 2

 $\begin{array}{ll} \textit{Health (acute effects)} = 1 \\ \textit{Flammability} = 3 \\ \textit{Reactivity} = 2 \end{array}$ 

Other hazards

Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

#### 3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description:

7440-70-2 Calcium

Identification number(s):
EC number: 231-179-5
Index number: 020-001-00-X

#### 4 First aid measures

#### Description of first aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

 ${\tt Most \ important \ symptoms \ and \ effects, \ both \ acute \ and \ delayed}$ 

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### 5 Firefighting measures

Extinguishing media

Suitable extinguishing agents Special powder for metal fires. Do not use water.

For safety reasons unsuitable extinguishing agents  ${\tt Water}$ 

Special hazards arising from the substance or mixture  $% \left( 1\right) =\left( 1\right) \left( 1\right)$ 

If this product is involved in a fire, the following can be released:

Calcium oxide

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

### 6 Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

Environmental precautions:

Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Keep away from ignition sources.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

# Safety Data Sheet According to OSHA and ANSI

Printing date 01/31/2013 Reviewed on 10/12/2012

Product name: Calcium granules

See Section 13 for disposal information.

(Contd. of page 2)

#### 7 Handling and storage

#### Handling

#### Precautions for safe handling

Handle under dry protective gas.

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Reacts violently with water

Information about protection against explosions and fires: Protect from humidity and water.

#### Conditions for safe storage, including any incompatibilities

#### Storage

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Store away from air.

Store away from water/moisture.

#### Further information about storage conditions:

Store under dry inert gas.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Protect from humidity and water.

Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

### Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

#### Control parameters

#### Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: No data

### Exposure controls

#### Personal protective equipment

# General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

#### Protection of hands:

Impervious gloves

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality.

Quality will vary from manufacturer to manufacturer.

Eye protection:

Safety glasses

Full face protection

 ${\it Body\ protection:}\ {\it Protective\ work\ clothing.}$ 

## 9 Physical and chemical properties

Appearance:	Calid in warious forms	
Form: Color:	Solid in various forms Silvery-white	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	

(Contd. on page 4)

# Safety Data Sheet According to OSHA and ANSI

Printing date 01/31/2013 Reviewed on 10/12/2012

Product name: Calcium granules

(Contd. of page 3) Sublimation temperature / start: Not determined Flammability (solid, gaseous) Contact with water liberates extremely flammable gases. Not determined Ignition temperature: Decomposition temperature: Not determined Auto igniting: Not determined. Explosion limits: Lower: Not determined Upper: Not determined Vapor pressure at 20°C (68 °F): 0 hPa Density at 20°C (68 °F): 1.54 g/cm³ (12.851 lbs/gal) Bulk density at 20°C (68 °F): 700 kg/m³ Relative density Not determined. Vapor density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Contact with water releases flammable gases Partition coefficient (n-octanol/water): Not determined. Viscosity: Not applicable. dvnamic: kinematic: Not applicable. Other information No further relevant information available.

#### 10 Stability and reactivity

Reactivity

Chemical stability

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Contact with water releases flammable gases

Incompatible materials:

Air

Water/moisture

 $\textbf{\textit{Hazardous decomposition products:}} \ \ \textit{Calcium oxide}$ 

#### 11 Toxicological information

Information on toxicological effects

Acute toxicity:

Primary irritant effect:

on the skin: May cause irritation

on the eye: May cause irritation

Sensitization: No sensitizing effects known.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

# 12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

\_\_\_

# Safety Data Sheet According to OSHA and ANSI

Printing date 01/31/2013 Reviewed on 10/12/2012

Product name: Calcium granules

(Contd. of page 4)

# $13\ {\tt Disposal}\ {\tt considerations}$

Waste treatment methods

 $\textbf{Recommendation} \ \ \textit{Consult state, local or national regulations to ensure proper disposal.}$ 

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

UN-Number	UN1401
DOT, ADR, IMDG, IATA	UNI4UI
UN proper shipping name	CALCIUM
DOT, IMDG, IATA ADR	CALCIUM
ADR	1401 CALCIUM
Transport hazard class(es)	
DOT	
DANGERCUI W	
•	
Class	4.2 Substances liable to spontaneous combustion
Label	4.3
ADR	
4	
Class	4.3 (W2) Substances which, in contact with wate
	emit flammable gases
Label	4.3
IMDG	
***	
( <del>1</del> )	
4	
Class	4.2 Cubatangos liable to gnontangous sombustion
Label	4.2 Substances liable to spontaneous combustion 4.3
IATA	4.3
34	
W	
Class	4.3 Substances which, in contact with water, em
Label	flammable gases.
	4.3
Packing group	
DOT, ADR, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Substances which, in contact with wate
-	emit flammable gases
Danger code (Kemler):	423
EMS Number:	F-G, S-O
Transport in bulk according to Anne	ex II of
MARPOL73/78 and the IBC Code	Not applicable.
UN "Model Regulation":	UN1401, CALCIUM, 4.3, II

(Contd. on page 6)

# Safety Data Sheet According to OSHA and ANSI

Reviewed on 10/12/2012 Printing date 01/31/2013

Product name: Calcium granules

(Contd. of page 5)

#### 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

Substance is not listed.

REACH - Pre-registered substances Substance is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the

Department issuing MSDS: Health, Safety and Environmental Department.

Zachariah C. Holt

Global EHS Manager

#### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning

the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

LATA: International Air Transportation
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINBCS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)

USA