
Material Safety Data Sheet According to OSHA and ANSI

Printing date 10/11/2011

Reviewed on 10/06/2011



Material Safety Data Sheet

According to OSHA and ANSI

Printing date 10/11/2011

Reviewed on 10/06/2011

Product name: Lanthanum foil

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 7439-91-0 Lanthanum Identification number(s): EC number: 231-099-0

4 First aid measures

Description of first aid measures After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

Extinguishing media Suitable extinguishing agents Special powder for metal fires. Do not use water. For safety reasons unsuitable extinguishing agents Water Special hazards arising from the substance or mixture In case of fire, the following can be released: Metal oxide fume Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources
Environmental precautions:
Do not allow material to be released to the environment without proper governmental permits.
Methods and material for containment and cleaning up:
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
Keep away from ignition sources.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Reacts violently with water (Contd. of page 1)

(Contd. on page 3)

USA

Material Safety Data Sheet

According to OSHA and ANSI

Printing date 10/11/2011

Reviewed on 10/06/2011

Product name: Lanthanum foil

(Contd. of page 2) Information about protection against explosions and fires: Protect against electrostatic charges. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Do not store together with oxidizing and acidic materials. Store away from air. Store away from water/moisture. Further information about storage conditions: Store under dry inert gas. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from humidity and water. This product is air sensitive. **Specific end use(s)** No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. Material of gloves The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Eye protection: Safety glasses Full face protection Body protection: Protective work clothing.

Information on basic physical and chemic General Information	al properties
Appearance:	
Form:	Solid in various forms
Color:	Silvery-white
Odor:	Not determined
Odour threshold:	Not determined.
pH-value:	Not applicable.
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	920°C (1688 °F) 3464°C (6267 °F) Not determined
Flammability (solid, gaseous)	Highly flammable. Contact with water liberates extremely flammable gases.
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Auto igniting:	Not determined.

USA

Material Safety Data Sheet According to OSHA and ANSI

Printing date 10/11/2011

Reviewed on 10/06/2011

Product name: Lanthanum foil

	(Contd. of page 3,
Explosion limits: Lower:	Not determined
Upper:	Not determined
Vapor pressure at 3230°C (5846 °F):	533 hPa (400 mm Hg)
Density at 20°C (68°F): Relative density Vapour density Evaporation rate	6.17 g/cm³ (51.489 lbs/gal) Not determined. Not applicable. Not applicable.
Solubility in / Miscibility with Water:	Contact with water releases flammable gases
Segregation coefficient (n-octonol/wate	r): Not determined.
Viscosity: dynamic: kinematic:	Not applicable. Not applicable.
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity Chemical stability Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Contact with water releases flammable gases Incompatible materials: Air Oxidizing agents Water/moisture Hazardous decomposition products: Metal oxide fume

11 Toxicological information

Information on toxicological effects
Acute toxicity:
Primary irritant effect:
on the skin: Powder: irritant effect
on the eye: Powder: irritant effect
Sensitization: No sensitizing effects known.
Subacute to chronic toxicity:
Other than potential irritation (see above), no information on illness or injury to humans
from acute or chronic exposure to this product is available.
Additional toxicological information:
To the best of our knowledge the acute and chronic toxicity of this substance is not fully
known.
No classification data on carcinogenic properties of this material is available from the EPA,
IARC, NTP, OSHA or ACGIH.

12 Ecological information

Toxicity Acquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Behavior in environmental systems: Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Do not allow material to be released to the environment without proper governmental permits. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available. USA

(Contd. on page 5)

Material Safety Data Sheet

According to OSHA and ANSI

Printing date 10/11/2011

Reviewed on 10/06/2011

Product name: Lanthanum foil

(Contd. of page 4)

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information UN-Number DOT, ADR, IMDG, IATA UN3208 UN proper shipping name DOT, IMDG, IATA METALLIC SUBSTANCE, WATER-REACTIVE, N.O.S. (Lanthanum) ADR 3208 METALLIC SUBSTANCE, WATER-REACTIVE, N.O.S. (Lanthanum) Transport hazard class(es) DOT, IMDG, IATA Class 4.3 Substances which, in contact with water, emit flammable gases. Label 4.3 ADR Class 4.3 (W2) Substances which, in contact with water, emit flammable gases Label 4.3 Packing group DOT, ADR, IMDG, IATA ΤТ Environmental hazards: Marine pollutant: NOWarning: Substances which, in contact with water, Special precautions for user emit flammable gases Danger code (Kemler): 423 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. UN "Model Regulation": UN3208, METALLIC SUBSTANCE, WATER-REACTIVE, N.O.S. (Lanthanum), 4.3, II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Product related hazard informations:

Hazard symbols: F Highly flammable

i migniy rianna

Risk phrases:

11 Highly flammable.
15 Contact with water liberates extremely flammable gases.

Safety phrases:

7/8 Keep container tightly closed and dry.

- 43 In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.
- 60 This material and its container must be disposed of as hazardous waste.

(Contd. on page 6)

USA

USA

Material Safety Data Sheet

According to OSHA and ANSI

Printing date 10/11/2011

Product name: Lanthanum foil

(Contd. of page 5)

Reviewed on 10/06/2011

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL).

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations REACH - Pre-registered substances Substance is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing MSDS: Health, Safety and Environmental Department. Contact:

Zachariah C. Holt

Global EHS Manager

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning

the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada)