## Material Safety Data Sheet According to OSHA and ANSI

Printing date 05/28/2011

Reviewed on 02/23/2007

1 Identification of the substance/mixture and of the company/undertaking
Product identifier
Product name: <u>Magnesium nitride</u>
Stock number: 41946 CAS Number: 12057-71-5 EINECS Number: 235-022-1 Relevant identified uses of the substance or mixture and uses advised against. Sector of Use SU24 Scientific research and development
Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar, A Johnson Matthey Company Johnson Matthey Catalog Company, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com
Information Department: Health, Safety and Environmental Department
<b>Emergency telephone number:</b> During normal hours the Health, Safety and Environmental Department at (800) 343-0660. After normal hours call Carechem 24 at (866) 928-0789.
2 Hazards identification
Classification of the substance or mixture
GHS02 Flame
H228 Flammable solid. GHS07
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xi; Irritant
R36/37/38: Irritating to eyes, respiratory system and skin.
F; Highly flammable
R11: Highly flammable.
R29: Contact with water liberates toxic gas.
Label elements
Labelling according to EU guidelines:
<b>Code letter and hazard designation of product:</b> Xi Irritant F Highly flammable
<b>Risk phrases:</b> 11 Highly flammable. 29 Contact with water liberates toxic gas. 36/37/38 Irritating to eyes, respiratory system and skin.
<b>Safety phrases:</b> 7/8 Keep container tightly closed and dry. 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
33 Take precautionary measures against static discharges. 37 Wear suitable gloves.
43 In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.
60 This material and its container must be disposed of as hazardous waste. (Contd. on page 2) USA

# Material Safety Data Sheet

According to OSHA and ANSI

Printing date 05/28/2011

Reviewed on 02/23/2007

Product name: Magnesium nitride (Contd. of page 1) Hazard description: WHMIS classification Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) HEALTH 2 Health (acute effects) = 2FIRE 2 Flammability = 2Reactivity = 2REACTIVITY 2 Other hazards Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. 3 Composition/information on ingredients Chemical characterization: Substances (CAS#) Description: Magnesium nitride (CAS# 12057-71-5): 100% Identification number(s): EINECS Number: 235-022-1 4 First aid measures Description of first aid measures After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek immediate medical advice. 5 Firefighting measures Extinguishing media Suitable extinguishing agents In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water. For safety reasons unsuitable extinguishing agents Water Special hazards arising from the substance or mixture In case of fire, the following can be released: Metal oxide fume Nitrogen oxides (NOx) Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit. 6 Accidental release measures Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Keep away from ignition sources.

(Contd. on page 3) USA

USA

# Material Safety Data Sheet

According to OSHA and ANSI

Printing date 05/28/2011

Reviewed on 02/23/2007

### Product name: Magnesium nitride

Pro	duct name: Magnesium nitride
	/
	(Contd. of page 2) Reference to other sections
	See Section 7 for information on safe handling
	See Section 8 for information on personal protection equipment.
	See Section 13 for disposal information.
7	Handling and storage
	Handling
	Precautions for safe handling
	Handle under dry protective gas.
	Keep container tightly sealed. Store in cool, dry place in tightly closed containers.
	Ensure good ventilation at the workplace.
	Information about protection against explosions and fires:
	Keep ignition sources away.
	Protect against electrostatic charges.
	Conditions for safe storage, including any incompatibilities Storage
	Requirements to be met by storerooms and receptacles: Store in a cool location.
	Information about storage in one common storage facility:
	Store away from air.
	Store away from water/moisture.
	Store away from oxidizing agents. Further information about storage conditions:
	Store under dry inert gas.
	This product is moisture sensitive.
	Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.
	Protect from humidity and water.
	This product is air sensitive.
8	Exposure controls/personal protection
	Additional information about design of technical systems:
	Properly operating chemical fume hood designed for hazardous chemicals and having an average
	face velocity of at least 100 feet per minute.
	Control parameters
	Components with limit values that require monitoring at the workplace: Not required.
	Additional information: No data
	Exposure controls
	Personal protective equipment General protective and hygienic measures
	The usual precautionary measures for handling chemicals should be followed.
	Keep away from foodstuffs, beverages and feed.
	Remove all soiled and contaminated clothing immediately.
	Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
	Breathing equipment: Use suitable respirator when high concentrations are present.
	Protection of hands:
	Check protective gloves prior to each use for their proper condition.
	Impervious gloves Material of gloves
	The selection of suitable gloves not only depends on the material, but also on quality.
	Quality will vary from manufacturer to manufacturer.
	Eye protection: Safety glasses
	Body protection: Protective work clothing.
2	Physical and chemical properties
	Information on basic physical and chemical properties
	General Information Appearance:

 Appearance:

 Form:
 Powder

 Color:
 Beige

 Odor:
 Not determined

 Odour threshold:
 Not determined.

 pH-value:
 Not applicable.

### Material Safety Data Sheet According to OSHA and ANSI

Printing date 05/28/2011

Reviewed on 02/23/2007

#### Product name: Magnesium nitride

	(Contd. of p	bag
Change in condition		
Melting point/Melting range:	800°C (1472 °F)	
Boiling point/Boiling range:	700°C (1292 °F)	
Sublimation temperature / start:	Not determined	
Flash point:	Not applicable	
Flammability (solid, gaseous)	Highly flammable.	
Ignition temperature:	Not determined	
Decomposition temperature:	Not determined	
Auto igniting:	Not determined.	
Explosion limits:		
Lower:	Not determined	
Upper:	Not determined	
Vapor pressure:	Not applicable.	
Density at 20°C (68 °F):	2.712 g/cm³ (22.632 lbs/gal)	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Reacts	
Segregation coefficient (n-octonol/water):	Not determined.	
Viscosity:		
dynamic:	Not applicable.	
kinematic:	Not applicable.	
Other information	No further relevant information available.	

#### 10 Stability and reactivity

#### Reactivity

Chemical stability Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Contact with water releases toxic gases Incompatible materials: Water/moisture Air Oxidizing agents Hazardous decomposition products: Metal oxide fume Nitrogen oxides

#### 11 Toxicological information

Information on toxicological effects Acute toxicity: Primary irritant effect: on the skin: Irritant to skin and mucous membranes. on the eye: Irritating effect. Sensitization: No sensitizing effects known. Subacute to chronic toxicity: Inhalation of magnesium compounds may cause metal fume fever. Metallic magnesium which perforates the skin may cause local lesions. Some magnesium salts have produced muscle weakness, cardiac arrhythmias, respiratory effects and changes in blood chemistry following ingestion. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

#### 12 Ecological information

Toxicity

Acquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available.

# Material Safety Data Sheet

According to OSHA and ANSI

Printing date 05/28/2011

Reviewed on 02/23/2007

Product name: Magnesium nitride

(Contd. of page 4) Behavior in environmental systems: Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Do not allow material to be released to the environment without proper governmental permits. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

#### 13 Disposal considerations

Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal.

#### Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

#### 14 Transport information

DOT regulations:

Hazard class:	4.1
Identification number:	UN3178
Packing group:	II
Proper shipping name (technical name	): FLAMMABLE SOLID, INORGANIC, N.O.S. (Magnesium)
	nitride)

4.1

40

ΙI

3178

nitride)

Land transport ADR/RID (cross-border)

Label

ADR/RID class: Danger code (Kemler): UN-Number:

Packaging group: UN proper shipping name:

Maritime transport IMDG:

IMDG Class:	4.1
UN Number:	3178
Label	4.1
Packaging group:	II
Marine pollutant:	No
Proper shipping name:	FLAMMABLE SOLID, INORGANIC, N.O.S. (Magnesium nitride)

4.1 (F3) Flammable solids, self-reactive substances

3178 FLAMMABLE SOLID, INORGANIC, N.O.S. (Magnesium

and solid desensitised explosives

(Contd. on page 6) USA

٦

Printing date 05/28/2011

Reviewed on 02/23/2007

Product name: Magnesium nitride

Product name: Magnesium nitride				
	(Contd. of page 5)			
Air transport ICAO-TI and IATA-DGR:	(concur of page 5)			
ICAO/IATA Class:	4.1			
UN/ID Number:	3178			
Label Packaging group:	4.1 II			
Proper shipping name:	FLAMMABLE SOLID, INORGANIC, N.O.S. (Magnesium nitride)			
-	BLE SOLID, INORGANIC, N.O.S., 4.1, II			
	ive substances and solid desensitised explosives II of MARPOL73/78 and the IBC Code Not applicable.			
15 Regulatory information				
Safety, health and environmental regu mixture	lations/legislation specific for the substance or			
Product related hazard informations:				
Hazard symbols:				
Xi Irritant				
F Highly flammable				
<b>Risk phrases:</b> 11				
29 Contact with water liberates 36/37/38 Irritating to eyes, respirat	-			
advice.	se immediately with plenty of water and seek medical			
37 Wear suitable gloves.	33 Take precautionary measures against static discharges. 37 Wear suitable gloves. 43 In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use			
water. 60 This material and its container m	nust be disposed of as hazardous waste.			
Substances Control Act Chemical subst	ll components of this product are listed in the U.S. Environmental Protection Agency Toxic ubstances Control Act Chemical substance Inventory. Il components of this product are listed on the Canadian Non-Domestic Substances List			
	For use only by technically qualified individuals. I Safety Assessment has not been carried out.			
them, and should make independent jud proper use and protect the health and without warranty, and any use of the	a only as a supplement to other information gathered by gement of suitability of this information to ensure a safety of employees. This information is furnished product not in conformance with this Material Safety by other product or process, is the responsibility of the			
Department issuing MSDS: Health, Safe	ty and Environmental Department.			
<b>Contact:</b> Zachariah C. Holt				
Global EHS Manager				
Abbreviations and acronyms:				
Carriage of Dangerous Goods by Road)	dises dangereuses par Route (European Agreement concerning the International			
the International Transport of Dangerous Goods by IMDG: International Maritime Code for Dangerous G DOT: US Department of Transportation				
IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "Inte IGAO. International Givil Aviation Overnigation	ernational Air Transport Association" (IATA)			
ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "Internation INTERCE Technical Instructions of Deinbia Comparis)				
EINECS: European Inventory of Existing Commercial	Chemical Substances (Contd. on page 7)			

(Contd. on page 7) USA

## Material Safety Data Sheet According to OSHA and ANSI

Printing date 05/28/2011

Reviewed on 02/23/2007

### Product name: Magnesium nitride

CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) (Contd. of page 6)

USA -