

Part of Thermo Fisher Scientific

Material Safety Data Sheet

Creation Date 27-Apr-2009

Revision Date 23-Sep-2009

Revision Number 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name

Methanol

Cat No.

A408-1; A408-4; A408-4LC; A411-4; A411-20; A412-1; A412-4; A412-4LC; A412-20; A412-200; A412-200LC; A412-500; A412CU-1300; A412FB-19; A412FB-50; 412FB-115; A412FB-200; A412P-4; A412POP-19; A412POPB-200; 412RB-50; A412RB-115; A412RB-200; A412RS-19; A412RS-28; 412RS-50; 412RS-115; A412RS-200; A412SK-4; A412SS-115; A413-4; A413-20; 413-200; A413-500; A433F-1GAL; A433P-4; A433S-4; A433S-20; A433S-200; A434-20; A450-4; A452-1; A452-4; A452-4LC; A452N-119; A452N-219; A452POP-50; 452POP-200; A452RS-19; A452RS-28; A452RS-50; 452RS-115; A452RS-200; A453-1; A453-1LC; A453-500; A454-1; A454-4; A454-4LC; A454RS-28; A454RS-115; A454RS-200; A454SK-4; A454-8; A454-8-200; A454-1; A456-4; A456-212; A456-500; A457-4; A935-4; A935RB-200; A947-4; A947POP-200; A947RS-28; A947RS-115; A947RS-200; A947SS-28; A947SS-50; A947SS-15; A947SS-200; BP1105-1; BP1105-4; BP1105SS-19; BP1105SS-28;

OPTIMAKIT; SC95-1; SW2-1; TIA947-4; TIA947P-200L

Synonyms

Methyl alcohol; (Spectranalyzed; Laboratory; Certified ACS; NF; Histological; Pesticide; HPLC; OPTIMA; LC/MS; GC Resolv; Electronic; Low Water; Peroxide-Free/Sequencing)

Recommended Use

Laboratory chemicals

527-3887

Company Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 703-

2. HAZARDS IDENTIFICATION

2. HAZARDS IDENTIFICATION

DANGER!

Emergency Overview

Flammable liquid and vapor. Poison, may be fatal or cause blindness if swallowed. Cannot be made non-poisonous.

Vapor harmful. Toxic by inhalation, in contact with skin and if swallowed. Irritating to eyes and skin. May cause irritation of respiratory tract. Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.

Appearance Colorless Physical State Liquid odor Alcohol-like

Target Organs Gastrointestinal tract (GI), Central nervous system (CNS), Eyes, Respiratory system, Skin,

Optic nerve, Liver, Kidney, spleen, Blood

Potential Health Effects

Acute Effects

Principle Routes of Exposure

Eyes Irritating to eyes.

Skin Toxic in contact with skin. Irritating to skin.

Inhalation Toxic by inhalation. Vapor harmful. May cause irritation of respiratory tract.

Ingestion Poison, may be fatal or cause blindness if swallowed. Cannot be made non-poisonous.

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chronic Effects Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if

swallowed. Experiments have shown reproductive toxicity effects on laboratory animals. May

cause adverse liver effects. May cause adverse kidney effects.

See Section 11 for additional Toxicological information.

Aggravated Medical Conditions Central nervous system disorders. Gastrointestinal tract. Preexisting eye disorders. Skin

disorders.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Haz/Non-haz

| Component | CAS-No | Weight % |
|----------------|---------|----------|
| Methyl alcohol | 67-56-1 | >95 |

4. FIRST AID MEASURES

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention

is required.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth resuscitation

if victim ingested or inhaled the substance; induce artificial respiration with a respiratory

medical device. Immediate medical attention is required.

Ingestion Do not induce vomiting. Call a physician or Poison Control Center immediately.

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flash Point 12°C / 53.6°F

Method No information available.

Autoignition Temperature 455°C / 851°F

Explosion Limits

31.00 vol % Upper 6.0 vol % Lower

Suitable Extinguishing Media CO₂, dry chemical, dry sand, alcohol-resistant foam. Use water

spray to cool unopened containers.

Unsuitable Extinguishing Media Water may be ineffective.

Hazardous Combustion Products No information available.

No information available. Sensitivity to mechanical impact Sensitivity to static discharge No information available.

Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA Health 1 Flammability 3 Instability 0 Physical hazards N/A

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Use personal protective equipment. Remove all sources of ignition. Evacuate personnel to safe

areas. Keep people away from and upwind of spill/leak. Take precautionary measures against

static discharges. Do not get in eyes, on skin, or on clothing.

Should not be released into the environment. **Environmental Precautions**

Methods for Containment and Clean Remove all sources of ignition. Soak up with inert absorbent material. Take precautionary measures against static discharges. Keep in suitable and closed containers for disposal.

7. HANDLING AND STORAGE

Handling Use only under a chemical fume hood. Use explosion-proof equipment. Keep away from open

> flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing.

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open Storage

flames, hot surfaces and sources of ignition. Flammables area.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Measures

Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|----------------|---------------|---------------------------------------|-----------------------------|
| Methyl alcohol | TWA: 200 ppm | (Vacated) TWA: 200 ppm | IDLH: 6000 ppm |
| | STEL: 250 ppm | (Vacated) TWA: 260 mg/m ³ | TWA: 200 ppm |
| | Skin | (Vacated) STEL: 325 mg/m ³ | TWA: 260 mg/m ³ |
| | | (Vacated) STEL: 250 ppm | STEL: 250 ppm |
| | | Skin | STEL: 325 mg/m ³ |
| | | TWA: 200 ppm | _ |
| | | TWA: 260 mg/m ³ | |

| Component | Quebec | Mexico OEL (TWA) | Ontario TWAEV |
|----------------|-----------------------------|-----------------------------|-----------------------------|
| Methyl alcohol | TWA: 200 ppm | TWA: 200 ppm | TWA: 200 ppm |
| | TWA: 262 mg/m ³ | TWA: 260 mg/m ³ | TWA: 260 mg/m ³ |
| | STEL: 328 mg/m ³ | STEL: 250 ppm | STEL: 325 mg/m ³ |
| | STEL: 250 ppm | STEL: 310 mg/m ³ | STEL: 250 ppm |
| | Skin | · · | Skin |

NIOSH IDLH: Immediately Dangerous to Life or Health

Personal Protective Equipment

Eye/face Protection

Skin and body protection **Respiratory Protection**

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166 Wear appropriate protective gloves and clothing to prevent skin exposure

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Appearance

odor **Odor Threshold**

Ha **Vapor Pressure**

Vapor Density

Viscosity **Boiling Point/Range**

Melting Point/Range

Decomposition temperature °C

Flash Point

Evaporation Rate

Specific Gravity Solubility

log Pow

Molecular Weight Molecular Formula

Liquid Colorless

Alcohol-like

No information available. No information available.

128 hPa @ 20 °C 1.11 (Air = 1.0)

0.55 CP at 20 °C 64.7°C / 148.5°F@ 760 mmHg

-98°C / -144.4°F

No information available.

12°C / 53.6°F (Ether = 1.0)

0.791

Miscible with water No data available

32.04 C H4 O

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products. Heat, flames and sparks.

Incompatible Materials Strong oxidizing agents, Strong acids, Acid anhydrides, Acid

chlorides, Strong bases, Metals, Peroxides

Hazardous Decomposition Products Carbon monoxide (CO), Formaldehyde

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions. None under normal processing..

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Component Information

| (| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|---|----------------|------------------|------------------------|--|
| N | lethyl alcohol | 5628 mg/kg (Rat) | 15800 mg/kg (Rabbit) | 64000 ppm (Rat) 4 h 83.2 mg/L (Rat) 4 h |
| | | | | 63.2 mg/L (Rat) 4 n |

Irritation Irritating to eyes and skin

Toxicologically Synergistic

Products

Carbon tetrachloride

Chronic Toxicity

Carcinogenicity There are no known carcinogenic chemicals in this product

Sensitization No information available.

Mutagenic Effects Mutagenic effects have occurred in experimental animals.

Reproductive Effects Experiments have shown reproductive toxicity effects on laboratory animals.

Developmental Effects Developmental effects have occurred in experimental animals.

Teratogenicity Teratogenic effects have occurred in experimental animals..

Other Adverse Effects The toxicological properties have not been fully investigated.. See actual entry in RTECS for

complete information.

Endocrine Disruptor Information No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

.

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|----------------|------------------|---------------------------|--------------------------|-----------------------|
| Methyl alcohol | Not listed | Pimephales promelas: LC50 | EC50 = 39000 mg/L 25 min | EC50 > 10000 mg/L 24h |
| - | | > 10000 mg/L 96h | EC50 = 40000 mg/L 15 min | - |
| | | | EC50 = 43000 mg/L 5 min | |

Persistence and Degradability No information available

Bioaccumulation/ Accumulation No information available

Mobility .

| Component | log Pow |
|----------------|---------|
| Methyl alcohol | -0.74 |

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Chemical waste generators must also consult local, regional, and national

hazardous waste regulations to ensure complete and accurate classification

| Component | RCRA - U Series Wastes | RCRA - P Series Wastes |
|--------------------------|------------------------|------------------------|
| Methyl alcohol - 67-56-1 | U154 | - |

14. TRANSPORT INFORMATION

DOT

UN-No UN1230 Proper Shipping Name METHANOL

Hazard Class 3
Packing Group ||

TDG

UN-No UN1230 Proper Shipping Name METHANOL

Hazard Class 3
Subsidiary Hazard Class 6.1
Packing Group

IATA

UN-No UN1230 Proper Shipping Name METHANOL

Hazard Class 3 Subsidiary Hazard Class 6.1

14. TRANSPORT INFORMATION

Packing Group ||

IMDG/IMO

UN-No UN1230 Proper Shipping Name METHANOL

Hazard Class 3
Subsidiary Hazard Class 6.1
Packing Group ||

15. REGULATORY INFORMATION

International Inventories

| Component | TSCA | DSL | NDSL | EINECS | ELINCS | NLP | PICCS | ENCS | AICS | CHINA | KECL |
|----------------|------|-----|------|---------------|---------------|-----|-------|-------------|------|-------|-------|
| Methyl alcohol | Χ | Χ | - | 200-659- | - | | Х | Χ | Χ | X | KE- |
| | | | | 6 | | | | | | | 23193 |
| | | | | | | | | | | | X |

Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313

| Component | CAS-No | Weight % | SARA 313 - Threshold Values % |
|----------------|---------|----------|----------------------------------|
| Methyl alcohol | 67-56-1 | >95 | 1.0 |

SARA 311/312 Hazardous Categorization

| Acute Health Hazard | Yes |
|-----------------------------------|-----|
| Chronic Health Hazard | No |
| Fire Hazard | Yes |
| Sudden Release of Pressure Hazard | No |
| Reactive Hazard | No |

Clean Water Act

Not applicable

Clean Air Act

| Component | HAPS Data | Class 1 Ozone Depletors | Class 2 Ozone Depletors |
|----------------|-----------|-------------------------|-------------------------|
| Methyl alcohol | X | | - |

OSHA

Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Component | Hazardous Substances RQs | CERCLA EHS RQs |
|----------------|--------------------------|----------------|
| Methyl alcohol | 5000 lb | - |

California Proposition 65

This product does not contain any Proposition 65 chemicals.

State Right-to-Know

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|----------------|---------------|------------|--------------|----------|--------------|
| Methyl alcohol | X | X | X | X | X |

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Serious risk, Grade 3

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

B2 Flammable liquid D1B Toxic materials D2A Very toxic materials D2B Toxic materials







16. OTHER INFORMATION

Prepared By Regulatory Affairs

Thermo Fisher Scientific Tel: (412) 490-8929

Creation Date 27-Apr-2009

Print Date 23-Sep-2009

Revision Summary "***", and red text indicates revision

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS