

SAFETY DATA SHEET

Revision Date 18-May-2015 WAI1 - AGHS - OSHA Revision Number 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Name Double Junction Inner Filling Solution

Product Number(s) 900002

Pure substance/mixture Mixture

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Use as laboratory reagent

Uses advised against No Information available

<u>Manufacturer/Supplier</u> Thermo Fisher Scientific©

Water and Lab Products

22 Alpha Road

Chelmsford, MA 01824, USA

1-978-232-6000

E-mail address info.water@thermo.com

Made in USA

Emergency Telephone 24 Hour Emergency Phone Number

CHEMTREC®

Within USA and Canada: 1-800-424-9300 Outside USA and Canada: 1-703-527-3887

(collect calls accepted)

Product Number(s) 900002

Document No. 205425-001

Revision Date 18-May-2015

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity Category 1B

Label Elements

Emergency Overview

Danger

Hazard Statements

May cause cancer



Appearance Green Physical State Liquid Odor None

Safety data sheet available on request

Precautionary Statements

Do not handle until all safety information has been read and understood.

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Response

IF exposed or concerned: Get medical attention/advice

Storage

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No information available

Other Information

No information available

Unknown Acute Toxicity 1.01 % of the mixture consists of ingredients of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No	Weight %	Trade Secret

Product Number(s) 900002 **Document No.** 205425-001

ΕN

Product Name Double Junction Inner Filling Solution

Potassium Nitrate	7757-79-1	10 - 20%	*
Potassium Chloride	7447-40-7	0 - 10%	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General Advice Use first aid treatment according to the nature of the injury. Get medical attention

immediately if symptoms occur. Show this safety data sheet to the doctor in attendance.

Revision Date 18-May-2015

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. Obtain medical attention.

Skin ContactWash off immediately with soap and plenty of water for at least 15 minutes while removing

all contaminated clothing and shoes. If skin reactions occur, contact a physician.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, obtain medical

attention.

Ingestion Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting. Call a

physician or Poison Control Center immediately.

Protection of First-aidersUse personal protective equipment. See Section 8 for more detail. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper

respiratory medical device.

Most important symptoms and effects, both acute and delayed

Most important symptoms/effects No information available

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available

Specific Hazards Arising from the Chemical

No information available

Explosion Data

Sensitivity to Mechanical Impact None Sensitivity to Static Discharge None

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions
Environmental Precautions

Use personal protective equipment. Refer to Section 8. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas

Product Number(s) 900002 Document No. 205425-001

Product Name Double Junction Inner Filling Solution

Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling To avoid risks to human health and the environment, comply with the instructions for use

Wear personal protective equipment

Avoid breathing dust/fume/gas/mist/vapours/spray Ensure adequate ventilation, especially in confined areas

Conditions for Safe Storage, Including any Incompatibilities

Storage Keep container tightly closed in a dry and well-ventilated place

Store at room temperature in the original container

Keep away from direct sunlight

Incompatible Products No information available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face Protection Wear chemical splash goggles. If splashes are likely to occur, wear:. Face-shield.

Skin and Body Protection Wear protective gloves/clothing.

Respiratory Protection None required under normal usage. In case of inadequate ventilation wear respiratory

protection.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical StateLiquidAppearanceGreenOdorNone

Odor Threshold No information available

pH Range 5.0 - 8.0

Property Values Remarks • Method

Melting point/freezing pointNo information availableBoiling Point/Range~ 100 °C / 212 °F

Flash Point (High in °C) N/A

Evaporation RateFlammability (solid, gas)
No information available
No information available

Revision Date 18-May-2015

Product Name Double Junction Inner Filling Solution Revision Date 18-May-2015

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor Density
Specific Gravity

No information available
No information available
No information available
No information available

Water Solubility soluble

Solubility in other solvents
Partition coefficient
No information available
No information available

Autoignition Temperature

Decomposition TemperatureNo information availableKinematic ViscosityNo information availableDynamic viscosityNo information availableExplosive PropertiesNo information availableOxidizing PropertiesNo information available

Other Information

Softening PointNo information availableMolecular WeightNo information availableVOC Content(%)No information availableDensityNo Information availableBulk DensityNo information available

10. STABILITY AND REACTIVITY

Reactivity

No Information available

Chemical Stability

Stable under normal conditions

Possibility of Hazardous Reactions

None under normal processing

Conditions to Avoid

Extremes of temperature and direct sunlight

Incompatible Materials

No information available

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation No information available

Eye Contact No information available

Skin Contact No information available

Ingestion No information available

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Potassium Nitrate 7757-79-1	= 3015 mg/kg (Rat)	-	-
Potassium Chloride 7447-40-7	= 2600 mg/kg (Rat)	-	-

Product Name Double Junction Inner Filling Solution Revision Date 18-May-2015

Information on Toxicological Effects

Symptoms No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available

Mutagenic Effects No information available

Carcinogenicity No information available.

Reproductive Effects No information available

STOT - single exposure No information available

STOT - repeated exposure No information available

Aspiration hazard No information available

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 1.01 % of the mixture consists of ingredients of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 12666 mg/kg **ATEmix (dermal)** 1001000 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

18.02% of the mixture consists of components(s) of unknown hazards to the aquatic environment

	Component	Freshwater Algae	Freshwater Fish	Water Flea
Ī	Potassium Chloride	2500: 72 h Desmodesmus	750 - 1020: 96 h Pimephales	83: 48 h Daphnia magna mg/L
-	7447-40-7	subspicatus mg/L EC50	promelas mg/L LC50 static 1060: 96	EC50 Static 825: 48 h Daphnia
١		-	h Lepomis macrochirus mg/L LC50	magna mg/L EC50
			static	

Persistence and Degradability

No information available

Bioaccumulation/ Accumulation

No information available

Mobility

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Improper disposal or reuse of this container may be dangerous and illegal.

Product Number(s) 900002 Document No. 205425-001 EN

Component	CAWAST
Potassium Nitrate	Ignitable
7757-79-1	Reactive

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

MEX Not regulated

ICAO Not regulated

IATA Not regulated

IMDG/IMO Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

International Inventories

USINV Complies CANINV Complies

EINECS/ELINCS Does not Comply ENCS Does not Comply

IECSCCompliesKECLCompliesPICCSCompliesAICSComplies

USINV/ TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

CANINY/ DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Component	SARA 313 - Threshold Values %	
Potassium Nitrate - 7757-79-1	1.0	

SARA 311/312 Hazardous

Categorization

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

Double Junction Inner Filling Solution Product Name

Revision Date 18-May-2015

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

State Right-to-Know

Component	New Jersey	Massachusetts	Pennsylvania
Potassium Nitrate	X	X	X
7757-79-1			

U.S. EPA Label Information

No information available

16. OTHER INFORMATION

Prepared By Environmental, Health and Safety

Prepared For Thermo Fisher Scientific Inc.©

Issue Date No information available

18-May-2015 **Revision Date**

Expiration Date SDS is valid 3 years from revision date. Contact wai.techservbev@thermofisher.com for

the latest revision.

Reason for revision Update to CLP Format

Disclaimer

IMPORTANT: The information contained in this SDS is correct to the best of our knowledge as of the issue date (or subsequent revision date, if any), and is to be used only as a guide. This SDS does not constitute a guarantee (express or implied) of any kind and we make no warranties of any kind as to the accuracy or completeness of the information contained herein or the merchantability or fitness of the product or this information for a particular purpose. It is the responsibility of each individual buyer/user to determine the suitability of this information and the product for its intended purposes. Product sales are subject to Thermo Fisher Scientifics standard terms and conditions of sale. This information relates only to the designated product as shipped and may not be valid if the product is used in combination with any other materials or is not used in accordance with our instructions, or is altered in any way. It is the responsibility of the buyer/user to ensure that its activities comply with all applicable government requirements. Since conditions of use of the product are not under direct control of Thermo Fisher Scientific, it is the duty of the buyer/user to determine the necessary conditions for the safe use of the product. Thermo Fisher Scientific will not be liable for any injuries or damages resulting from handling, use, misuse or contact with the product.

End of Safety Data Sheet