Safety Data Sheet acc. to OSHA HCS

Printing date 07/09/2015

Reviewed on 07/09/2015

1 Identification• Product identifier

· Product Name: Tuning Solution 1

- · Part Number: CL-TUNE-1
- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Certified Reference Material
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: SPEX CertiPrep, LLC. 203 Norcross Ave, Metuchen, NJ 08840 USA

· Information department: product safety department

• Emergency telephone number: Emergency Phone Number (24 hours) CHEMTREC (800-424-9300)

Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation.

· Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Warning

· Hazard statements

Causes skin irritation.

Causes serious eye irritation.

Precautionary statements

Wear protective gloves. Wear eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If in eyes. Kinse caulously will wa

- Specific treatment (see on this label). If skin irritation occurs: Get medical advice/attention.
- If eye irritation persists: Get medical advice/attention.
- · Classification system:
- NFPA ratings (scale 0 4)



Health = 1 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



· Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

(Contd. on page 2)

Product Name: Tuning Solution 1

(Contd. of page 1)

Reviewed on 07/09/2015

3 Composit	ion/information on ingredients		
	characterization: Mixtures n: Mixture of the substances listed below with nonhazardous additions.		
	s components:		
0	hydrochloric acid		5.0%
7697-37-2	nitric acid		2.0%
· Chemical i	identification of the substance/preparation		
7439-92-1	Lead from Lead Oxide	0.0	001%
7440-74-6	indium	0.0	001%
7440-39-3	Barium from Barium carbonate	0.0	001%
7440-45-1	Cerium from Cerium(III) nitrate hexahydrate	0.0	001%
7440-28-0	Thallium from Thallium nitrate	0.0	001%
7439-95-4	magnesium	0.0	001%
7440-48-4	cobalt	0.0	01%
7440-16-6	Rhodium from Rhodium trichloride trihydrate	0.0	01%
7440-65-5	Yttrium from Yttrium oxide	0.0	001%
7439-93-2	Lithium from Lithium carbonate	0.0	001%
7440-61-1	Uranium from Uranyl Nitrate Hexahydrate	0.0	001%
7440-41-7	Beryllium from Beryllium Acetate	0.0	001%
7732-18-5	water, distilled, conductivity or of similar purity	92.9	988%

4 First-aid measures

· Description of first aid measures

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.

(Contd. on page 3)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 07/09/2015

Reviewed on 07/09/2015

Product Name: Tuning Solution 1

(Contd. of page 2)

- \cdot Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Control parameters			
· Com	· Components with limit values that require monitoring at the workplace:		
7647-01-0 hydrochloric acid			
PEL	Ceiling limit value: 7 mg/m ³ , 5 ppm		
REL	Ceiling limit value: 7 mg/m ³ , 5 ppm		
TLV	Ceiling limit value: 2.98 mg/m ³ , 2 ppm		
7697	7697-37-2 nitric acid		
PEL	Long-term value: 5 mg/m ³ , 2 ppm		
REL	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm		
TLV	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm		
· Addi	tional information: The lists that were valid during the creation were used as basis.		
 • <i>Exposure controls</i> • <i>Personal protective equipment:</i> • <i>General protective and hygienic measures:</i> • <i>General protective and hygienic measures:</i> • <i>Keep away from foodstuffs, beverages and feed.</i> • <i>Immediately remove all soiled and contaminated clothing.</i> • <i>Wash hands before breaks and at the end of work.</i> • <i>Avoid contact with the eyes and skin.</i> • <i>Breathing equipment:</i> • In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • <i>Protection of hands:</i> 			
en e	Protective gloves		

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties · General Information		
· Appearance:		
Form:	Liquid	
Color:	According to product specification	

US

Safety Data Sheet acc. to OSHA HCS

Printing date 07/09/2015

Product Name: Tuning Solution 1

Reviewed on 07/09/2015

		(Contd. of page 3)
· Odor: · Odour Threshold:	Characteristic Not applicable.	
· pH-value:	Not applicable.	
• Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 100 °C (212 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not applicable.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper:	Not applicable. Not applicable.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)	
Density at 20 °C (68 °F) Relative density Vapour density Evaporation rate	1.01833 g/cm³ (8.498 lbs/gal) Not applicable. Not applicable. Not applicable.	
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wate	r): Not applicable.	
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.	
 Solvent content: Organic solvents: Water: Other information 	0.0 % 93.0 % No further relevant information available.	

10 Stability and reactivity

· Reactivity

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:
- 7647-01-0 hydrochloric acid
- Oral LD50 900 mg/kg (rabbit)
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

(Contd. on page 5)

Printing date 07/09/2015

Reviewed on 07/09/2015

Product Name: Tuning Solution 1

	(Contd. of page 4)
· Carcinogenic categories	
· IARC (International Agency for Research on Cancer)	
7647-01-0 hydrochloric acid	3
7439-92-1 Lead from Lead Oxide	28
7440-48-4 cobalt	28
7440-41-7 Beryllium from Beryllium Acetate	1
· NTP (National Toxicology Program)	
7439-92-1 Lead from Lead Oxide	R
7440-41-7 Beryllium from Beryllium Acetate	K
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name · DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid, Nitric acid solution)
·ADR	3264 Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid, Nitric acid solution)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID, NITRIC ACID SOLUTION)
· Transport hazard class(es)	
·DOT	
· Class	8 Corrosive substances
	(Contd. on page 6)
-	-[

Safety Data Sheet acc. to OSHA HCS

Printing date 07/09/2015

Reviewed on 07/09/2015

Product Name: Tuning Solution 1		
	(Contd. of page 5)	
· Label	8	
· ADR, IMDG, IATA		
· Class · Label	8 Corrosive substances 8	
· Packing group · DOT, ADR, IMDG, IATA	III	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Warning: Corrosive substances	
· Danger code (Kemler): · EMS Number:	80 F-A.S-B	
· EMS Number: · Segregation groups	Г-А,S-Б Acids	
• Transport in bulk according to Annex II of MARPOL73/78 and	the IBC	
Code	Not applicable.	
· Transport/Additional information:		
· ADR		
· Excepted quantities (EQ)	Code: El	
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	
·IMDG		
· Limited quantities (LQ)	5L	
\cdot Excepted quantities (\widetilde{EQ})	Code: E1	
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	
· UN "Model Regulation":	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid, Nitric acid solution), 8, III	

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara	
· Section 355 (extremely hazardous substances):	
7647-01-0 hydrochloric acid	
7697-37-2 nitric acid	
· Section 313 (Specific toxic chemical listings):	
7647-01-0 hydrochloric acid	
7697-37-2 nitric acid	
7439-92-1 Lead from Lead Oxide	
7440-39-3 Barium from Barium carbonate	
7440-28-0 Thallium from Thallium nitrate	
7440-48-4 cobalt	
7439-93-2 Lithium from Lithium carbonate	
7440-41-7 Beryllium from Beryllium Acetate	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
7439-92-1 Lead from Lead Oxide	
7440-48-4 cobalt	
7440-41-7 Beryllium from Beryllium Acetate	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
(Contd.	on page 7)
	US

Printing date 07/09/2015

Product Name: Tuning Solution 1

Reviewed on 07/09/2015

	(Contd. of page 6)
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
7439-93-2 Lithium from Lithium carbonate	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
7439-92-1 Lead from Lead Oxide	B2
7440-39-3 Barium from Barium carbonate	D, CBD(inh), NL(oral)
7440-41-7 Beryllium from Beryllium Acetate	B1, K/L(inh), CBD(oral)
· TLV (Threshold Limit Value established by ACGIH)	
7647-01-0 hydrochloric acid A4	
7439-92-1 Lead from Lead Oxide A	
7440-39-3 Barium from Barium carbonate	
7440-48-4 cobalt	
7440-61-1 Uranium from Uranyl Nitrate Hexahydrate	

· NIOSH-Ca (National Institute for Occupational Safety and Health)

7440-61-1 Uranium from Uranyl Nitrate Hexahydrate

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Warning

- · Hazard statements
- Causes skin irritation.
- Causes serious eye irritation.
- · Precautionary statements

Wear protective gloves.

Wear eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

- · Contact:
- SPEX CertiPrep, LLC.
- 1-732-549-7144
- · Date of preparation / last revision 07/09/2015 / -
- · Abbreviations and acronyms:
- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A