



	a on 10/21/2015
1 Identification	
Product identifier	
Product name: Barium nitrate, Puratronic®	
Stock number: 10648	
CAS Number: 10022-31-8	
EC number:	
233-020-5 Index number:	
056-002-00-7 Relevant identified uses of the substance or mixture and uses advised against.	
Identified uses SU24 Scientific research and development	
Details of the supplier of the safety data sheet Manufacturer/Supplier:	
Alfa Aesar	
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street	
Ward Hill, MA 01835-8099	
Tel: 800-343-0660	
Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com	
Information Department: Health, Safety and Environmental Department	
Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-07	789
2 Hazard(s) identification	
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS03 Flame over circle	
Ox. Sol. 3 H272 May intensify fire; oxidizer.	
GHS07	
Acute Tox. 4 H302 Harmful if swallowed.	
Acute Tox 4 H332 Harmful if inhaled	
Hazards not otherwise classified No information known.	
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
	I
GHS03 GHS07	
Signal word Warning Hazard statements	
H272 May intensify fire; oxidizer. H302+H332 Harmful if swallowed or if inhaled.	
H302+H332 Harmful if swallowed or if inhaled.  Precautionary statements	
P221 Take any precaution to avoid mixing with combustibles.	
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P220 Keep/Store away from clothing/combustible materials.	
P261 Avoid breathing dust/fume/gaš/mist/vapours/spray. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.	
WHMIS classification C - Oxidizing materials	
D1B - Toxic material causing immediate and serious toxic effects	
Classification system	
HMIS ratings (scale 0-4) (Hazardous Materials Identification System)	
$\frac{\text{HEALTH } 2}{\text{Health (acute effects)}} = 2$	
Fire $\square$ Flammability = 0	
REACTIVITY 3       Physical Hazard = 3         Other hazards	
Results of PBT and vPvB assessment	
PBT: Not applicable. vPvB: Not applicable.	
3 Composition/information on ingredients Chemical characterization: Substances	
CAS# Description:	
10022-31-8 Barium nitrate Identification number(s):	
EC number: 233-020-5 ´ Index number: 056-002-00-7	
	USA

Product name: Barium nitrate, Puratronic®	
	(Contd. of page 1)
4 First-aid measures Description of first aid measures	
After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact	
Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.	
After swallowing Seek medical treatment.	
Information for doctor Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures	
Extinguishing media Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.	
For safety reasons unsuitable extinguishing agents Halocarbon extinguisher Special hazards arising from the substance or mixture	
This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. If this product is involved in a fire, the following can be released:	
Barium oxide Nitrogen oxides (NOx)	
Advice for firefighters Protective equipment:	
Wear self-contained respirator. Wear fully protective impervious suit.	
6 Accidental release measures	
Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.	
Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.	
Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13.	
Ensure adequate ventilation. Prevention of secondary hazards:	
Acts as an oxidizing agent on organic materials such as wood, paper and fats Keep away from combustible material. <b>Reference to other sections</b>	
See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
7 Handling and storage	
Handling Precautions for safe handling Licente under drugssteature and	
Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensura good wortfaltion at the workplace.	
בוזגעוב טטטע עבוועומעטרו מרגווב שטוגעומטב.	
Information about protection against explosions and fires: Substance/product can reduce the ignition temperature of flammable substances. This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.	
Conditions for safe storage, including any incompatibilities	
Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility:	
Store away from reducing agents.	
Do not store with organic materials. Store away from metal powders.	
Store away from water/moisture. Further information about storage conditions:	
Store under dry inert gas. This product is hygroscopic.	
Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.	
Protect from humidity and water. <b>Specific end use(s)</b> No further relevant information available.	
8 Exposure controls/personal protection	
Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.	
Control parameters Components with limit values that require monitoring at the workplace:	
10022-31-8 Barium nitrate (100.0%)	
PEL (USA) Long-term value: 0.5 mg/m <sup>3</sup> as Ba	
REL (USA) Long-term value: 0.5 mg/m <sup>3</sup> as Ba	
TLV (USA) Long-term value: 0.5 mg/m <sup>3</sup> as Ba	
EL (Canada) Long-term value: 0.5 mg/m <sup>3</sup> as Ba	
Additional information: No data	(Contd. on page 3)

## Product name: Barium nitrate, Puratronic®

Product name: Barium nitrate, Purat	ronic®	
Exposure controls Personal protective equipment		(Contd. of page 2)
General protective and hygienic meas The usual precautionary measures for ha Keep away from foodstuffs, beverages a Remove all soiled and contaminated clot	andling chemicals should be followed. and feed. thing immediately.	
Wash hands before breaks and at the en	nd of work. vorking environment. pirator when high concentrations are present.	
Use a respirator with type P100 (USA) of purifying respirators are appropriate. On <b>Protection of hands:</b> Impervious gloves	term use: r P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to d nly use equipment tested and approved under appropriate government standards.	letermine if air-
Check protective gloves prior to each use The selection of suitable gloves not only Material of gloves Nitrile rubber, NBR Penetration time of glove material (in	e for their proper condition. depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. <b>minutes)</b> 480	
Glove thickness 0.11 mm Eye protection: Safety glasses Body protection: Protective work clothin		
9 Physical and chemical properties		
Information on basic physical and che General Information Appearance: Form:	emical properties Various forms (powder/flake/crystalline/beads, etc.)	
Color: Odor:	White Not determined	
Odor threshold: pH-value:	Not determined. Not applicable.	
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	592 °C (1098 °F) (dec) Not determined Not determined	
Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	Contact with combustible material may cause fire. Not determined Not determined Not determined.	
Danger of explosion: Explosion limits: Lower: Upper:	Not determined. Not determined Not determined	
Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density	Not determined Not applicable. 3.24 g/cm³ (27.038 lbs/gal) Not determined. Not applicable.	
Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water):	Not applicable. Not determined	
Viscosity: dynamic: kinematic:	Not applicable. Not applicable.	
Other information	No further relevant information available.	
10 Stability and reactivity Reactivity May intensify fire; oxidizer. Chemical stability Stable under recomm Thermal decomposition / conditions to	mended storage conditions. <b>To be avoided:</b> Decomposition will not occur if used and stored according to specifications.	
Possibility of hazardous reactions Reacts with strong oxidizing agents Reacts with reducing agents Reacts with flammable substances Conditions to avoid No further relevant		
Incompatible materials: Flammable substances Reducing agents Water/moisture Organic materials		
Metal powders <b>Hazardous decomposition products:</b> Barium oxide Nitrogen oxides		
11 Toxicological information Information on toxicological effects Acute toxicity:		
Harmful if inhaled. Harmful if swallowed.	al Substances (RTECS) contains acute toxicity data for components in this product.	
LD/LC50 values that are relevant for c Oral LD50 355 mg/kg (rat)		
Skin irritation or corrosion: May cause Eye irritation or corrosion: May cause	irritation	
Sensitization: No sensitizing effects kno Germ cell mutagenicity: No effects kno	own.	(Contd. on page 4)

		1011 10/2 1/2010
Product name: Barium nitrate, Puratronic®		
Carcinogenicity: EPA-D: Not classifiable as to human carcinogenicity: inadequate human and a ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects know Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute	nimal evidence of carcinogenicity or no data are available. to classify the agent in terms of its carcinogenicity in humans and/or ar vn.	(Contd. of page 3) nimals.
12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow material to be released to the environment without proper governr Do not allow undiluted product or large quantities to reach ground water, water Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.	nental permits. 'course or sewage system.	
13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.	r disposal.	
14 Transport information		
UN-Number DOT, IMDG, IATA	UN1446	
UN proper shipping name DOT	Barium nitrate	
IMDG, IATA Transport hazard class(es)	BARIUM NITRATE	
DOT Class Label Class Label IMDG, IATA Class	5.1 Oxidising substances. 5.1+6.1 5.1 (OT2) Oxidizing substances 5.1+6.1	
Class Label	5.1 Oxidising substances. 5.1+6.1	
Packing group DOT, IMDG, IATA		
Environmental hazards:	II Not applicable.	
Special precautions for user	Warning: Oxidizing substances	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Cod	le Not applicable.	
Transport/Additional information:		
DOT Marine Pollutant (DOT):	No	
UN "Model Regulation":	UN1446, Barium nitrate, 5.1 (6.1), II	
15 Regulatory information         Safety, health and environmental regulations/legislation specific for the s GHS label elements The product is classified and labeled in accordance with a Hazard pictograms         Image: Construct Statements         Image: Construct Statements         GHS03 GHS07         Signal word Warning         Hazard statements         H272       May intensify fire; oxidizer.         H302+H332 Harmful if swallowed or if inhaled.         Precautionary statements         P221       Take any precaution to avoid mixing with combustibles.         P210       Keep away from heat/sparks/open flames/hot surfaces. No smokir         P204       Keep/Store away from clothing/combustible materials.         P261       Avoid breathing dust/fume/gas/mist/vapours/spray.         P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for	29 CFR 1910 (OSHA HCS) 1g.	
F304+F340 IF INFIALED: Remove person to tresh air and keep comfortable for	r breaunng. (	Contd. on page 5) USA

ì.

## Product name: Barium nitrate, Puratronic®

	ontd. of page 4)
P501 Dispose of contents/container in accordance with local/regional/national/international regulations. <b>National regulations</b>	
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.	
All components of this product are listed on the Canadian Domestic Substances List (DSL).	
SARA Section 313 (specific toxic chemical listings) 10022-31-8 Barium nitrate	
California Proposition 65	I
Prop 65 - Chemicals known to cause cancer Substance is not listed.	
Prop 65 - Developmental toxicity Substance is not listed.	
Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed.	
Information about limitation of use: For use only by technically qualified individuals	
Other regulations, limitations and prohibitive regulations	
Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, pla	acing on the
market and use must be observed.	,
Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.	
<b>Chemical safety assessment:</b> A Chemical Safety Assessment has not been carried out.	
16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitabil	lity of this
information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the pro conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.	duct not in
conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.	
Department issuing SDS: Global Marketing Department	
Date of preparation / last revision 11/24/2015 / -	
Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation DOT: US Department of Transportation	
IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation	
EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada)	
WHMIS: Workplace Hazardous Materials Information System (Canada) I CSD: Lethal concentration 50 percent	
LC50: Lethal concentration, 50 percent LD50: Lethal cose, 50 percent PUPUS very Persistent and very Binacrumulative	
ACGIH: American Conference of Governmental Industrial Hygienists (USA)	
NTP: Occupational Toxicology Program (USA)	
LDG0. Lettral dDSe, ou percent vPvB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)	
	USA —