

# SAFETY DATA SHEET

Creation Date 21-May-2009

Revision Date 19-May-2015

Revision Number 5

1. Identification

**Product Name** 

AC615110000, AC615110010, AC615110040

Ethanol, 190 proof

Laboratory chemicals.

Cat No. :

Synonyms Ethyl alcohol

Recommended Use

Uses advised against No Information available Details of the supplier of the safety data sheet

**Company** Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100 Entity / Business Name Acros Organics One Reagent Lane Fair Lawn, NJ 07410 Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11 Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No.US:001-800-424-9300 / Europe:001-703-527-3887

# 2. Hazard(s) identification

Category 2

Category 2

Category 3

Category 2

# Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Serious Eye Damage/Eye Irritation Specific target organ toxicity (single exposure) Target Organs - Central nervous system (CNS). Specific target organ toxicity - (repeated exposure) Target Organs - Liver, Kidney, Blood.

Label Elements

Signal Word Danger

# **Hazard Statements**

Highly flammable liquid and vapor Causes serious eye irritation May cause drowsiness or dizziness May cause damage to organs through prolonged or repeated exposure



# **Precautionary Statements**

Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

### Response

IF exposed or concerned: Get medical attention/advice

### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

# Storage

Store locked up

Store in a closed container

Store in a well-ventilated place. Keep cool

### Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

# 3. Composition / information on ingredients

Component	CAS-No	Weight %
Ethyl alcohol	64-17-5	95-100

4. First-aid measures			
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.		
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.		
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Get medical attention if symptoms occur.		
Ingestion	Do not induce vomiting. Obtain medical attention.		

Most important symptoms/effects	Breathing difficulties. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting			
Notes to Physician	Treat symptomatically			
	5. Fire-fighting measures			
Suitable Extinguishing Media	CO 2, dry chemical, dry sand, alcohol-resistant foam. Cool closed containers exposed to fire with water spray.			
Unsuitable Extinguishing Media	Water may be ineffective			
Flash Point Method -	13 - 17 °C / 55.4 - 62.6 °F No information available			
Autoignition Temperature Explosion Limits	363 °C / 685 °F			
Upper	19 vol %			
Lower	3.3 vol %			
Sensitivity to Mechanical Impac	t No information available			
Sensitivity to Static Discharge	No information available			

## **Specific Hazards Arising from the Chemical**

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

#### Hazardous Combustion Products

Carbon monoxide (CO) Carbon dioxide (CO<sub>2</sub>)

## Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health 2	Flammability 3	Instability 0	Physical hazards N/A			
	6. Accidental re	elease measures				
Personal Precautions	· · ·	equipment. Remove all sources o ionary measures against static d	of ignition. Evacuate personnel to lischarges. Avoid contact with			
Environmental Precautions	Avoid release to the envir	onment. See Section 12 for add	itional ecological information.			
Methods for Containment and Cle Up	Methods for Containment and Clean Remove all sources of ignition. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Use spark-proof tools and explosion-proof equipment.					
7. Handling and storage						
Handling	and explosion-proof equip	y from open flames, hot surface	eyes and clothing. Avoid ingestion			
Storage	Keep containers tightly cl and sources of ignition. F	•	ilated place. Keep away from heat			
8. Exposure controls / personal protection						

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	
Ethyl alcohol	STEL: 1000 ppm	(Vacated) TWA: 1000 ppm (Vacated) TWA: 1900 mg/m <sup>3</sup> TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>	
Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV	

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Ethyl alcohol	TWA: 1000 ppm	TWA: 1000 ppm	STEL: 1000 ppm
	TWA: 1880 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

9. Physica	and chemical	properties
------------	--------------	------------

9. F	nysical and chemical properties
Physical State	Liquid
Appearance	Clear, Colorless
Odor	sweet, Characteristic
Odor Threshold	No information available
рН	No information available
Melting Point/Range	-114 °C / -173.2 °F
Boiling Point/Range	78 °C / 172.4 °F
Flash Point	13 - 17 °C / 55.4 - 62.6 °F
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	19 vol %
Lower	3.3 vol %
Vapor Pressure	No information available
Vapor Density	No information available
Relative Density	0.80
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	363 °C / 685 °F
Decomposition Temperature	No information available
Viscosity	No information available
Molecular Formula	C2 H6 O
Molecular Weight	46.07

10. Stability and reactivity			
Reactive Hazard	None known, based on information available		
Stability	Stable under normal conditions.		
Conditions to Avoid	Keep away from open flames, hot surfaces and sources of ignition. Incompatible products.		
Incompatible Materials	Strong oxidizing agents, Strong acids, Acid anhydrides, Acid chlorides		
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)			
Hazardous Polymerization	Hazardous polymerization does not occur.		
Hazardous Reactions	None under normal processing.		

11. Toxicological information

Acute Toxicity

# Product Information

Component Information			
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethyl alcohol	3450 mg/kg ( Mouse )	Not listed	20000 ppm/10H ( Rat )
Toxicologically Synergistic No information available			
Products			

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes

Sensitization No information available

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Ethyl alcohol	64-17-5	Group 1	Not listed	A3	Х	Not listed
IARC: (International Agency for Research on Cancer) ACGIH: (American Conference of Governmental Industrial Hygienists)			Group <sup>°</sup> 1 - C Group 2A - Group 2B - ial A1 - Known A2 - Suspea	A2 - Suspected Human Carcinogen		
OSHA: (Occupational Safety & Health Administration) Mexico - Occupational Exposure Limits - Carcinogens			ACGIH: (A. OSHA: (Oc X - Present Mexico - Oc A1 - Confirr A2 - Suspec A3 - Confirr A4 - Not Cla	<ul> <li>A3 - Animal Carcinogen</li> <li>ACGIH: (American Conference of Governmental Industrial Hygienists)</li> <li>OSHA: (Occupational Safety &amp; Health Administration)</li> <li>X - Present</li> <li>Mexico - Occupational Exposure Limits - Carcinogens</li> <li>A1 - Confirmed Human Carcinogen</li> <li>A2 - Suspected Human Carcinogen</li> <li>A3 - Confirmed Animal Carcinogen</li> <li>A4 - Not Classifiable as a Human Carcinogen</li> <li>A5 - Not Suspected as a Human Carcinogen</li> </ul>		
Mutagenic Effects		Mutagenic effects	have occurred in h	iumans.		
Reproductive Effect	S	Adverse reproductive effects have occurred in humans.				
Developmental Effect	cts	Substances known to cause developmental toxicity in humans.				
Teratogenicity		Teratogenic effects	s have occurred in	humans.		
STOT - single expos STOT - repeated exp		Central nervous system (CNS) Liver Kidney Blood				

Aspiration hazard	No information available
Symptoms  / effects,both acute and delayed Endocrine Disruptor Information	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting No information available
Other Adverse Effects	Tumorigenic effects have been reported in experimental animals.

# 12. Ecological information

**Ecotoxicity** 

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Ethyl alcohol	EC50 (72h) = 275 mg/l (Chlorella vulgaris)	Fathead minnow (Pimephales promelas) LC50 = 14200 mg/l/96h	Photobacterium phosphoreum:EC50 = 34634 mg/L/30 min Photobacterium phosphoreum:EC50 = 35470 mg/L/5 min	6
Persistence and Degradab	bility Persistence is	s unlikely based on inform	ation available.	
<b>Bioaccumulation/Accumu</b>	Ilation No information	on available.		

accumulation/ Accumulati

information availa

Mobility

Will likely be mobile in the environment due to its volatility.

Component	log Pow
Ethyl alcohol	-0.32

# 13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information
DOT	
UN-No	UN1170
Proper Shipping Name	ETHANOL
Hazard Class	3
Packing Group	II
TDG	
UN-No	UN1170
Proper Shipping Name	ETHANOL
Hazard Class	3
Packing Group	ll
IATA	
UN-No	UN1170
Proper Shipping Name	ETHANOL
Hazard Class	3
Packing Group	ll
IMDG/IMO	
UN-No	UN1170
Proper Shipping Name	ETHANOL
Hazard Class	3
Packing Group	
	15. Regulatory information

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Ethyl alcohol	Х	Х	-	200-578-6	-		Х	Х	Х	Х	Х

Legend: X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b)	Not applicable

SARA 313	Not applicable
OANA 313	

SARA 311/312 Hazardous Catego Acute Health Hazard Chronic Health Hazard Fire Hazard Sudden Release of Pressure H Reactive Hazard		Yes Yes Yes No No
Clean Water Act	Not applicable	

Clean Air Act Not applicable

**OSHA** Occupational Safety and Health Administration Not applicable

CERCLA Not applicable

#### California Proposition 65

This product contains the following Proposition 65 chemicals: Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage

Component	CAS-No	California P	California Prop. 65		p 65 NSRL	Category
Ethyl alcohol	64-17-5	Developm	Developmental		-	Developmental Carcinogen
State Right-to-Know						
Component	Massachusetts	New Jersey	Penns	ylvania	Illinois	Rhode Island
Ethyl alcohol	Х	Х	)	K	Х	Х

### U.S. Department of Transportation

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

### **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

### Other International Regulations

Mexico - Grade

Serious risk, Grade 3

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class	B2 Flammable liquid D2B Toxic materials
	$\mathbf{D}$
	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date	21-May-2009
Revision Date	19-May-2015
Print Date	19-May-2015
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS); SDS sections updated; 2
Disclaimer	
The information provided on t	his Safety Data Sheet is correct to the best of our knowledge information and belief at the

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

# **End of SDS**