

# **F**) Fisher Scientific

# Part of Thermo Fisher Scientific

# SAFETY DATA SHEET

Creation Date 28-Feb-2014 Revision Date 28-Feb-2014 Revision Number 1

1. Identification

Product Name Iodine (USP)

Cat No.: 135-100; 135-500

Synonyms None.

Recommended Use Laboratory chemicals.

Uses advised against No Information available

Details of the supplier of the safety data sheet

Company Emergency Telephone Number

Fisher Scientific CHEMTREC®, Inside the USA: 800-424-9300
One Reagent Lane CHEMTREC®, Outside the USA: 001-703-527-3887
Fair Lawn, NJ 07410

# 2. Hazard(s) identification

#### Classification

Tel: (201) 796-7100

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals Category 1 Acute oral toxicity Category 4 Acute dermal toxicity Category 4 Acute Inhalation Toxicity - Dusts and Mists Category 4 Skin Corrosion/irritation Category 2 Serious Eye Damage/Eye Irritation Category 2 Specific target organ toxicity (single exposure) Category 3 Target Organs - Respiratory system, Central nervous system (CNS). Specific target organ toxicity - (repeated exposure) Category 1

Target Organs - Kidney, Liver, Blood, Thyroid.

Label Elements

#### Signal Word

Danger

#### **Hazard Statements**

May be corrosive to metals

Harmful if swallowed
Harmful in contact with skin
Harmful if inhaled
Causes skin irritation
Causes serious eye irritation
May cause respiratory irritation
May cause drowsiness or dizziness

Causes damage to organs through prolonged or repeated exposure



#### **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

#### Response

Get medical attention/advice if you feel unwell

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

#### Skin

IF ON SKIN: Wash with plenty of soap and water

Call a POISON CENTER or doctor/physician if you feel unwell

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

#### **Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

#### Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

#### Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Very toxic to aquatic life

Lachrymator (substance which increases the flow of tears)

# 3. Composition / information on ingredients

Component	CAS-No	Weight %		
Iodine	7553-56-2	> 99		

#### 4. First-aid measures

**Eye Contact**Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

**Skin Contact**Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

Revision Date 28-Feb-2014 Iodine (USP)

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth

resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a

respiratory medical device. Immediate medical attention is required.

Do not induce vomiting. Call a physician or Poison Control Center immediately. Ingestion

Most important symptoms/effects **Notes to Physician** 

No information available. Treat symptomatically

# 5. Fire-fighting measures

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire. **Suitable Extinguishing Media** 

**Unsuitable Extinguishing Media** No information available

**Flash Point** Not applicable

Method -No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

No data available Upper Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### **Specific Hazards Arising from the Chemical**

Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

#### **Hazardous Combustion Products**

Hydrogen iodide

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards		
3	0	0	N/A		

#### Accidental release measures

Use personal protective equipment. Ensure adequate ventilation. Avoid dust formation. **Personal Precautions** 

Avoid contact with skin, eyes and clothing.

**Environmental Precautions** Should not be released into the environment. See Section 12 for additional ecological

information.

Methods for Containment and Clean Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust Up

formation.

Handling and storage Use only under a chemical fume hood. Wear personal protective equipment. Ensure Handling adequate ventilation. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Do

not breathe dust. Do not ingest.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

# 8. Exposure controls / personal protection

**Exposure Guidelines** 

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Iodine	TWA: 0.01 ppm STEL: 0.1 ppm	Ceiling: 0.1 ppm Ceiling: 1 mg/m³ (Vacated) Ceiling: 0.1 ppm (Vacated) Ceiling: 1 mg/m³	IDLH: 2 ppm Ceiling: 0.1 ppm Ceiling: 1 mg/m³

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
lodine	Ceiling: 0.1 ppm	Ceiling: 0.1 ppm	TWA: 0.01 ppm
	Ceiling: 1.0 mg/m <sup>3</sup>	Ceiling: 1 mg/m <sup>3</sup>	STEL: 0.1 ppm

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures Use only under a chemical fume hood. Ensure that eyewash stations and safety showers

are close to the workstation location.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Respiratory Protection

**Hygiene Measures** 

Wear appropriate protective gloves and clothing to prevent skin exposure.

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Handle in accordance with good industrial hygiene and safety practice.

#### 9. Physical and chemical properties

Physical StateSolidAppearanceBlackOdorStrong

Odor Threshold No information available

Boiling Point/Range 184 °C / 363.2 °F Flash Point Not applicable

**Evaporation Rate**No information available **Flammability (solid,gas)**No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor Pressure0.3 mmHg @ 20 °C

Vapor Density 8.8 (Air = 1.0)

Relative Density 4.93

Solubility Insoluble in water
Partition coefficient; n-octanol/water No data available

Autoignition TemperatureNo information availableDecomposition temperatureNo information availableViscosityNo information available

Molecular Formula 12 Molecular Weight 253.81

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

**Conditions to Avoid** Avoid dust formation. Incompatible products. Excess heat.

Incompatible Materials Strong oxidizing agents, Powdered metals, Ammonia

Hazardous Decomposition Products Hydrogen iodide

Revision Date 28-Feb-2014 Iodine (USP)

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

## 11. Toxicological information

**Acute Toxicity** 

#### **Product Information**

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
lodine	315 mg/kg ( Rat )	1425 mg/kg (Rabbit)	4.588 mg/L 4h ( Rat )		

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes, respiratory system and skin

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
lodine	7553-56-2	Not listed				

No information available **Mutagenic Effects** 

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

No information available. **Teratogenicity** 

STOT - single exposure Respiratory system Central nervous system (CNS)

STOT - repeated exposure Kidney Liver Blood Thyroid

No information available **Aspiration hazard** 

Symptoms / effects,both acute and No information available

delayed

**Endocrine Disruptor Information** No information available

Other Adverse Effects See actual entry in RTECS for complete information.

# 12. Ecological information

#### **Ecotoxicity**

Very toxic to aquatic organisms. This product contains the following substance(s) which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Iodine	-	Oncorhynchus mykiss: LC50	-	EC50 = 0.2  mg/l/48 h
		= 1,7 mg/l/96 h		

Persistence and Degradability No information available

**Bioaccumulation/ Accumulation** No information available.

**Mobility** . Is not likely mobile in the environment due its low water solubility.

Component	log Pow
lodine	2.49

#### 13. Disposal considerations

#### **Waste Disposal Methods**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

#### 14. Transport information

DOT

UN-No UN3495
Proper Shipping Name IODINE
Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group III

**TDG** 

UN-No UN3495
Proper Shipping Name IODINE
Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group III

<u>IATA</u>

UN-No UN3495
Proper Shipping Name Iodine
Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group III

IMDG/IMO

UN-No UN3495
Proper Shipping Name lodine
Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group III

#### 15. Regulatory information

#### International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
lodine	Х	Χ	-	231-442-4	-		Χ	1	Χ	Х	X

#### Legend:

X - Listed

- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

#### U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

SARA 311/312 Hazardous Categorization

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act Not applicable

Clean Air Act Not applicable

**OSHA** Occupational Safety and Health Administration

Not applicable

**CERCLA** 

Not applicable

**California Proposition 65** 

This product does not contain any Proposition 65 chemicals

#### State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
lodine	X	X	X	-	X

#### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

#### **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

#### Other International Regulations

Mexico - Grade No information available

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class E Corrosive material



#### 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Creation Date28-Feb-2014Revision Date28-Feb-2014Print Date28-Feb-2014

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS)

#### **Disclaimer**

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

# **End of SDS**