Page 1/5 Printing date 11/23/2015 Reviewed on 03/20/2013

#### 1 Identification

Product identifier

Product name: Magnesium turnings

Stock number: 10232 **CAS Number:** 7439-95-4 EC number: Index number:

Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.

Thermo Fisher Scientific Cl 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech @alfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

#### 2 Hazard(s) identification

#### Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Flam. Sol. 1 H228 Flammable solid.

Self-heat. 1 H251 Self-heating: may catch fire.

Water-react. 2 H261 In contact with water releases flammable gas.

Hazards not otherwise classified No information known.

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



GHS02

## Signal word Danger Hazard statements

H228 Flammable solid. H251 Self-heating: may catch fire. H261 In contact with water releases flammable gas.

Precautionary statements

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P231+P232 Handle under inert gas. Protect from moisture.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P370+P378 In case of fire: Use for extinction: Fire-extinguishing powder.
P420 Store away from other materials.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
WHMIS classification

WHMIS classification

B4 - Flammable solid B6 - Reactive flammable material



# Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 1 Flammability = 2

This is a second of the se

Other hazards Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

#### 3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 7439-95-4 Magnesium Identification number(s): EC number: 231-104-6 Index number: 012-002-00-9

Safety Data Sheet per OSHA HazCom 2012

Page 2/5 Printing date 11/23/2015 Reviewed on 03/20/2013

#### Product name: Magnesium turnings

(Contd. of page 1)

#### 4 First-aid measures

Description of first aid measures After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek immediately wash with water and soap and hirse thoroughly.

Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents Special powder for metal fires. Do not use water.

For safety reasons unsuitable extinguishing agents Water Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released:

Metal oxide fume Metal oxide rume
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:

Keep away from ignition sources.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Prevention of secondary hazards: Keep away from ignition sources.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### 7 Handling and storage

Handling Precautions for safe handling

Handle under dry protective gas. Keep container tightly sealed.

Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Reacts violently with water

Information about protection against explosions and fires: Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility:

Store away from skidizing agents.

Store away from air.
Store away from water/moisture.
Further information about storage conditions:

Store under dry inert gas.

Store under dry mert gas.

Do not use nitrogen with this product.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Protect from humidity and water.

Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters
Components with limit values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
Additional information: No data

Exposure controls

Personal protective equipment

Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Protection of hands:
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality.
Quality will vary from manufacturer to manufacturer.
Penetration time of glove material (in minutes) Not determined
Eye protection:

Eye protection: Safety glasses

Safety Data Sheet per OSHA HazCom 2012

Page 3/5 Printing date 11/23/2015 Reviewed on 03/20/2013

Product name: Magnesium turnings

Full face protection

Body protection: Protective work clothing.

(Contd. of page 2)

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

pH-value:

Appearance: Form: Solid in various forms

Color: Silver-colored Odorless Odor: Odor threshold: Not determined.

Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start: 650 °C (1202 °F) 1100 °C (2012 °F) Not determined Flammability (solid, gaseous)

Highly flammable. Contact with water liberates extremely flammable gases. Not determined

Not applicable.

Ignition temperature: Decomposition temperature: Not determined Auto igniting: Not determined. Not determined.

Danger of explosion: Explosion limits: Lower: Not determined Upper:
Vapor pressure at 621 °C (1150 °F):
Density at 20 °C (68 °F):
Relative density
Vapor density
Evaporation rate Not determined 1.33 hPa (1 mm Hg) 1.738 g/cm³ (14.504 lbs/gal)

Not determined. Not applicable. Not applicable.

Solubility in / Miscibility with

Water: Contact with water releases flammable gases Partition coefficient (n-octanol/water): Not determined.

Viscosity: dynamic. Not applicable. kinematic:

Not applicable. No further relevant information available. Other information

#### 10 Stability and reactivity

Reactivity In contact with water releases flammable gases which may ignite spontaneously.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

**Possibility of hazardous reactions** Contact with water releases flammable gases **Conditions to avoid** No further relevant information available.

Incompatible materials:

Air Nitrogen

Water/moisture

Hazardous decomposition products: Metal oxide fume

#### 11 Toxicological information

Information on toxicological effects

Acute toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: May cause irritation

Eye irritation or corrosion: May cause irritation
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

#### 12 Ecological information

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable

Other adverse effects No further relevant information available.

#### 13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

(Contd. on page 4)

Page 4/5 Printing date 11/23/2015 Reviewed on 03/20/2013

#### Product name: Magnesium turnings (Contd. of page 3) Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. 14 Transport information **UN-Number** DOT, IMDG, IATA UN1869 UN proper shipping name DOT Maanesium IMDG, IATA MAGNESIUM Transport hazard class(es) DOT Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives. 4.1 (F3) Flammable solids, self-reactive substances and solid desensitised explosives 4.1 Class IMDG, IATA Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives. Label Packing group DOT, IMDG, IATA Ш Environmental hazards: Not applicable. Special precautions for user Warning: Flammable solids, self-reactive substances and solid desensitised Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN1869, Magnesium, 4.1, III

#### 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



GHS02

#### Signal word Danger

Hazard statements
H228 Flammable solid.
H251 Self-heating: may catch fire.
H261 In contact with water releases flammable gas.

Precautionary statements

Precationary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P231+P232 Handle under inert gas. Protect from moisture.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P370+P378 In case of fire: Use for extinction: Fire-extinguishing powder.

P420 P501

Store away from other materials.

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65

California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/23/2015 / Abbreviations and acronyms:
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organization

(Contd. on page 5)

Safety Data Sheet per OSHA HazCom 2012

Page 5/5 Printing date 11/23/2015 Reviewed on 03/20/2013

### Product name: Magnesium turnings

(Contd. of page 4)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods by Road) DOT: US Department of Transport Association IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Information System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent LD50: Lethal dose, 50 percent LD50: Lethal dose, 50 percent LD50: Armerican Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)

USA