# SAFETY DATA SHEET

Version 4.6 Revision Date 10/09/2015 Print Date 02/02/2016

### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Manganese

Product Number : 266167 Brand : Aldrich

CAS-No. : 7439-96-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute aquatic toxicity (Category 2), H401

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram none
Signal word none

Hazard statement(s)

H401 Toxic to aquatic life.

Precautionary statement(s)

P273 Avoid release to the environment.

P501 Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Formula : Mn

Molecular weight : 54.94 g/mol CAS-No. : 7439-96-5 EC-No. : 231-105-1

### **Hazardous components**

Aldrich - 266167 Page 1 of 8

Component	Classification	Classification Concentration		
Manganese				
-	Aquatic Acute 2; H401	<= 100 %		

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Flush eves with water as a precaution.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

Manganese/manganese oxides

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

No data available

# 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

For personal protection see section 8.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Aldrich - 266167 Page 2 of 8

Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Moisture sensitive. Handle and store under inert gas. Storage class (TRGS 510): Non Combustible Solids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis		
			parameters			
Manganese	7439-96-5	TWA	0.200000	USA. ACGIH Threshold Limit Values		
			mg/m3	(TLV)		
	Remarks	pairment				
		Adopted values or notations enclosed are those for which changes				
		are proposed in the NIC				
		See Notice of Intended Changes (NIC)				
		С	5 mg/m3	USA. Occupational Exposure Limits		
				(OSHA) - Table Z-1 Limits for Air		
				Contaminants		
		Ceiling limit is to be determined from breathing-zone air samples.				
		С	5.000000	USA. Occupational Exposure Limits		
			mg/m3	(OSHA) - Table Z-1 Limits for Air		
				Contaminants		
		Ceiling lim	it is to be determin	ned from breathing-zone air samples.		
		TWA	1.000000	USA. NIOSH Recommended		
			mg/m3	Exposure Limits		
		ST	3.000000	USA. NIOSH Recommended		
			mg/m3	Exposure Limits		
		TWA	1.000000	USA. NIOSH Recommended		
			mg/m3	Exposure Limits		
		ST	3.000000	USA. NIOSH Recommended		
			mg/m3	Exposure Limits		
		С	5.000000	USA. Occupational Exposure Limits		
			mg/m3	(OSHA) - Table Z-1 Limits for Air		
				Contaminants		
		Ceiling limit is to be determined from breathing-zone air samples.				
		TWA	1.000000	USA. NIOSH Recommended		
			mg/m3	Exposure Limits		
		ST	3.000000	USA. NIOSH Recommended		
			mg/m3	Exposure Limits		
		TWA	0.200000	USA. ACGIH Threshold Limit Values		
			mg/m3	(TLV)		
		Central Nervous System impairment				
		Adopted values or notations enclosed are those for which changes				
		are proposed in the NIC See Notice of Intended Changes (NIC) varies				
		TWA	0.100000	USA. ACGIH Threshold Limit Values		
			mg/m3	(TLV)		
		Central Nervous System impairment				
		2015 Adoption				
		varies				

Aldrich - 266167 Page 3 of 8

TWA	0.020000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)		
	Central Nervous System impairment 2015 Adoption varies			
TWA	0.1 mg/m3	USA. ACGIH Threshold Limit Values (TLV)		
Central N varies	Central Nervous System impairment varies			
TWA	0.02 mg/m3	USA. ACGIH Threshold Limit Values (TLV)		
Central N varies	Central Nervous System impairment varies			

### 8.2 Exposure controls

# **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### **Body Protection**

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

a) Appearance Form: chips

Colour: grey, brown, silver

b) Odour odourless

c) Odour Threshold No data availabled) pH No data available

e) Melting point/freezing Melting point/range: 1,244 °C (2,271 °F) - lit.

point

) Initial boiling point and 1,962 °C (3,564 °F) - lit.

boiling range

g) Flash point Not applicable
h) Evaporation rate No data available
i) Flammability (solid, gas) No data available

Aldrich - 266167 Page 4 of 8

j) Upper/lower No data available

flammability or explosive limits

k) Vapour pressure No data availablel) Vapour density No data available

m) Relative density 7.3 g/mL at 25 °C (77 °F)

n) Water solubility 0.0007 g/l at 20 °C (68 °F) - slightly soluble

o) Partition coefficient: n-

octanol/water

No data available

p) Auto-ignition

temperature

No data available

q) Decomposition temperature

No data available

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

### 9.2 Other safety information

No data available

### 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Avoid moisture.

# 10.5 Incompatible materials

acids, Halogens, Bases, Phosphorus, Sulphur oxides, Hydrogen peroxide, Oxidizing agents, Nitric acid, Sodium Hydroxide, Carbon dioxide (CO2), Nitryl Flouride, Steam

## 10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

# 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - female - > 2,000 mg/kg

(OECD Test Guideline 420)

LC50 Inhalation - Rat - male and female - 4 h - > 5.14 mg/l

(OECD Test Guideline 403)

Dermal: No data available

No data available

## Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation (OECD Test Guideline 404)

Aldrich - 266167 Page 5 of 8

### Serious eye damage/eye irritation

Eves - Rabbit

Result: No eye irritation - 72 h (OECD Test Guideline 405)

### Respiratory or skin sensitisation

- Mouse

Result: Does not cause skin sensitisation.

(OECD Test Guideline 429)

## Germ cell mutagenicity

No data available

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

### Reproductive toxicity

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

### Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

## **Additional Information**

RTECS: Not available

Men exposed to manganese dusts showed a decrease in fertility. Chronic manganese poisoning primarily involves the central nervous system. Early symptoms include languor, sleepiness and weakness in the legs. A stolid mask-like appearance of the face, emotional disturbances such as uncontrollable laughter and a spastic gait with tendency to fall in walking are findings in more advanced cases. High incidence of pneumonia has been found in workers exposed to the dust or fume of some manganese compounds., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

### 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

Toxicity to fish semi-static test NOEC - Oncorhynchus mykiss (rainbow trout) - 3.6 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and

invertebrates

Immobilization NOEC - Daphnia magna (Water flea) - 1.6 mg/l - 48 h

other aquatic (OECD Test Guideline 202)

Toxicity to algae Growth inhibition EC50 - Desmodesmus subspicatus (Scenedesmus

subspicatus) - 4.5 mg/l - 72 h (OECD Test Guideline 201)

Toxicity to bacteria Respiration inhibition EC50 - Sludge Treatment - 1,000 mg/l - 3 h

(OECD Test Guideline 209)

Aldrich - 266167 Page 6 of 8

### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life.

### 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company.

### Contaminated packaging

Dispose of as unused product.

### 14. TRANSPORT INFORMATION

### DOT (US)

Not dangerous goods

#### **IMDG**

Not dangerous goods

#### IATA

Not dangerous goods

### 15. REGULATORY INFORMATION

#### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

## **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date

Manganese 7439-96-5 2007-07-01

#### SARA 311/312 Hazards

Chronic Health Hazard

# **Massachusetts Right To Know Components**

Manganese CAS-No. Revision Date 2007-07-01

### Pennsylvania Right To Know Components

CAS-No. Revision Date Manganese 7439-96-5 2007-07-01

# **New Jersey Right To Know Components**

CAS-No. Revision Date Manganese 7439-96-5 2007-07-01

### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Aldrich - 266167 Page 7 of 8

### **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

Aquatic Acute Acute aquatic toxicity H401 Toxic to aquatic life.

**HMIS Rating** 

Health hazard: 0
Chronic Health Hazard: \*
Flammability: 0
Physical Hazard 0

**NFPA** Rating

Health hazard: 0
Fire Hazard: 0
Reactivity Hazard: 0

### **Further information**

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

## **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.6 Revision Date: 10/09/2015 Print Date: 02/02/2016

Aldrich - 266167 Page 8 of 8