

*A*lfa *A*esar

Page 1/4 Printing date 11/23/2015 Reviewed on 08/15/2013

1 Identification

Product identifier

Product name: Nickel(II) oxide

Stock number: 10819 **CAS Number:** 1313-99-1

EC number: Index number:

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757

Email: tech@alfa.com

www alfa com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS08 Health hazard

H350 May cause cancer. Carc. 1A

STOT RE 1 H372 Causes damage to the lung, the kidneys, the blood, the bladder and the immune system through prolonged or repeated exposure. Route of exposure: Inhalative.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction. Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS07 GHS08

Signal word Danger

Hazard statements H317 May cause an allergic skin reaction. H350 May cause cancer.

H372 Causes damage to the lung, the kidneys, the blood, the bladder and the immune system through prolonged or repeated exposure. Route of exposure: Inhalative.

Inhalative.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D2A - Very toxic material causing other toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 2 Flammability = 0 Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances

Chemical characterization
CAS# Description:
1313-99-1 Nickel(II) oxide
Identification number(s):
EC number: 215-215-7

(Contd. on page 2)

Page 2/4 Printing date 11/23/2015 Reviewed on 08/15/2013

Product name: Nickel(II) oxide

(Contd. of page 1) Index number: 028-003-00-2

4 First-aid measures

Description of first aid measures

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.

Rectainmediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical tréatment. Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:

Toxic metal oxide fume

Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling Precautions for safe handling

Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.

Open and handle container with care.

Information about protection against explosions and fires: The product is not flammable

Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Store away from oxidizing agents.

Further information about storage conditions:

Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

1313-99-1 Nickel(II) oxide (100.0%)

Long-term value: 1 mg/m³ as Ni PEL (USA)

REL (USA)

Long-term value: 0.015 mg/m³ as Ni; See Pocket Guide App. A

Long-term value: 0.2 mg/m³ as Ni; inhalable fraction TLV (USA)

Long-term value: 0.05 mg/m³ as Ni; ACIGH A1, IARC 1 EL (Canada)

Long-term value: 0.2 mg/m³ Inhalable fraction, as Ni EV (Canada)

Additional information: No data

Exposure controls Personal protective equipment

General protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.

Store protective clothing separately.
Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Protection of hands:

Impervious gloves

(Contd. of page 2)

Product name: Nickel(II) oxide

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Penetration time of glove material (in minutes) Not determined

Eye protection: Safety glasses
Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form: Color: Powder Green Odor: Odorless Odor threshold: Not determined. pH-value: Not applicable.

Change in condition

Melting point/Melting range: Boiling point/Boiling range: 1984 °C (3603 °F) Not determined Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Not determined Not determined. Not determined Not determined Not determined

Danger of explosion: Explosion limits:

Lower: Not determined Upper: Not determined

Vapor pressure: Density at 20 °C (68 °F): Relative density Not applicable. 6.67 g/cm³ (55.661 lbs/gal) Not determined.

Vapor density Not applicable. Evaporation rate Solubility in / Miscibility with Not applicable. Water: Not determined Partition coefficient (n-octanol/water): Not determined. Viscosity: dynamic: Not applicable.

kinematic: Not applicable.

Other information No further relevant information available.

Not determined.

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available.

Incompatible materials: Oxidizing agents
Hazardous decomposition products: Toxic metal oxide fume

11 Toxicological information

Information on toxicological effects

Acute toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: May cause irritation Five irritation or corrosion: May cause irritation

Eye irritation or corrosion: May cause irritation Sensitization: May cause an allergic skin reaction

Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.

Carcinogenicity: May cause cancer.

May cause cancer.

IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity.

IARC-1: Carcinogenic to human carcinogen: Agent is carcinogenic to humans based on epidemiologic studies of, or convincing clinical evidence in, exposed humans.

NTP-K: Known to be carcinogenic: sufficient evidence from human studies.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this substance.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure:

Causes damage to the lung, the kidneys, the blood, the bladder and the immune system through prolonged or repeated exposure. Route of exposure: Inhalative.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

May cause long lasting harmful effects to aquatic life.

Avoid transfer into the environment.

Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

Other adverse effects No further relevant information available.

USA

Page 4/4 Printing date 11/23/2015 Reviewed on 08/15/2013

Product name: Nickel(II) oxide

(Contd. of page 3)

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information **UN-Number**

| DOT, ADN, IMDG, IATA | |
|---|--|
| UN proper shipping name DOT, ADN, IMDG, IATA | |

Not applicable Not applicable

Not applicable

Transport hazard class(es)

DOT, ADR, ADN, IMDG, IATA

Packing group DOT, IMDG, IATA

Not applicable

Environmental hazards: Special precautions for user Not applicable. Not applicable.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

DOT

Marine Pollutant (DOT):

No

UN "Model Regulation":

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms







Signal word Danger

Hazard statements H317 May cause an allergic skin reaction.

H350 May cause cancer.

H372 Causes damage to the lung, the kidneys, the blood, the bladder and the immune system through prolonged or repeated exposure. Route of exposure: Inhalative.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P363 Wash contaminated clothing before reuse.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

1313-99-1 Nickel(II) oxide California Proposition 65

Prop 65 - Chemicals known to cause cancer

1313-99-1 Nickel(II) oxide

Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitations of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Substance is not listed

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/23/2015 / Abbreviations and acronyms:

ADR: Accord européen sur le transportation

EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Information System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal dose, 50 percent

LD50: Lethal dose, 50 percent

LP50: Lethal dose, 50 percent

LP50: Lethal dose, 50 percent

LP50: Lethal dose, 60 percent

LP50: Lethal dose, 60 percent

LP50: Lethal dose, 50 percent