

SAFETY DATA SHEET

1. Identification

Product identifier: POTASSIUM DICHROMATE

Other means of identification

Product No.: 3094, 3093, 3090, 6770

Recommended use and restriction on use

Recommended use: Not available.

Restrictions on use: Not known.

Details of the supplier of the safety data sheet

Manufacturer

Company Name: Avantor Performance Materials, Inc.
Address: 3477 Corporate Parkway, Suite 200
Center Valley, PA 18034

Telephone: Customer Service: 855-282-6867

Fax:
Contact Person: Environmental Health & Safety
E-mail: info@avantormaterials.com

Emergency telephone number:

24 Hour Emergency: 908-859-2151

Chemtrec: 800-424-9300

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Oxidizing solids Category 2

Health Hazards

Acute toxicity (Oral) Category 2
Acute toxicity (Dermal) Category 3
Acute toxicity (Inhalation - dust and mist) Category 1
Skin Corrosion/Irritation Category 1B
Serious Eye Damage/Eye Irritation Category 1
Respiratory sensitizer Category 1
Skin sensitizer Category 1
Germ Cell Mutagenicity Category 1B
Carcinogenicity Category 1A
Toxic to reproduction Category 1B
Specific Target Organ Toxicity - Repeated Exposure Category 1

Environmental Hazards

Acute hazards to the aquatic environment Category 1
Chronic hazards to the aquatic environment Category 1

Label Elements

Hazard Symbol:



Signal Word: Danger

Hazard Statement: May intensify fire; oxidizer.
Fatal if swallowed.
Toxic in contact with skin.
Fatal if inhaled.
Causes severe skin burns and eye damage.
May cause an allergic skin reaction.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause genetic defects.
May cause cancer.
May damage fertility or the unborn child.
Causes damage to organs through prolonged or repeated exposure.
Very toxic to aquatic life with long lasting effects.

Precautionary Statement

Prevention: Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep/Store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Wear respiratory protection. Contaminated work clothing should not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid release to the environment.

Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. Call a POISON CENTER/doctor if you feel unwell. Specific treatment (see this label). Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. Collect spillage.

Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in GHS classification: None.

3. Composition/information on ingredients

Substances

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
POTASSIUM DICHROMATE		7778-50-9	99 - 100%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information:	Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.
Ingestion:	Call a physician or poison control center immediately. Rinse mouth. Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Inhalation:	Move to fresh air. If breathing is difficult, give oxygen. Apply artificial respiration if victim is not breathing Call a physician or poison control center immediately.
Skin Contact:	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Call a physician or poison control center immediately. In case of irritation from airborne exposure, move to fresh air.

Most important symptoms/effects, acute and delayed

Symptoms:	Fatal if swallowed. Toxic in contact with skin. Fatal if inhaled. Causes severe skin and eye burns. Causes digestive tract burns. Mist or vapor extremely irritating to eyes and respiratory tract.
------------------	---

Indication of immediate medical attention and special treatment needed

Treatment:	Treat symptomatically. Symptoms may be delayed.
-------------------	---

5. Fire-fighting measures

General Fire Hazards:	Strong oxidizer - contact with other material may cause fire.
------------------------------	---

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Flood with water from a distance.

Unsuitable extinguishing media: None known.

Specific hazards arising from the chemical:	During fire, gases hazardous to health may be formed. Strong oxidizer. Wear appropriate protective gear if spilled during fire fighting.
--	--

Special protective equipment and precautions for firefighters

Special fire fighting procedures:	Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool. Cool containers exposed to flames with water until well after the fire is out.
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:	Keep unauthorized personnel away. Keep upwind. Use personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. See Section 8 of the SDS for Personal Protective Equipment.
Methods and material for containment and cleaning up:	Sweep up and place in a clearly labeled container for chemical waste. Dike far ahead of larger spill for later recovery and disposal.
Notification Procedures:	Prevent entry into waterways, sewer, basements or confined areas. Inform authorities if large amounts are involved.
Environmental Precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling:	Wear protective gloves/protective clothing/eye protection/face protection. Do not get in eyes, on skin, on clothing. Do not taste or swallow. Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. See Section 8 of the SDS for Personal Protective Equipment. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not handle until all safety precautions have been read and understood.
Conditions for safe storage, including any incompatibilities:	Keep away from food, drink and animal feeding stuffs. Keep container tightly closed. Store in a cool and well-ventilated place. Store in corrosive resistant container with a resistant inner liner.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	type	Exposure Limit Values	Source
POTASSIUM DICHROMATE - as Cr	TWA	0.05 mg/m ³	US. ACGIH Threshold Limit Values (2011)
POTASSIUM DICHROMATE - as Cr(VI)	REL	0.001 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
POTASSIUM DICHROMATE	TWA	0.005 mg/m ³	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) (02 2006)
	OSHA_ACT	0.0025 mg/m ³	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) (02 2006)
POTASSIUM DICHROMATE - as CrO ₃	Ceiling	0.1 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
POTASSIUM DICHROMATE	Ceiling	0.1 mg/m ³	US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006)

Biological Limit Values

Chemical Identity	Exposure Limit Values	Source
POTASSIUM DICHROMATE (Total chromium: Sampling time: End of shift at end of work week.)	25 µg/l (Urine)	ACGIH BEL (03 2013)
POTASSIUM DICHROMATE (Total chromium: Sampling time: Increase during shift.)	10 µg/l (Urine)	ACGIH BEL (03 2013)

Appropriate Engineering Controls No data available.

Individual protection measures, such as personal protective equipment

General information: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area.

Eye/face protection: Wear safety glasses with side shields (or goggles) and a face shield. Wear a full-face respirator, if needed. Use tight fitting goggles if dust is generated.

Skin Protection

Hand Protection: Chemical resistant gloves

Other: Full protective clothing should be worn when handling this product. Wear appropriate clothing to prevent any possibility of skin contact.

Respiratory Protection: If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information.

Hygiene measures: Provide eyewash station and safety shower. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Do not get this material in contact with skin. Do not get in eyes.

9. Physical and chemical properties

Appearance

Physical state: solid
Form: Crystals or powder.
Color: Red-orange

Odor: Odorless

Odor threshold: No data available.

pH: No data available.

Melting point/freezing point: 398 °C

Initial boiling point and boiling range: 500 °C

Flash Point: not applicable

Evaporation rate: No data available.

Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	No data available.
Vapor density:	No data available.
Relative density:	2.68 (25 °C)
Solubility(ies)	
Solubility in water:	45 g/l
Solubility (other):	alcohol: Practically Insoluble
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.
Other information	
Molecular weight:	294.18 g/mol (Cr ₂ H ₂ O ₇ .2K)

10. Stability and reactivity

Reactivity:	Contact with combustible material may cause fire.
Chemical Stability:	Material is stable under normal conditions.
Possibility of Hazardous Reactions:	Hazardous polymerization does not occur.
Conditions to Avoid:	Contact with incompatible materials. Heat.
Incompatible Materials:	Strong reducing agents. Metals. Hydrazine. Flammable/combustible material.
Hazardous Decomposition Products:	In case of fire, toxic gases may be formed.

11. Toxicological information

Information on likely routes of exposure

Ingestion:	Fatal if swallowed. May cause burns of the gastrointestinal tract if swallowed.
Inhalation:	Fatal if inhaled. Irritating to respiratory tract.
Skin Contact:	Causes severe skin burns. Toxic in contact with skin.
Eye contact:	Causes serious eye damage.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral	
Product:	LD 50 (Mouse): 190 mg/kg LD 50 (Rat): 17 mg/kg LD 50 (Rat): 26 mg/kg

Dermal
Product: LD 50 (Rabbit): 403 mg/kg

Inhalation
Product: LC 50 (Rat, 4 h): 0.029 mg/l
LC 50 (Rat, 4 h): 0.035 mg/l

Repeated dose toxicity
Product: No data available.

Skin Corrosion/Irritation
Product: Causes severe skin burns.

Serious Eye Damage/Eye Irritation
Product: Causes serious eye damage.

Respiratory or Skin Sensitization
Product: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.

Carcinogenicity
Product: May cause cancer.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

POTASSIUM DICHROMATE Overall evaluation: 1. Carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens:

POTASSIUM DICHROMATE Known To Be Human Carcinogen.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro
Product: No mutagenic components identified

In vivo
Product: No mutagenic components identified

Reproductive toxicity
Product: May damage fertility or the unborn child.

Specific Target Organ Toxicity - Single Exposure

Product: None known.

Specific Target Organ Toxicity - Repeated Exposure

Product: Causes damage to organs through prolonged or repeated exposure.

Aspiration Hazard

Product: Not classified

Other effects: None known.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

POTASSIUM LC 50 (Bluegill (*Lepomis macrochirus*), 96 h): 0.135 mg/l Mortality
 DICHROMATE LC 50 (Rainbow trout,donaldson trout (*Oncorhynchus mykiss*), 96 h): 12.3 mg/l Mortality
 LC 50 (Fathead minnow (*Pimephales promelas*), 96 h): 20 mg/l Mortality

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

POTASSIUM EC 50 (Water flea (*Daphnia magna*), 48 h): 0.1 mg/l Intoxication
 DICHROMATE LC 50 (Water flea (*Daphnia magna*), 48 h): 2 mg/l Mortality

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: There are no data on the degradability of this product.

BOD/COD Ratio

Product: No data available.

Bioaccumulative Potential

Bioconcentration Factor (BCF)

Product: No data available on bioaccumulation.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in Soil: No data available.

Other Adverse Effects: Very toxic to aquatic life with long lasting effects.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local laws. Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Contaminated Packaging: Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

UN Number: UN 3288
 UN Proper Shipping Name: Toxic solid, inorganic, n.o.s.(POTASSIUM DICHROMATE)
 Transport Hazard Class(es)
 Class(es): 6.1
 Label(s): 6.1
 Packing Group: III
 Marine Pollutant: Not a Marine Pollutant
 Special precautions for user: –

IMDG

UN Number: UN 3288
 UN Proper Shipping Name: TOXIC SOLID, INORGANIC, N.O.S.(POTASSIUM DICHROMATE)
 Transport Hazard Class(es)
 Class(es): 6.1
 Label(s): 6.1
 EmS No.: F-A, S-A
 Packing Group: III
 Marine Pollutant: Not a Marine Pollutant
 Special precautions for user: –

IATA

UN Number: UN 3288
 Proper Shipping Name: Toxic solid, inorganic, n.o.s.(POTASSIUM DICHROMATE)
 Transport Hazard Class(es):
 Class(es): 6.1
 Label(s): 6.1
 Marine Pollutant: Not a Marine Pollutant
 Packing Group: III
 Special precautions for user: –

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)
 None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u>	<u>Reportable quantity</u>
POTASSIUM DICHROMATE	10 lbs.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories
 Acute (Immediate)
 Chronic (Delayed)
 Fire

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

<u>Chemical Identity</u>	<u>Reportable quantity</u>
POTASSIUM DICHROMATE	10 lbs.

SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
POTASSIUM DICHROMATE	10000 lbs

SARA 313 (TRI Reporting)

<u>Chemical Identity</u>	<u>Reporting threshold for other users</u>	<u>Reporting threshold for manufacturing and processing</u>
POTASSIUM DICHROMATE	10000 lbs	25000 lbs.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

<u>Chemical Identity</u>	<u>Reportable quantity</u>
POTASSIUM DICHROMATE	Reportable quantity: 10 lbs.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

POTASSIUM DICHROMATE	Carcinogenic.
POTASSIUM DICHROMATE	Male reproductive toxin.
POTASSIUM DICHROMATE	Female reproductive toxin.
POTASSIUM DICHROMATE	Developmental toxin.

US. New Jersey Worker and Community Right-to-Know Act

<u>Chemical Identity</u>
POTASSIUM DICHROMATE

US. Massachusetts RTK - Substance List

<u>Chemical Identity</u>
POTASSIUM DICHROMATE

US. Pennsylvania RTK - Hazardous Substances

<u>Chemical Identity</u>
POTASSIUM DICHROMATE

US. Rhode Island RTK


<u>Chemical Identity</u>
POTASSIUM DICHROMATE

Inventory Status:

Australia AICS:	On or in compliance with the inventory
Canada DSL Inventory List:	On or in compliance with the inventory
EINECS, ELINCS or NLP:	On or in compliance with the inventory
Japan (ENCS) List:	On or in compliance with the inventory
China Inv. Existing Chemical Substances:	On or in compliance with the inventory
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory
Canada NDSL Inventory:	Not in compliance with the inventory.
Philippines PICCS:	On or in compliance with the inventory
US TSCA Inventory:	On or in compliance with the inventory
New Zealand Inventory of Chemicals:	On or in compliance with the inventory
Japan ISHL Listing:	On or in compliance with the inventory
Japan Pharmacopoeia Listing:	Not in compliance with the inventory.

16. Other information, including date of preparation or last revision

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible
OXY: Oxidizer

Issue Date:	04-06-2015
Revision Date:	No data available.
Version #:	1.0
Further Information:	No data available.

Disclaimer:

THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND AVANTOR PERFORMANCE MATERIALS MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION, WARRANTIES OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, AVANTOR PERFORMANCE MATERIALS ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. AVANTOR PERFORMANCE MATERIALS REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES.