

#### 1 Identification

Product identifier

Product name: Ruthenium powder

Stock number: 12061 CAS Number: 7440-18-8 EC number:

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Details of the supplier of the safety da Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com
www.walfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

#### 2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Flam. Sol. 2 H228 Flammable solid

Hazards not otherwise classified No information known.

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS02

Signal word Warning Hazard statements H228 Flammable solid.

H228 Frammable solid.

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting/equipment.
P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

WHMMS classification

WHMIS classification B4 - Flammable solid



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 1 Flammability = 2

| Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

# 3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description: 7440-18-8 Ruthenium Identification number(s): EC number: 231-127-1

## 4 First-aid measures

# Description of first aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice. After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information as

Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 2)

# Product name: Ruthenium powder

Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. of page 1)

# 5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents Special powder for metal fires. Do not use water. For safety reasons unsuitable extinguishing agents Water Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released:

Metal oxide fume Advice for firefighters

Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

# 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:
Keep away from ignition sources.
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
Prevention of secondary hazards: Keep away from ignition sources.
Paternes to extense sections

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

# 7 Handling and storage

Handling
Precautions for safe handling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires: Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Do not store together with acids. Store away from oxidizing agents.

Further information about storage conditions:

Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. **Additional information:** No data

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Maintain an exponentially appropriate working equipment

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Protection of hands:

Not applicable.

Impervious gloves

Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Penetration time of glove material (in minutes) Not determined

Eye protection: Safety glasses

Body protection: Protective work clothing.

# 9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance: Form: Powder Color: Grey Odor: Odorless Odor threshold: Not determined.

pH-value:

Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start: 2334 °C (4233 °F) 4150 °C (7502 °F) Not determined Flammability (solid, gaseous) Ignition temperature: Highly flammable. Not determined

(Contd. on page 3)

# Product name: Ruthenium powder

(Contd. of page 2) Decomposition temperature: Not determined

Auto igniting: Not determined Danger of explosion: Explosion limits: Not determined. Lower: Not determined Not determined

Upper: Vapor pressure: Density at 20 °C (68 °F): Not applicable. 12.45 g/cm³ (103.895 lbs/gal) Not determined.

Relative density Vapor density Evaporation rate Not applicable. Not applicable.

Solubility in / Miscibility with Insoluble Partition coefficient (n-octanol/water): Not determined. Viscosity: dynamic: Not applicable.

kinematic: Not applicable. Other information No further relevant information available.

### 10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available.

Incompatible materials:

Oxidizing agents Hazardous decomposition products: Metal oxide fume

## 11 Toxicological information

## Information on toxicological effects

Acute toxicity: No effects known.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: May cause irritation

Eye irritation or corrosion: May cause irritation

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: No effects known.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Aspiration nazard. No effects known.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

# 12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information:

Do not allow material to be released to the environment without proper governmental permits. Avoid transfer into the environment. Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.
Other adverse effects No further relevant information available.

### 13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

# 14 Transport information

**UN-Number** DOT, IMDĞ, IATA UN3089

UN proper shipping name

Metal powders, flammable, n.o.s. (Ruthenium powder) METAL POWDER, FLAMMABLE, N.O.S. (Ruthenium powder) IMDG, IATA

# Transport hazard class(es)

DOT



Class Label 4.1 Flammable solids, self-reactive substances and solid desensitised explosives. Class

4.1 (F3) Flammable solids, self-reactive substances and solid desensitised

(Contd. on page 4)

| oduct name: Ruthenium powder                           |   |
|--|---|
|  | (Contd. of page   |
| Label<br>IMDG, IATA                                    | 4.1   |
| <b>(</b>   |   |
| Class<br>Label   | 4.1 Flammable solids, self-reactive substances and solid desensitised explosives. 4.1   |
| Packing group<br>DOT, IMDG, IATA                       | III   |
| Environmental hazards:                                 | Not applicable.   |
| Special precautions for user                           | Warning: Flammable solids, self-reactive substances and solid desensitised explosives   |
| EMS Number:  | F-Ġ,S-G   |
| Segregation groups                                     | Heavy metals and their salts (including their organometallic compounds), powdere metals |
| Transport in bulk according to Annex II of MARPOL73/78 | and the IBC Code Not applicable.  |
| Transport/Additional information:                      |   |
| DOT .<br>Marine Pollutant (DOT):                       | No  |
| UN "Model Regulation":                                 | UN3089, Metal powders, flammable, n.o.s. (Ruthenium powder), 4.1, III                   |

### 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



Signal word Warning Hazard statements H228 Flammable solid.

H228 Frammable solid.

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting/equipment.
P370+P378 In case of fire: Use for extinction: CO2, powder or water spray. National regulations

National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Domestic Substances List (DSL).
SARA Section 313 (specific toxic chemical listings) Substance is not listed.
California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity, Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. market and use must be observed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/24/2015 / Abbreviations and acronyms:
RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Cuil Aviation organization
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances

IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PVB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)