SIGMA-ALDRICH

sigma-aldrich.com

SAFETY DATA SHEET

Version 4.11 Revision Date 04/24/2015 Print Date 11/16/2015

1. PRODUCT AND COMPANY IDENTIFICATION

| 1.1 | Product identifiers | | |
|-----|--------------------------|---------|---|
| | Product name | : | Zinc |
| | Product Number | : | 209988 |
| | Brand | : | Aldrich |
| | Index-No. | : | 030-001-01-9 |
| | CAS-No. | : | 7440-66-6 |
| 1.2 | Relevant identified uses | s of th | e substance or mixture and uses advised against |

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

| Company | : | Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA |
|-----------|---|--|
| Telephone | : | +1 800-325-5832 |
| Fax | : | +1 800-325-5052 |
| | | |

Emergency telephone number 1.4

Emergency Phone # : (314) 776-6555

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Combustible dust, Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



| Signal word | Warning |
|----------------------------|---|
| Hazard statement(s) | |
| | May form combustible dust concentrations in air |
| H410 | Very toxic to aquatic life with long lasting effects. |
| Precautionary statement(s) | |
| P273 | Avoid release to the environment. |
| P391 | Collect spillage. |
| P501 | Dispose of contents/ container to an approved waste disposal plant. |

Hazards not otherwise classified (HNOC) or not covered by GHS 2.3 Combustible dust

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

| Formula | : Zn |
|------------------|----------------|
| Molecular weight | : 65.39 g/mol |
| CAS-No. | : 7440-66-6 |
| Index-No. | : 030-001-01-9 |
| | |

Hazardous components

| Classification | Concentration |
|--------------------------|---|
| | |
| Aquatic Acute 1; Aquatic | <= 100 % |
| Chronic 1; H410 | |
| | |
| Aquatic Acute 1; Aquatic | >= 1 - < 5 % |
| Chronic 1; H410 | |
| | Aquatic Acute 1; Aquatic Chronic 1; H410 Aquatic Acute 1; Aquatic |

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Special powder against metal fire Dry sandUse water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media Water

5.2 Special hazards arising from the substance or mixture Zinc/zinc oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Handle and store under inert gas. Air and moisture sensitive. Storage class (TRGS 510): Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

| Component | CAS-No. | Value | Control | Basis |
|------------|-----------|--------------|------------|-----------------------------------|
| | | | parameters | |
| Zinc oxide | 1314-13-2 | TWA | 2.000000 | USA. ACGIH Threshold Limit Values |
| | | | mg/m3 | (TLV) |
| | Remarks | metal fume f | ever | |
| | | STEL | 10.000000 | USA. ACGIH Threshold Limit Values |
| | | | mg/m3 | (TLV) |
| | | metal fume f | ever | |

| TWA | 5.000000 mg/m3 | USA. NIOSH Recommended Exposure Limits |
|-----|--------------------|--|
| TWA | 5.000000 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| ST | 10.000000 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| С | 15.000000 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| TWA | 5.000000 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
| TWA | 15.000000 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
| TWA | 5.000000 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
| TWA | 5.000000 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| | | | • • |
|----|-----|--|--|
| а | ı) | Appearance | Form: Dust Colour: dark grey |
| b |) | Odour | odourless |
| С | :) | Odour Threshold | No data available |
| Ċ | I) | рН | Not applicable |
| e | e) | Melting point/freezing point | Melting point/range: 420 °C (788 °F) - lit. |
| f |) | Initial boiling point and boiling range | 907 °C (1,665 °F) - lit. |
| g | I) | Flash point | Not applicable |
| h | I) | Evaporation rate | No data available |
| i) | | Flammability (solid, gas) | May form combustible dust concentrations in air |
| j) |) | Upper/lower flammability or explosive limits | No data available |
| k |) | Vapour pressure | Not applicable |
| I) |) | Vapour density | No data available |
| n | n) | Relative density | 7.133 g/cm3 at 25 °C (77 °F) |
| n | I) | Water solubility | insoluble |
| C |) | Partition coefficient: n- octanol/water | Not applicable |
| p |) | Auto-ignition temperature | does not ignite |
| q |) | Decomposition temperature | No data available |
| r |) | Viscosity | No data available |
| s |) | Explosive properties | During processing, dust may form explosive mixture in air. |
| t) |) | Oxidizing properties | No data available |
| C | Oth | er safety information | |
| | | | |

Bulk density

1.8 - 3.2 kg/m3

10. STABILITY AND REACTIVITY

10.1 Reactivity

9.2

No data available

10.2 Chemical stability

Stable under recommended storage conditions. Contains the following stabiliser(s): Zinc oxide (<=3 %)

- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** No data available
- **10.5** Incompatible materials Strong oxidizing agents, Acids and bases

10.6 Hazardous decomposition products Other decomposition products - No data available In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

No data available

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitisation Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

No data available

Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Additional Information

RTECS: ZG8600000

Effects due to ingestion may include:, chills, dry throat, sweet taste, Fever, Cough, Nausea, Vomiting, Weakness, Contact with eyes or skin may cause:, Irritation

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 - Cyprinus carpio (Carp) - 450 µg/l - 96 h

Toxicity to daphnia and LC50 - Daphnia magna (Water flea) - 0.068 mg/l - 48 h other aquatic invertebrates

mortality NOEC - Daphnia (water flea) - 0.101 - 0.14 mg/l - 7 d

12.2 Persistence and degradability The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential Bioaccumulation Algae - 7 d

Algae - 7 d at 16 °C - 5 µg/l

Bioconcentration factor (BCF): 466

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 3077 Class: 9 Packing group: III Proper shipping name: Environmentally hazardous substances, solid, n.o.s. (Zinc powder (stabilized), Zinc oxide) Reportable Quantity (RQ): 1010 lbs

Poison Inhalation Hazard: No

IMDG

UN number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc powder (stabilized), Zinc oxide) Marine pollutant:yes IATA UN number: 3077 Class: 9 Packing group: III Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Zinc powder (stabilized), Zinc oxide)

Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

| hed by SARA Title III CAS-No. | , Section 313: Revision Date |
|----------------------------------|---|
| 1314-13-2 | 2007-03-01 |
| 7440-66-6 | 1993-04-24 |
| | |
| | |
| CAS-No. | Revision Date |
| 7440-66-6 | 1993-04-24 |
| 1314-13-2 | 2007-03-01 |
| | |
| CAS-No. | Revision Date |
| 7440-66-6 | 1993-04-24 |
| 1314-13-2 | 2007-03-01 |
| | |
| CAS-No. | Revision Date |
| 7440-66-6 | 1993-04-24 |
| 1314-13-2 | 2007-03-01 |
| | CAŚ-No. 1314-13-2 7440-66-6 CAS-No. 7440-66-6 1314-13-2 CAS-No. 7440-66-6 1314-13-2 CAS-No. 7440-66-6 |

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

| | May form combustible dust concentrations in air |
|-----------------|---|
| Aquatic Acute | Acute aquatic toxicity |
| Aquatic Chronic | Chronic aquatic toxicity |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| | |

HMIS Rating

| Health hazard: | 0 | |
|--|--------|--|
| Chronic Health Hazard: Flammability: Physical Hazard | 0 | |
| Filysical Hazalu | 0 | |
| NFPA Rating | | |
| NFPA Rating Health hazard: | 0 | |
| 0 | 0 0 | |
| Health hazard: | Ū | |

Further information

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.11

Revision Date: 04/24/2015

Print Date: 11/16/2015