# **SAFETY DATA SHEET**

Version 3.8 Revision Date 02/28/2015 Print Date 02/02/2016

## 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Zinc oxide

Product Number : 96479

Brand : Sigma-Aldrich Index-No. : 030-013-00-7

CAS-No. : 1314-13-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

## 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Warning

Hazard statement(s)

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Formula : OZn

Molecular weight : 81.39 g/mol

Sigma-Aldrich - 96479 Page 1 of 8

CAS-No. 1314-13-2 EC-No. 215-222-5 Index-No. 030-013-00-7

Hazardous components

Component	Classification	Concentration
Zinc oxide		
	Aquatic Acute 1; Aquatic	<= 100 %
	Chronic 1; H410	

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

#### 4.1 **Description of first aid measures**

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### Most important symptoms and effects, both acute and delayed 4.2

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### Indication of any immediate medical attention and special treatment needed 4.3

No data available

### 5. FIREFIGHTING MEASURES

#### 5.1 **Extinguishing media**

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### 5.2 Special hazards arising from the substance or mixture

Zinc/zinc oxides

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 **Further information**

No data available

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures 6.1

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

#### 6.2 **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

Sigma-Aldrich - 96479 Page 2 of 8

## 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis	
Zinc oxide	1314-13-2	TWA	2.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
	Remarks	metal fume fever			
		STEL	10.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
		metal fume fever			
		TWA	5.000000 mg/m3	USA. NIOSH Recommended Exposure Limits	
		TWA	5.000000 mg/m3	USA. NIOSH Recommended Exposure Limits	
		ST	10.000000 mg/m3	USA. NIOSH Recommended Exposure Limits	
		С	15.000000 mg/m3	USA. NIOSH Recommended Exposure Limits	
		TWA	5.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
		TWA	15.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
		TWA	5.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
		TWA	5.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	

## 8.2 Exposure controls

## Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

## Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Sigma-Aldrich - 96479 Page 3 of 8

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## **Respiratory protection**

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: powder

Colour: white

b) Odourc) Odour Thresholdd) pHNo data availableNo data available

e) Melting point/freezing

point

No data available

f) Initial boiling point and

No data available

boiling range
) Flash point

Not applicable

h) Evaporation rate No data available

) Flammability (solid, gas) No data available

Upper/lower flammability or explosive limits

No data available

k) Vapour pressure No data available

No data available

No data available

m) Relative density 5.610 g/cm3

Sigma-Aldrich - 96479 Page 4 of 8

n) Water solubilityNo data availableo) Partition coefficient: n-No data available

octanol/water

Explosive properties

Auto-ignition No data available temperature

q) Decomposition

No data available

temperature r) Viscosity

No data available No data available

t) Oxidizing properties No data available

## 9.2 Other safety information

No data available

## 10. STABILITY AND REACTIVITY

## 10.1 Reactivity

s)

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

No data available

### 10.5 Incompatible materials

Strong oxidizing agents

## 10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

## 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Mouse - 7,950 mg/kg

LC50 Inhalation - Mouse - 2,500 mg/m3

Dermal: No data available

No data available

### Skin corrosion/irritation

Skin - Rabbit

Result: Mild skin irritation - 24 h

## Serious eye damage/eye irritation

Eves - Rabbit

Result: Mild eye irritation - 24 h

Eves - Rabbit

Result: Mild eye irritation - 24 h

## Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

Hamster Embryo

Unscheduled DNA synthesis

Sigma-Aldrich - 96479 Page 5 of 8

Hamster

**Embryo** 

Morphological transformation.

Hamster

**Embryo** 

Sister chromatid exchange

Guinea pig

Unscheduled DNA synthesis

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

## Reproductive toxicity

No data available

No data available

## Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

## **Additional Information**

RTECS: ZH4810000

Zinc oxide dust or fume can irritate the respiratory tract. Prolonged skin contact can produce a severe dermatitis called oxide pox. Exposure to high levels of dust or fume can cause metallic taste, marked thirst, coughing, fatigue, weakness, muscular pain, and nausea followed by fever and chills. Severe overexposure may result in bronchitis or pneumonia with a bluish tint to the skin., prolonged or repeated exposure can cause:, Reversible liver enzyme abnormalities.. Diarrhoea

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## 12. ECOLOGICAL INFORMATION

## 12.1 Toxicity

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 1.1 mg/l - 96.0 h

Toxicity to daphnia and

EC50 - Daphnia magna (Water flea) - 0.098 mg/l - 48 h

other aquatic invertebrates

## 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

Sigma-Aldrich - 96479 Page 6 of 8

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

Very toxic to aquatic life.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

#### 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company.

#### Contaminated packaging

Dispose of as unused product.

### 14. TRANSPORT INFORMATION

### DOT (US)

Not dangerous goods

**IMDG** 

UN number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide)

Marine pollutant:yes

IATA

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Zinc oxide)

#### **Further information**

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

## 15. REGULATORY INFORMATION

#### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

## **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

Zinc oxide CAS-No. Revision Date 2007-03-01

### SARA 311/312 Hazards

No SARA Hazards

## **Massachusetts Right To Know Components**

Zinc oxide CAS-No. Revision Date 2007-03-01

Pennsylvania Right To Know Components

Zinc oxide CAS-No. Revision Date 2007-03-01

**New Jersey Right To Know Components** 

Zinc oxide CAS-No. Revision Date 2007-03-01

## California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Sigma-Aldrich - 96479 Page 7 of 8

## **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity
H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

**HMIS Rating** 

Health hazard: 0
Chronic Health Hazard:
Flammability: 0
Physical Hazard 0

**NFPA** Rating

Health hazard: 0
Fire Hazard: 0
Reactivity Hazard: 0

#### **Further information**

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

## **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 3.8 Revision Date: 02/28/2015 Print Date: 02/02/2016

Sigma-Aldrich - 96479 Page 8 of 8