


1 of 25



C.2.4 Precautionary statement text

C.2.4.1 There are four types of precautionary statements presented, "prevention," "response," "storage," and "disposal." The core part of the precautionary statement is presented in bold print. This is the text, except as otherwise specified, that shall appear on the label. Where additional information is required, it is indicated in plain text.

C.2.4.2 When a backslash or diagonal mark (/) appears in the precautionary statement text, it indicates that a choice has to be made between the separated phrases. In such cases, the chemical manufacturer, importer, or responsible party can choose the most appropriate phrase(s). For example, "Wear protective gloves/protective clothing/eye protection/face protection" could read "wear eye protection".

C.2.4.3 When three full stops (...) appear in the precautionary statement text, they indicate that all applicable conditions are not listed. For example, in "Use explosion-proof electrical/ventilating/lighting/.../equipment", the use of "..." indicates that other equipment may need to be specified. In such cases, the chemical manufacturer, importer, or responsible party can choose the other conditions to be specified.

C.2.4.4 When text in *italics* is used in a precautionary statement, this indicates specific conditions applying to the use or allocation of the precautionary statement. For example, "Use explosion-proof electrical/ventilating/lighting/.../equipment" is only required for flammable solids "*if dust clouds can occur*". Text in italics is intended to be an explanatory, conditional note and is not intended to appear on the label.

C.2.4.5 Where square brackets ([]) appear around text in a precautionary statement, this indicates that the text in square brackets is not appropriate in every case and should be used only in certain circumstances. In these cases, conditions for use explaining when the text should be used are provided. For example, one precautionary statement states: "[In case of inadequate ventilation] wear respiratory protection." This statement is given with the condition for use "– text in square brackets may be used if additional information is provided with the chemical at the point of use that explains what type of ventilation would be adequate for safe use". This means that, if additional information is provided with the chemical explaining what type of ventilation would be adequate for safe use. This means that, if additional information is provided with the chemical explaining what type of ventilation would be adequate for safe use. This means that, if additional information is provided with the chemical explaining what type of ventilation would be adequate for safe use. This means that, if additional information is provided with the chemical explaining what type of ventilation would be adequate for safe use. This means that, if additional information is provided with the chemical explaining what type of ventilation would be adequate for safe use. This means that, if additional information is provided with the chemical explaining what type of ventilation would be adequate for safe use. This means that, if additional information is provided with the chemical explaining what type of ventilation would be used and the statement would read: "In case of inadequate ventilation wear respiratory protection." However, if the chemical is supplied without such ventilation information, the text in square brackets should not be used, and the precautionary statement should read: "Wear respiratory protection."

C.2.4.6 Precautionary statements may be combined or consolidated to save label space and improve readability. For example, "Keep away from heat, sparks and open flame," "Store in a well-ventilated place" and "Keep cool" can be combined to read "Keep away from heat, sparks and open flame and store in a cool, well-ventilated place."

C.2.4.7 In most cases, the precautionary statements are independent (e.g., the phrases for explosive hazards do not modify those related to certain health hazards, and products that are classified for both hazard classes shall bear appropriate precautionary statements for both). Where a chemical is classified for a number of hazards, and the precautionary statements are similar, the most stringent shall be included on the label (this will be applicable mainly to preventive measures). An order of precedence may be imposed by the chemical manufacturer, importer or responsible party in situations where phrases concern "Response." Rapid action may be crucial, and first aid measures for a acute toxicity will take precedence over those for long-term effects. In addition, medical attention to delayed health effects may be required in cases of incidental exposure, even if not associated with immediate symptoms of intoxication.

C.2.4.8 If the chemical manufacturer, importer, or responsible party can demonstrate that a precautionary statement is inappropriate to a specific substance or mixture, the precautionary statement may be omitted from the label.

C.3 Supplementary hazard information


C.3.1 To ensure that non-standardized information does not lead to unnecessarily wide variation or undermine the required information, supplementary information on the label is limited to when it provides further detail and does not contradict or cast doubt on the validity of the standardized hazard information.

C.3.2 Where the chemical manufacturer, importer, or distributor chooses to add supplementary information on the label, the placement of supplemental information shall not impede identification of information required by this section.

C.3.3 Where an ingredient with unknown acute toxicity is used in a mixture at a concentration \geq 1%, and the mixture is not classified based on testing of the mixture as a whole, a statement that X% of the mixture consists of ingredient(s) of unknown acute toxicity is required on the label.

C.4 REQUIREMENTS FOR SIGNAL WORDS, HAZARD STATEMENTS, PICTOGRAMS, AND PRECAUTIONARY STATEMENTS


	C (Classif		
			Pictogram Skull and crossbones
Hazard category	Signal word	Hazard statement	~
1	Danger	Fatal if swallowed	
2	Danger	Fatal if swallowed	
Precautionary statements			
Prevention	Res	ponse Storage	Disposal



Hazard category S	gnal word Hazard statement			
1 C	Danger	Fatal in contact w	ith skin	
2 C	Danger	Fatal in contact w	ith skin	
Precautionary statements				
Prevention	Re	sponse	Storage	Disposal
Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Chemical manufacturer, importer, or listributor to specify parts of the body to be washed after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing. Chemical manufacturer, importer, or listributor to specify type of equipment. f on skin:	distributor may spe- if appropriate, or r alternative agent in water is clearly ina Immediately cal center/doctor/ Chemical manuf distributor to speci source of emerger Specific treatme label)	Tacturer, importer, or ecify a cleansing agent may recommend an n exceptional cases if ippropriate. I a poison	Store locked up.	Dispose of contents/container to in accordance with local/regional /national/international regulations (to be specified).
	before reuse. C.4.2 AC			
				Pictogram Skull and crossbones
	ignal word	Hazard stateme		
	i ignal word Danger	Hazard stateme		
3 D	Danger	Toxic in contact w	ith skin	Skull and crossbones
3 D Precautionary statements Prevention	Danger Re	Toxic in contact w sponse	ith skin Storage	Skull and crossbones
3 D	Re If on skin: Wash water/ Chemical manud distributor may spu if appropriate, or r	Toxic in contact w sponse n with plenty of facturer, importer, or ecify a cleansing agent nay recommend an n exceptional cases if	ith skin	Skull and crossbones
3 D Precautionary statements Prevention Wear protective gloves/protective clothing. Chemical manufacturer, importer, or	Re If on skin: Wash water/ Chemical manuf distributor may spa if appropriate, or r alternative agent ii water is clearly ina Call a poison cer you feel unwell. Chemical manuf distributor to speci	Toxic in contact w sponse a with plenty of facturer, importer, or ecify a cleansing agent may recommend an n exceptional cases if ippropriate. nter/doctor//if	ith skin Storage	Skull and crossbones
3 D Precautionary statements Prevention Wear protective gloves/protective clothing. Chemical manufacturer, importer, or	Re If on skin: Wash water/ Chemical manuf distributor may spe if appropriate, or r alternative agent in water is clearly ina Call a poison cer you feel unwell. Chemical manuf distributor to speci source of emerger Specific treatme label) Reference to su instruction.	Toxic in contact w sponse n with plenty of facturer, importer, or ecify a cleansing agent may recommend an n exceptional cases if ippropriate. nter/doctor//if facturer, importer, or ify the appropriate	ith skin Storage	Skull and crossbones
3 D Precautionary statements Prevention Wear protective gloves/protective clothing. Chemical manufacturer, importer, or	Re If on skin: Wash water/ Chemical manud distributor may spe if appropriate, or r alternative agent in water is clearly ina Call a poison cer you feel unwell. Chemical manud distributor to speci source of emerger Specific treatme label) Reference to su instruction. - <i>if measures such agent is advised</i> . Take off immedi	Toxic in contact w sponse n with plenty of facturer, importer, or ecify a cleansing agent may recommend an n exceptional cases if ippropriate. nter/doctor//if facturer, importer, or ify the appropriate ncy medical advice. ent (see on this upplemental first aid n as specific cleansing	ith skin Storage	Skull and crossbones
3 D Precautionary statements Prevention Wear protective gloves/protective clothing. Chemical manufacturer, importer, or	Re If on skin: Wash water/ Chemical manuf distributor may spi if appropriate, or r alternative agent in water is clearly ina Call a poison cer you feel unwell. Chemical manuf distributor to speci source of emerger Specific treatme label) Reference to su instruction. . <i>if measures such</i> agent is advised. Take off immedi before reuse.	Toxic in contact w sponse n with plenty of facturer, importer, or ecify a cleansing agent may recommend an n exceptional cases if ippropriate. nter/doctor//if facturer, importer, or ify the appropriate ncy medical advice. ent (see on this applemental first aid or as specific cleansing ately all	ith skin Storage Store locked up.	Skull and crossbones

	ignal word	Hazard stateme	ent	
4 W	/arning	Harmful in contac	t with skin	
Precautionary statements				•
Prevention	Respo	onse	Storage	Disposal
Wear protective gloves/protective clothing Chemical manufacturer, importer, or distributor to specify type of equipment.	If on skin: Wash w water/ Chemical manufact distributor may specifi if appropriate, or may alternative agent in e: water is clearly inappr Call a poison cente you feel unwell. Chemical manufact distributor to specify t source of emergency Specific treatment label) Reference to suppl instruction. - if measures such as agent is advised.	turer, importer, or y a cleansing agent y recommend an xceptional cases if ropriate. er/doctor//if turer, importer, or the appropriate medical advice. (see on this lemental first aid		Dispose of contents/container to in accordance with local/regional /national/international regulations (to be specified).
	Take off contamina wash it before reus			
		ACUTE TOXICITY - d in Accordance w		Dictogram
				Pictogram Skull and crossbones
Hazard category	Signal word	Hazard state	ement	
	-			
1	Danger	Fatal if inhaled	1	
2	Danger Danger	Fatal if inhaled Fatal if inhaled		
2 Precautionary statements	Danger	Fatal if inhaled	1	Disposal
1 2 Precautionary statements Prevention Do not breathe dust/fume /gas/mist/vapors/spray. Chemical manufacturer, importer, or distributor to specify applicable conditions. Use only outdoors or in a well-ventilated area. [In case of inadequate ventilation] wear respiratory protection. Chemical manufacturer, importer, or distributor to specify equipment Text in square brackets may be used if additional information is provided with the chemical at the point of use that explains what type of ventilation would be adequate for safe use.	Danger Respo If inhaled: Remove air and keep comfo breathing. Immediately call a center/doctor/ Chemical manufact distributor to specify t source of emergency Specific treatment on this label) Reference to suppl	Fatal if inhaled onse e person to fresh rtable for poison turer, importer, or the appropriate medical advice. is urgent (see lemental first aid		Disposal Dispose of contents/container to in accordance with local/regional /national/international regulations (to be specified).
2 Precautionary statements Prevention Do not breathe dust/fume /gas/mist/ vapors/spray. Chemical manufacturer, importer, or distributor to specify applicable conditions. Use only outdoors or in a well-ventilated area. [In case of inadequate ventilation] wear respiratory protection. Chemical manufacturer, importer, or distributor to specify equipment. - Text in square brackets may be used if additional information is provided with the chemical at the point of use that explains what type of ventilation would	Danger Respo If inhaled: Remove air and keep comfo breathing. Immediately call a center/doctor/ Chemical manufact distributor to specify t source of emergency Specific treatment on this label) Reference to suppl instruction. - <i>if immediate adminis</i> <i>is required</i> .	Fatal if inhaled onse e person to fresh ortable for poison turer, importer, or the appropriate medical advice. is urgent (see lemental first aid istration of antidote	Storage Store in a well-ventilated place. Keep container tightly closed. - <i>if product is volatile as to</i> <i>generate hazardous</i> <i>atmosphere.</i> Store locked up.	Dispose of contents/container to in accordance with local/regional /national/international regulations (to be
2 Precautionary statements Prevention Do not breathe dust/fume /gas/mist/ vapors/spray. Chemical manufacturer, importer, or distributor to specify applicable conditions. Use only outdoors or in a well-ventilated area. [In case of inadequate ventilation] wear respiratory protection. Chemical manufacturer, importer, or distributor to specify equipment. - Text in square brackets may be used if additional information is provided with the chemical at the point of use that explains what type of ventilation would	Danger Respo If inhaled: Remove air and keep comfo breathing. Immediately call a center/doctor/ Chemical manufact distributor to specify t source of emergency Specific treatment on this label) Reference to suppl instruction. - <i>if immediate adminis</i> <i>is required</i> .	Fatal if inhaled onse e person to fresh ortable for poison turer, importer, or the appropriate medical advice. is urgent (see lemental first aid istration of antidote	Storage Store in a well-ventilated place. Keep container tightly closed. - if product is volatile as to generate hazardous atmosphere. Store locked up.	Dispose of contents/container to in accordance with local/regional /national/international regulations (to be specified).

Prevention	Respon	se	Storage	Disposal
Avoid breathing dust/fume /gas/mist/ vapors/spray. Chemical manufacturer, importer, or distributor to specify applicable conditions. Use only outdoors or in a well-ventilated area.	If inhaled: Remove p air and keep comfort breathing. Call a poison center/ Chemical manufactur distributor to specify the source of emergency m Specific treatment (s label) Reference to supplen instruction. - if immediate specific m required.	erson to fresh able for doctor/ er, importer, or e appropriate edical advice. ee on this nental first aid	Store in a well-ventilated place. Keep container tightly closed. - <i>if product is volatile so as to generate hazardous atmosphere.</i> Store locked up.	Dispose of content/container to in accordance with local/regional /national/international regulations (to be specified).
	C 4 3 ACUTE TO	ΧΙΩΙΤΥ – ΙΝΗΔΙ	ATION (CONTINUED)	
			ith Appendix A.1)	
				Pictogram Exclamation mark
Hazard category	Signal word	Hazard st	atement	
4	Warning	Harmful if	inhaled	
Precautionary statements				V
Prevention	Respon	se	Storage	Disposal
Avoid breathing dust/fume /gas/mist/ vapors/spray. Chemical manufacturer, importer, or distributor to specify applicable conditions. Use only outdoors or in a well-ventilated area.	If inhaled: Remove p air and keep comfort breathing. Call a poison center/ you feel unwell. Chemical manufactur distributor to specify the source of emergency m	erson to fresh able for doctor//if er, importer, or e appropriate	- in ge	
Hazard category Signa	(Classified i	n Accordance w	//IRRITATION ith Appendix A.2)	Pictogram Corrosion
Hazard category Signa	(Classified i			
Hazard category Signa 1A to 1C Dange	(Classified i Il word Hazard s	n Accordance w	ith Appendix A.2)	
	(Classified i Il word Hazard s	n Accordance w	ith Appendix A.2)	
1A to 1C Dange	(Classified i Il word Hazard s	n Accordance w statement evere skin burns a	ith Appendix A.2)	
1A to 1C Dange Precautionary statements Prevention Do not breathe dusts or mists. - if inhalable particles of dusts or mists	(Classified i Il word Hazard s er Causes se Respon If swallowed: Rinse i	n Accordance w statement evere skin burns a se	rith Appendix A.2) nd eye damage Storage	Corrosion Corrosion Disposal Dispose of contents/container to in accordance with local/regional
1A to 1C Dange Precautionary statements Prevention Do not breathe dusts or mists. - if inhalable particles of dusts or mists may occur during use. Washthoroughly after handling. Chemical manufacturer, importer, or distributor to specify parts of the body for	(Classified i al word Hazard s er Causes se Respon If swallowed: Rinse i induce vomiting. If on skin (or hair): T immediately all conta clothing. Rinse skin v	n Accordance w statement evere skin burns a se mouth. Do NOT ake off aminated	rith Appendix A.2) nd eye damage Storage	Corrosion Corrosion Disposal Dispose of contents/container to
1A to 1C Dange Precautionary statements Prevention Do not breathe dusts or mists. - if inhalable particles of dusts or mists may occur during use. Washthoroughly after handling. Chemical manufacturer, importer, or distributor to specify parts of the body to be washed after handling. Wear protective gloves/protective	(Classified i Il word Hazard s er Causes se Respon If swallowed: Rinse i induce vomiting. If on skin (or hair): T immediately all conta clothing. Rinse skin v to water/shower. Wash contaminated of	n Accordance w statement evere skin burns a se mouth. Do NOT ake off aminated with	rith Appendix A.2) nd eye damage Storage	Corrosion Corrosion Disposal Dispose of contents/container to in accordance with local/regional /national/international regulations (to be
1A to 1C Dange Precautionary statements Prevention Do not breathe dusts or mists. - if inhalable particles of dusts or mists may occur during use. Washthoroughly after handling. Chemical manufacturer, importer, or distributor to specify parts of the body to be washed after handling.	(Classified i Il word Hazard s er Causes se Respon If swallowed: Rinse i induce vomiting. If on skin (or hair): T immediately all conta clothing. Rinse skin v to water/shower. Wash contaminated of reuse. If inhaled: Remove p air and keep comfort	n Accordance w statement were skin burns a se mouth. Do NOT ake off aminated with clothing before erson to fresh	rith Appendix A.2) nd eye damage Storage	Corrosion Corrosion Disposal Dispose of contents/container to in accordance with local/regional /national/international regulations (to be
1A to 1C Dange Precautionary statements Prevention Do not breathe dusts or mists. - if inhalable particles of dusts or mists may occur during use. Washthoroughly after handling. Chemical manufacturer, importer, or distributor to specify parts of the body to be washed after handling. Wear protective gloves/protective clothing/eye protection/face protection. Chemical manufacturer, importer, or	(Classified i Il word Hazard s er Causes se Respon If swallowed: Rinse i induce vomiting. If on skin (or hair): T immediately all conta clothing. Rinse skin v to water/shower. Wash contaminated of reuse. If inhaled: Remove p air and keep comfort	n Accordance w statement evere skin burns an se mouth. Do NOT Take off aminated with clothing before erson to fresh able for bison er, importer, or appropriate	rith Appendix A.2) nd eye damage Storage	Corrosion Corrosion Disposal Dispose of contents/container to in accordance with local/regional /national/international regulations (to be



Hazard category	Signal word	Hazard statement	i	\wedge
24	Varning	Causes serious eye i	rritation	
Precautionary statements				•
Prevention	Re	sponse	Storage	Disposal
Vash thoroughly after handling . Chemical manufacturer, importer, or listributor to specify parts of the body to re washed after handling.	. If in eyes: Rinse water for severa	cautiously with I minutes. Remove f present and easy	olonge	Disposa.
Vear eye protection/face rotection. hemical manufacturer, importer, or istributor to specify type of equipment	If eye irritation medical advice/			
		E DAMAGE/IRRITATIO fied in Accordance with	• •	
				Pictogram No Pictogram
lazard category	Signal word	Hazard	statement	
В	Warning	Causes e	ye irritation	
recautionary statements				
Prevention	Re	sponse	Storage	Disposal
Vash thoroughly after handling . Chemical manufacturer, importer, or istributor to specify parts of the body t e washed after handling.	water for severa	I minutes. Remove f present and easy		
	If eye irritation medical advice/			
		6 SENSITIZATION - RE fied in Accordance with		
				Pictogram Health hazard
Hazard category	Signal word	Hazard statement		
(including both sub-categories 1A and	d 1B) Danger	May cause allergy or ast	hma symptoms or breath	ing difficulties if inhaled
recautionary statements				•
Prevention	Re	sponse	Storage	Disposal
Void breathing dust/fume 'gas/mist/ vapors/spray. Chemical manufacturer, importer, or listributor to specify applicable onditions.	If inhaled: If bre	eathing is difficult, o fresh air and keep breathing. respiratory		Dispose of contents/container to in accordance with local/regional /national/international regulations (to be specified).
In case of inadequate ventilation vear respiratory protection. hemical manufacturer, importer, or listributor to specify equipment Text in square brackets may be used additional information is provided with the chemical at the point of use that explains what type of ventilation would be adequate for safe use.	center/doctor/ Chemical manuf distributor to speci source of emerger	acturer, importer, or		
	(Classi	C.4.7 SENSITIZATION fied in Accordance with		
			*	Pictogram
				Exclamation mark

Hazard category 1 (including both sub-categories 1A and 1B)		Signal word	Hazard statement	
		B) Warning	May cause an allergic skin reaction	
Precautionary stateme	ents			•
Preven		Response	Storage	Disposal
Avoid breathing due		If on skin: Wash with plenty of	otorage	Dispose of contents/container to
Ygas/mist/ vapors/ Chemical manufacture distributor to specify a conditions. Contaminated work not be allowed out workplace. Wear protective glo Chemical manufacture distributor to specify ty	Yspray. er, importer, or pplicable c clothing must of the oves. er, importer, or	 water/ Chemical manufacturer, importer, or distributor may specify a cleansing ager if appropriate, or may recommend an alternative agent in exceptional cases if water is clearly inappropriate. If skin irritation or rash occurs: Ge medical advice/attention. Specific treatment (see on this label) Reference to supplemental first aid instruction. <i>Manufacturer, importer, or distributor may specify a cleansing agent if appropriate.</i> Wash contaminated clothing befor reuse. 	t	in accordance with local/regional /national/international regulations (to be specified).
		C.4.8 GERM CELL M (Classified in Accordance		
				Pictogram Health hazard
Hazard category	Signal word	Hazard statement		
1A and 1B	Danger	May cause genetic defects <>		
2	Warning	Suspected of causing genetic defects <	<>	
		(state route of exposure if no other rou	ites of exposure cause the ha	zard)
Precautionary stateme	ents			
Preven	ntion	Response	Storage	Disposal
Dbtain special instr use. Do not handle until precautions have be understood.	all safety	If exposed or concerned: Get medical advice/attention.	Store locked up.	Dispose of contents/container to in accordance with local/regional /national/international regulations (to be specified).
Wear protective glo clothing/eye protec protection. Chemical manufacture distributor to specify ty as required.	er, importer, or			
		C.4.9 CARCINO (Classified in Accordance		
				Pictogram Health hazard
Hazard category	Signal word	Hazard statement		
1A and 1B	Danger	May cause cancer <>		
	Warning	Suspected of causing cancer <>		
		(state route of exposure if no other rou	ites of exposure cause the ha	zard)
Precautionary stateme	ents			
Preven	ntion	Response	Storage	Disposal
Obtain special instr use.	uctions before	If exposed or concerned: Get medical advice/attention.	Store locked up.	Dispose of contents/container to in accordance with local/regional /national/international regulations (to be
Do not handle until	all safety een read and			specified).



	Signal word	Hazard stater	nent					
1	Danger	Causes damage to organs <> <<>>						
		<> (or state	all organs affected if known))				
		<<>> (state	<<>> (state route of exposure if no other routes of exposure cause the hazard)					
Precautionary stateme	nts							
Preven	ition	Response		Storage	Disposal			
Do not breathe dust/fume /gas/mist/ vapors/spray. Chemical manufacturer, importer, or distributor to specify applicable conditions.		If exposed: Call a poison center/doctor/ Chemical manufacturer, importer, or distributor to specify the appropriate source of emergency medical advice.		Store locked up.	Dispose of contents/container to in accordance with local/regional /national/international regulations (to be specified).			
Washthoroughly Chemical manufactu distributor to specify p be washed after hand	urer, importer, or arts of the body t	instruction.	atment (see on this to supplemental first aid e measures are required.					
Do not eat, drink or using this product.	smoke when	" """Calat	, meddared are regained.					
	C.4		ARGET ORGAN TOXICITY lassified in Accordance w	/ (Single Exposure) (CONT ith Appendix A.8)				
Hazard category	Signal word	Hazard stater	nent		Pictogram Health hazard			
2	Warning		age to organs <> <<>	>				
<u> </u>	warning		all organs affected, if known					
		-) er routes of exposure cause the	(hazard)			
Procentionany stateme	ntc	<<>> (SIDIE		η τουτές οι εχροσάτε τουσε της	110201U) V			
Precautionary stateme Preven			Response	Storage	Disposal			
Do not breathe dust		If exposed	Response or concerned: Call a	Storage Store locked up.	Disposa Dispose of contents/container to			
/gas/mist/ vapors/ Chemical manufacture distributor to specify a conditions.	'spray . er, importer, or	nexposed of contention can a poison center/doctor/ Chemical manufacturer, importer, or distributor to specify the appropriate source of emergency medical advice.		Store locked up.	in accordance with local/regional /national/international regulations (to be specified).			
Wash thoroughly Chemical manufactu								
distributor to specify p be washed after hand								
	ling.							
be washed after hand Do not eat, drink or	ing. • smoke when		ARGET ORGAN TOXICITY lassified in Accordance w	/ (Single Exposure) (CONT vith Appendix A.8)				
be washed after hand Do not eat, drink or	ling. • smoke when C.4				INUED) Pictogram Exclamation mark			
be washed after hand Do not eat, drink or using this product.	ling. smoke when C.4 Sig	(C	lassified in Accordance w	vith Appendix A.8)	Pictogram			
be washed after hand Do not eat, drink or using this product. Hazard category	ling. smoke when C.4 Sig	(C nal word	lassified in Accordance w Hazard statement	irritation; or	Pictogram			
be washed after hand Do not eat, drink or using this product. Hazard category 3	ling. • smoke when C.4 Sig War	(C nal word	lassified in Accordance w Hazard statement May cause respiratory	irritation; or	Pictogram			
be washed after hand Do not eat, drink or using this product. Hazard category 3 Precautionary stateme	ling. smoke when C.4 Sig War	(C nal word	lassified in Accordance w Hazard statement May cause respiratory May cause drowsiness	irritation; or or dizziness	Pictogram Exclamation mark			
be washed after hand Do not eat, drink or using this product. Hazard category 3	ling. smoke when C.4. Sig War nts stition st/fume 'spray. r, importer, or pplicable	(C nal word ming If inhaled: I air and kee breathing. Call a poiso you feel um	lassified in Accordance w Hazard statement May cause respiratory May cause drowsiness Response Remove person to fresh o comfortable for n center/doctor//if	irritation; or	Pictogram			

		(0	lassified in Accordance w	vith Appendix A.9)	
					Pictogram Health hazard
Hazard category	Signal word	Hazard stater	nent		^
1	Danger	Causes damage	e to organs <> through pr	olonged or repeated exposu	Jre <<>>
		<> (state all	organs affected, if known)		
		<<>> (state	route of exposure if no othe	er routes of exposure cause	the hazard)
Precautionary statem	nents				
Preve	ention		Response	Storage	Disposal
Do not breathe du /gas/mist/vapors Chemical manufactur distributor to specify conditions.	s/spray. rer, importer, or	Get medica feel unwell	I advice/attention if you		Dispose of contents/container to in accordance with local/regional /national/international regulations (to be specified).
Wash thorough Chemical manufact distributor to specify be washed after han	turer, importer, or parts of the body				
Do not eat, drink ous and the set of the set					
	C.4.	12 SPECIFIC TA	RGET ORGAN TOXICITY	(Repeated Exposure) (C	ONTINUED)
			classified in Accordance w		
					Pictogram Health hazard
Hazard category	Signal word	Hazard statem	nent		^
2	Warning	May cause dama	age to organs <> through	prolonged or repeated expo	osure <<>>
		· .			
		-	organs affected, if known)		
rocoutionons -t-t-	anta	<<>> (state	route of exposure if no other	r routes of exposure cause to	ne nazard)
recautionary statem			Deemen	<u>.</u>	.
	ention	Cat ==!!	Response	Storage	Disposal
Do not breathe du 'gas/mist/ vapors	s/spray.	Get medica feel unwell	I advice/attention if you		Dispose of contents/container to in accordance with local/regional
Chemical manufactur distributor to specify conditions.					/national/international regulations (to be specified).
distributor to specify		0)	C.4.13 ASPIRATIO lassified in Accordance w		
distributor to specify conditions.	applicable		lassified in Accordance w		
distributor to specify	applicable	(C Il word			specified). Pictogram
distributor to specify conditions.	applicable	al word	lassified in Accordance w	ith Appendix A.10)	specified). Pictogram
listributor to specify conditions. Hazard category	applicable Signa Danga	al word	lassified in Accordance w Hazard statement	ith Appendix A.10)	specified). Pictogram
listributor to specify conditions. Hazard category L Precautionary statem	applicable Signa Danga	al word	lassified in Accordance w Hazard statement	ith Appendix A.10)	specified). Pictogram
distributor to specify conditions. Hazard category I	applicable Signa Dange	If swallowe poison cen Chemical distributor to	lassified in Accordance w Hazard statement May be fatal if swallowed an	i th Appendix A.10) Id enters airways	specified). Pictogram Health hazard Victorian
distributor to specify conditions. Hazard category I	applicable Signa Dange	If swallowe poison cen Chemical distributor to source of em	Hazard statement Hazard statement May be fatal if swallowed an Response ed: Immediately call a ter/doctor/ manufacturer, importer, or specify the appropriate	ith Appendix A.10) Id enters airways Storage	specified). Pictogram Health hazard View of contents/container to in accordance with local/regional /national/international regulations (to be
distributor to specify conditions. Hazard category I	applicable Signa Dange	If swallowe poison cen Chemical distributor to source of em Do NOT inc	Hazard statement Hazard statement May be fatal if swallowed an Response ed: Immediately call a ter/doctor/ manufacturer, importer, or specify the appropriate tergency medical advice. Huce vomiting. C.4.14 EXPLOS	ith Appendix A.10) Id enters airways Storage Store locked up.	specified). Pictogram Health hazard View of contents/container to in accordance with local/regional /national/international regulations (to be
distributor to specify conditions. Hazard category I	applicable Signa Dange	If swallowe poison cen Chemical distributor to source of em Do NOT inc	Hazard statement Hazard statement May be fatal if swallowed an Response ed: Immediately call a ter/doctor/ manufacturer, importer, or specify the appropriate lergency medical advice. Huce vomiting.	ith Appendix A.10) Id enters airways Storage Store locked up.	specified). Pictogram Health hazard View of contents/container to in accordance with local/regional /national/international regulations (to be

Allocation Of Label Elements (Mandatory) - 1910.1200 App C



Exploding bomb¹




C.4.14 EXPLOSIVES (CONTINUED) (Classified in Accordance with Appendix B.1)


				Pictogram
Hazard catogory	Signal word	Haz	ard statement	No Pictogram
Hazard category Division 1.6	No signal word		azard statement	
Precautionary statements	No signar word	Non		
Prevention	Resp	onse	Storage	Disposal
None assigned	None assigned		None assigned	None assigned
				all have the label elements assigned to Division corresponding symbol, signal word and/or the
		C.4.15 FLAMMABL d in Accordance w		
				Pictogram Flame
Hazard category	Signal word	Hazard state	ment	
1	Danger	Extremely flam	mable gas	
Precautionary statements				
Prevention	Resp	onse	Storage	Disposal
Keep away from heat/sparks/oper flames/hot surfacesNo smoking. Chemical manufacturer, importer, or			Store in well-ventilated place.	I
distributor to specify applicable ignition source(s).	Eliminate all igniti to do so.	on sources if safe		
		FLAMMABLE GASE d in Accordance w		Dictogram
				Pictogram No Pictogram
Hazard category	Signal word	Haza	rd statement	
2	Warning	Flamn	nable gas	
Precautionary statements				
Prevention	Resp		Storage	Disposal
Keep away from heat/sparks/oper flames/hot surfacesNo smoking. Chemical manufacturer, importer, or			Store in well-ventilated place.	I
distributor to specify applicable ignition sources(s).	Eliminate all igniti to do so.	on sources if safe		
		4.16 FLAMMABLE ed in Accordance w		Pictogram Flame
Hazard category S	Signal word	Hazard stateme	nt	
1 [Danger	Extremely flamma	ble aerosol	
2	Varning	Flammable aeroso	bl	
Precautionary statements				
Prevention	Resp	onse	Storage	Disposal
Keep away from heat/sparks/oper flames/hot surfacesNo smoking. Chemical manufacturer, importer, or distributor to specify applicable ignition sources(s).			Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.	9
Do not spray on an open flame or other ignition source.				
Pressurized container: Do not piere	се			

		C.4.17 OXIDIZIN (Classified in Accordance v		
				Pictogram
lazard category	Signal word	Hazard statement		Flame over circle
				145
	Danger	May cause or intensify	/ fire; oxidizer	
Precautionary statements				•
Prevention		Response	Storage	Disposal
Keep/Store away from c /combustible materials. Chemical manufacturer, ir listributor to specify other i naterials.	do so. nporter, or	e of fire: Stop leak if safe to	Store in well-ventilated place.	
Keep reduction valves/v ittings free from oil and				
		C.4.18 GASES UNDER		
		(Classified in Accordance v	vith Appendix B.5)	Di-4
				Pictogram Gas cylinder
Hazard category	Signal word	Hazard statement		^
Compressed gas	Warning	Contains gas under pressure; m	ay explode if heated	
quefied gas	Warning	Contains gas under pressure; m	ay explode if heated	
	Warning	Contains gas under pressure; m	ay explode if heated	
issolved gas				
ecautionary statements		Dee		Diam 1
Prevention		Response	Storage Protect from sunlight. Store in a well-ventilated place.	Disposal
		C.4.18 GASES UNDER PRESS (Classified in Accordance v		
				Pictogram Gas cylinder
Hazard category	Signal word	Hazard statement		
Refrigerated liquefied gas	Warning	Contains refrigerated gas; may	y cause cryogenic burns or injury	
Precautionary statements				•
Prevention		Response	Storage	Disposal
Vear cold insulating glo hield/eye protection.	ves/face Thaw water	frosted parts with lukewarm . Do not rub affected area.	Store in well-ventilated place.	
		nmediate medical e/attention.		
		C.4.19 FLAMMABLI (Classified in Accordance v		
				Pictogram
				Flame


Hazard category Sign	al word	Hazard statement		
1 Dang		Extremely flammable liq	uid and vapor	
2 Dang		Highly flammable liquid	-	
3 Warn		Flammable liquid and va	-	$\overline{}$
Precautionary statements				•
Prevention		Response	Storage	Disposal
Keep away from heat/sparks/open flames/hot surfaces No smoking. Chemical manufacturer, importer, or distributor to specify applicable ignition source(s).	If on skin (or immediately a clothing. Rins water/shower	hair): Take off Ill contaminated e skin with r.	Store in a well-ventilated place. Keep cool.	Dispose of contents/container to in accordance with local/regional /national/ international regulations (to be specified).
Keep container tightly closed.		: Use to extinguish. nufacturer, importer, or		
Ground/Bond container and receiving equipment - if electrostatically sensitive material is for reloading. - if product is volatile so as to generate		ecify appropriate media.		
hazardous atmosphere.				
Use explosion-proof electrical/ventilating/ lighting//equipment. Chemical manufacturer, importer, or distributor to specify other equipment.				
Use only non-sparking tools.				
Take precautionary measures against static discharge.				
Wear protective gloves/eye protection/face protection Chemical manufacturer, importer, or distributor to specify type of equipment.				
		19 FLAMMABLE LIQUI		
	(Clas	ssified in Accordance v	With Appendix B.o)	Pictogram
				No Pictogram
Hazard category	Signal word	Haza	rd statement	
4	Warning	Comb	oustible liquid	
Precautionary statements		_		
Prevention		Response	Storage	Disposal
Keep away from flames and hot surfaces. – No smoking. Wear protective gloves/eye protection/face protection Chemical manufacturer, importer, or distributor to specify type of equipment.	Chemical ma distributor to sp - <i>if water increa</i>	: Use to extinguish. nufacturer, importer, or ecify appropriate media. <i>ases risk.</i>	Store in a well-ventilated place. Keep cool.	Dispose of contents/container to in accordance with local/regional/ national/international regulations (to be specified).
	(Clas	C.4.20 FLAMMABL ssified in Accordance v		
				Pictogram
Hazard category	Signal word	Hazard s	tatement	Flame
1	Danger	Flammable	e solid	
2	Warning	Flammable	e solid	\checkmark
Precautionary statements				
Prevention	I	Response	Storage	Disposal
Keep away from heat/sparks/open flames/hot surfaces No smoking. Chemical manufacturer, importer, or distributor to specify applicable ignition source(s).	Chemical ma	: Use to extinguish nufacturer, importer, or ecify appropriate media. ases risk.		

Ground/Bond container and







19 of 25



C.4.25 SUBSTANCE		HICH, IN CONTACT WI sified in Accordance wi		IABLE GASES (CONTINUED)
				Pictogram Flame
Hazard category Sig	nal word Ha	zard statement		
3 Wa	rning In o	In contact with water releases flammable gas		C 3
Precautionary statements				•
Prevention	I	Response	Storage	Disposal
Handle under inert gas. Protect from moisture. Wear protective gloves/eye protection/face protection. Chemical manufacturer, importer, o distributor to specify type of equipn	Chemical mai distributor to sp <i>- if water increa</i>	n case of fire: Use to extinguish.Store in a dry place Chemical manufacturer, importer, or istributor to specify appropriate media.Store in a closed container.if water increases risk.store in a closed container.		Dispose of contents/container to in accordance with local/regional /national/ international regulations (to be specified).
	(Clas	C.4.26 OXIDIZING sified in Accordance wi		
	(5145		······	Pictogram Flame over circle
Hazard category Sig	gnal word H	azard statement		
1 Da	nger M	ay cause fire or explosion;	strong oxidizer	
Precautionary statements				•
Prevention		Response	Storage	Disposal
Keep away from heat. Keep/Store away from clothing other combustible materials.	contaminated			Dispose of contents/container to in accordance with local/regional/ national/international regulations (to be specified).
Take any precaution to avoid m with combustibles/ Chemical manufacturer, importer distributor to specify other incompa materials.	quantities: Ev ^{, or} remotely due	or fire and large acuate area. Fight fire to the risk of		
Wear protective gloves /eye protection/face protection. Chemical manufacturer, importer, o distributor to specify type of equipn	Chemical ma distributor to sp - <i>if water increa</i>	: Use to extinguish. nufacturer, importer, or ecify appropriate media. ses risk.		
Wear fire/flame resistant/retar clothing.	dant			
		26 OXIDIZING LIQUID sified in Accordance wi		
	•		··· ·	Pictogram Flame over circle
Hazard category	Signal word	Hazard statem	ent	
2	Danger	May intensify fire	e; oxidizer	
3	Warning	May intensify fire	e; oxidizer	\checkmark
Precautionary statements				
Prevention	I	Response	Storage	Disposal
Keep away from heat. Keep/Store away from clothing /combustible materials. Chemical manufacturer, importer, distributor to specify other incompa materials.	<i>- if water increa</i> or		Dispose of contents/container to in accordance with local/regional/ national/international regulations (to be specified).	
Take any precaution to avoid m	hixing			



C.4.28 ORGANIC PEROXIDES (Classified in Accordance with Appendix B.15)



23 of 25

Chemical manufacturer, in distributor to specify appli source(s).	cable ignition		Store at temperatures not exceeding°C/°F. Keep cool. Chemical manufacturer, importer, or distributor to specify temperature.	Dispose of contents/container to in accordance with local/regional /national/international regulations (to be specified).
Keep /Store away from /combustible materials			Protect from sunlight.	
Chemical manufacturer distributor to specify incom materials.	, importer, or		Store away from other materials.	
Keep only in original co	ontainer.			
Wear protective gloves protection/face protec Chemical manufacturer, in distributor to specify type	tion. nporter, or			
		C.4.29 CORROSIVE T (Classified in Accordance wi		
				Pictogram Corrosion
Hazard category	Signal word	Hazard statem	ent	\wedge
1	Warning	May be corrosive	to metals	THE REAL
Precautionary statements				×
Preventio	n	Response	Storage	Disposal
Keep only in original co	ontainer. Absorb s damage.	pillage to prevent material	Store in corrosive resistant/ container with a resistant inner liner. Chemical manufacturer,	
			importer, or distributor to specify other compatible materials.	
	C	.4.30 Label elements for OSI	importer, or distributor to specify other compatible materials.	Pictogram
Hazard category	C Signal word	2.4.30 Label elements for OSI Hazard statement	importer, or distributor to specify other compatible materials.	Pictogram Flame
Hazard category Pyrophoric Gas			importer, or distributor to specify other compatible materials.	
	Signal word	Hazard statement	importer, or distributor to specify other compatible materials.	Flame
Pyrophoric Gas	Signal word Danger	Hazard statement Catches fire spontaneously if	importer, or distributor to specify other compatible materials.	Flame
	Signal word	Hazard statement	importer, or distributor to specify other compatible materials. HA defined hazards	Flame
Pyrophoric Gas Hazard category	Signal word Danger Signal word	Hazard statement Catches fire spontaneously if Hazard statement	importer, or distributor to specify other compatible materials. HA defined hazards	Flame
Pyrophoric Gas Hazard category	Signal word Danger Signal word	Hazard statement Catches fire spontaneously if Hazard statement	importer, or distributor to specify other compatible materials. HA defined hazards	Flame
Pyrophoric Gas Hazard category	Signal word Danger Signal word	Hazard statement Catches fire spontaneously if Hazard statement	importer, or distributor to specify other compatible materials. HA defined hazards	Flame Flame Flame Flame Flame Pictogram

2 The chemical manufacturer or importer shall label chemicals that are shipped in dust form, and present a combustible dust hazard in that form when used downstream, under paragraph (f)(1); 2) the chemical manufacturer or importer shipping chemicals that are in a form that is not yet a dust must provide a label to customers under paragraph (f)(4) if, under normal conditions of use, the chemicals are processed in a downstream workplace in such a way that they present a combustible dust hazard; and 3) the employer shall follow the workplace labeling requirements under paragraph (f)(6) where combustible dust hazard; and 3) the employer shall follow the workplace labeling requirements under paragraph (f)(6) where combustible dust hazard; and 5) the employer shall follow the workplace labeling requirements under paragraph (f)(6) where combustible dust hazard; and 5) the employer shall follow the workplace labeling requirements under paragraph (f)(6) where combustible dust hazard; and 5) the employer shall follow the workplace labeling requirements under paragraph (f)(6) where combustible dust hazard; and 5) the employer shall follow the workplace labeling requirements under paragraph (f)(6) where combustible dust hazard; and 5) the employer shall follow the workplace labeling requirements under paragraph (f)(6) where combustible dust hazard; and 5) the employer shall follow the workplace labeling requirements under paragraph (f)(6) where combustible dust hazard; and 5) the employer shall follow the workplace labeling requirements under paragraph (f)(6) where combustible dust hazard; and 5) the employer shall follow the workplace labeling requirements under paragraph (f)(6) where combustible dust hazard; and follow the workplace labeling requirements under paragraph (f)(6) where combustible dust hazard; and follow the workplace labeling requirements under paragraph (f)(6) where combustible dust hazard; and follow the workplace labeling requirements under paragraph (f)(6) where combustible dust hazard; and follow the

[61 FR 9227, March 7, 1996; 77 FR 17824, March 26, 2012]

Next Standard (1910.1200 App D)
Regulations (Standards - 29 CFR) - Table of Contents
Freedom of Information Act | Privacy & Security Statement | Disclaimers | Customer Survey | Important Web Site Notices | International | Contact Us
U.S. Department of Labor | Occupational Safety & Health Administration | 200 Constitution Ave., NW, Washington, DC 20210 Telephone: 800-321-OSHA (6742) | TTY: 877-889-5627
WWW.OSHA.gov