

Material Safety Data Sheet

SAF-T-EZE MOLY GRADE ANTI-SEIZE

Issue Date: 5/3/10

SECTION I - PRODUCT AND COMPANY INFORMATION

Product Name: MOLY GRADE ANTI-SEIZE

Product Type: Lubricating Grease

Part Numbers: 80855, 80837, 80822, 80878, 80853, 6V-4876

Hazard Rating: Health: 1 Fire: 1 Reactivity: 0

Company Identification: SAF-T-LOK International Corporation

300 EISENHOWER LANE NORTH

LOMBARD, IL 60148

Contact: Chris Michaels
Telephone/ Fax: (630) 495-2001
Emergency Phone (24 Hour): (703) 527-3887

Chemtrec (24 Hour): (800) 424-9300, (703) 527-3887
Preparer: Ind. Hygiene Department

Internet: www.saftlok.com

Product Class: Mixture DOT Hazard Class: N/A

Shipping Name: Unrestricted

SECTION II - INGREDIENT AND HAZARD INFORMATION

ComponentsCAS NumberPercentGraphite7782-42-520 - 30Hydrotreated Heavy Napthenic Distillate64742-52-540 - 50Molybdenum Disulfide1317-33-520 - 30

SECTION III - HAZARD IDENTIFICATION AND EMERGENCY OVERVIEW

EMERGENCY OVERVIEW

Physical appearance: Paste HMIS

Physical color: Black Health: 1
Odor: Mild / Inoffensive Flammability: 1
Reactivity: 0
Personal Protection: B

WARNING; MAY CAUSE: EYE IRRITATION SKIN IRRITATION

RESPIRATORY TRACT IRRITATION

MAY IRRITATE EXISTING ALLERGIC SKIN CONDITIONS

Page 1 of 4 Product: Moly Anti-Seize

Relative routes of entry: Skin, Inhalation, Eyes, Ingestion

Skin Contact: Usually no effect, however, as with any chemical, prolonged, excessive, or repeated exposure may cause mild to moderate skin irritation, exhibited by redness, drying and cracking of unprotected skin. Eye Contact: May irritate with slight pain and redness.

Respiratory/ Inhalation: Usually none, however, as with any chemical product, some irritation may occur.

Ingestion: Amounts transferred to mouth by fingers, etc, during normal operation should not cause injury.

Medical conditions generally aggravated by exposure: None known, however any chemical product may enhance allergies already present in certain individuals.

This product does not require exceptional labeling due to the evaluation procedure of the "General Classification guideline for preparations of the EU".

SECTION IV - FIRST AID INSTRUCTIONS

Skin Contact: Remove contaminated clothing. Wash affected area with soap and rinse with plenty of water. Get medical attention if symptoms occur. Wash clothing before reuse.

Eye Contact: Flush with water for at least 15 minutes holding eyelid open. Get medical attention if symptoms persist.

Respiratory / Inhalation: Remove to fresh air, if symptoms develop get medical attention.

Ingestion: Do not induce vomiting. Obtain medical attention if symptoms develop.

SECTION V – FIRE FIGHTING INSTRUCTIONS

Flash Point: 360°F (C.O.C.)

Unusual Fire and Explosion Hazards: None

Flammable Limits: LEL: N/A, UEL: N/A

Extinguishing Media: Carbon Dioxide, Foam, Dry Chemicals

Fire Fighting Procedures: Air mask and procedures for fighting chemical fires.

Do not inhale gases.

SECTION VI -ACCIDENTAL RELEASE MEASURES

Special Precautions: None known. Follow general precautions shown below.

Environmental precautions: Prevent material from entering floor drains, sewers, or

any bodies of water.

Clean up methods: Scoop up into waste container or soak up with absorbent

material. Store in a closed container until disposal. Dispose

of material according to regulations.

SECTION VII - HANDLING AND STORAGE

Handling: No special precautions necessary if used properly Avoid

contact with eyes, skin, and clothing. Avoid

breathing vapors. Wash hands thoroughly at mealtime

and end of shift.

Page 2 of 4 Product: Moly Anti-Seize

Storage: Isolated storage facility/ warehouse not required. Store in a

cool, dry location (60-90°F) in a well-ventilated

area in original container. Keep container tightly

closed when not in use.

Personal Protection: Wear personal protective equipment as outlined in

Section VIII of this MSDS.

SECTION VIII - EXPOSURE CONTROLS AND PERSONAL PROTECTION

Respiratory Protection: No respiratory protection required, but normal good

ventilation is recommended. Forced ventilation may be required if concentrations exceed normal use exposure.

Skin Protection: Not required, but if desired, use impermeable gloves

(neoprene, butyl rubber, natural rubber), as necessary to avoid skin contact, as well as proper clothing or plastic apron. Wash hands before eating, drinking, or using restroom.

Eye Protection: Not required if application method is proper. Avoid contact with

eyes.

Eye Washes: Eye wash stations should be located within 100 feet or

10 second walk of the work area.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Paste Color: Black

Odor: Mild/ Inoffensive
Boiling Point: 600°F (316°C)
Melting Point Not determined
Flash Point 360°F

Flash Point 360°F Self-inflammability Is not self-io

Self-inflammability Is not self-igniting Explosion danger Not explosive

Specific Gravity: 1.4 Vapor Density (Air = 1): N/D

Vapor Pressure (mm Hg.): < 0.1 @70°F
pH: Not determined
Evaporation Rate: Not determined
Solubility in Water: Insoluble
VOC (Organic solvents) 0.1%
Percent Solids: 50

SECTION X -STABILITY AND REACTIVITY

Stability: Stable
Hazardous Polymerization: Will not occur

Hazardous decomposition byproducts: None if used and stored according to specifications

Conditions to avoid Strong oxidizing agents

SECTION XI - TOXICOLOGICAL INFORMATION

No harmful effects have been determined if product is used and handled according to specifications.

This product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations.

Sensitization None known
Eye Irritant Not determined
Skin Irritant Not determined

Carcinogen No

Page 3 of 4 Product: Moly Anti-seize

SECTION XII - ECOLOGICAL DATA

Water Hazard: Do not allow entry into drains or surface water

SECTION XIII – DISPOSAL CONSIDERATIONS

Recommended method of disposal: Small quantities can be disposed with normal household

waste.

Disposal must be made according to official regulations.

EPA Hazardous Waste Number; Not an RCRA hazardous waste.

SECTION XIV – SHIPPING AND TRANSPORTATION INFORMATION

U.S. Department of Transportation Ground (49 CFR

Proper Shipping Name:
Hazard Class or Division:
Identification Number:
Packing Group:
Unrestricted
None
None
None

International Air Transportation (OCAO/IATA):

Proper Shipping Name:
Hazard Class or Division:
Identification Number:
Packing Group:

Unrestricted
None
None
None

Water Transportation (IMO/IMDG):

Proper Shipping Name: Environmentaly hazardous substance, liquid, N.O. S.

Hazard Class or Division: IMDG Class 9

Identification Number:NonePacking Group:NoneMarine Pollutant:Yes

ADR/RID-GGVS/E Class (cross border) Unrestricted

SECTION XV – REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on

the Toxic Substances Control Act Inventory

Canada Regulatory Information

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing

on the Domestic Substances List.

SECTION XVI – OTHER INFORMATION

Revision date: 2010-05-03 By: Human Resource Department

DISCLAIMER: The information on this material safety data sheet represents our current data and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or which involves using the product in combination with any other product or any other process is the responsibility of the user. SAF-T-LOK International Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of SAF-T-LOK International Corporation products.

Page 4 of 4 Product: Moly Anti-Seize